

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name "Deleted" Lead(II)acetate trihydrate 0.5% aq

Article Number L-007

Applications Diagnosis of contact allergy.

Manufacturer Chemotechnique MB Diagnostics AB

Modemgatan 9 SE-235 39 Vellinge

lab@chemotechnique.se

Telephone +46 (0) 40 466 077 (Monday-Friday 8.00-16.00 GMT+1)

Fax +46 (0) 40 466 700

2. HAZARD IDENTIFICATION

Health hazards

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

Signs and symptom of exposure

Dermal irritation.

Medical conditions aggravated by exposure

Dermatitis.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 99.5%

"Deleted" Lead(II)acetate 6080-56-4 0.5% Repr. tox. 1A, Spec. targ. org. tox. -

rep. exp. 2, Acute aq. tox. 1, Chron.aq. tox. 1; H360Df, H373,

H410

Classification according to EU Directive 67/548/EEC and 1999/45/EC

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 99.5% -

"Deleted" Lead(II)acetate 6080-56-4 0.5% T, N; R61, R48/22, R33, R50/53

trihydrate

trihydrate

L-007 Version 6 Revision Date: 2020-01-07 Print Date: 2025-08-10 Page 1/4

4. FIRST AID MEASURES

Emergency and first aid procedures

Obtain medical attention.

5. FIRE-FIGHTING MEASURES*

No data available.

6. ACCIDENTAL RELEASES MEASURES

Steps to be taken if material is released or spilled

Contain and place in a closed container.

7. HANDLING AND STORAGE

Precautions to be taken in handling and storage

Store dark at 5-8°C. Avoid extended exposure to light. Store in a well-sealed container. FOR EXTERNAL USE ONLY.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection

Not required.

Ventilation

Local exhaust.

Protective gloves

Disposal gloves.

Eye protection

Not required with normal use.

Work/Hygienic practices

Wash hands after each use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Transparent, Colorless Liquid

Odour Odourless

Boiling point* 100°C

Flash point* >No data available.

Self ignition* Product does not self ignite.

Danger of explosion* Product does not present as an explosion hazard.

Density* 1.0 g/cm³

10. STABILITY AND REACTIVITY

L-007 Version 6 Revision Date: 2020-01-07 Print Date: 2025-08-10 Page 2/4

^{*}Data is shown for AQUA Purificata only

Incompability

May react with strong oxidizing agents.

Stability

Stable at recommended storage conditions.

Hazardous polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Waste disposal method

Comply with federal, state/provincial and local regulation.

14. TRANSPORT INFORMATION

Not dangerous goods.

15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

16. OTHER INFORMATION

Text of H-statements and R-phrases mentioned in Section 3

Repr. tox. 1A Reproductive toxicity (Category 1A)
Spec. targ. org. tox. - rep. exp. 2 Specific target organ toxicity - repeated

exposure (Category 2)

Acute aq. tox. 1 Acute aquatic toxicity (Category 1)
Chron. aq. tox. 1 Chronic aquatic toxicity (Category 1)

H360Df May damage the unborn child. Suspected of

damaging fertility.

H373 May cause damage to organs through

prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting

effects

T Toxic

N Dangerous for the environment R61 May cause harm to the unborn child

R48/22 Harmful: danger of serious damage to health

by prolonged exposure if swallowed

R33 Danger of cumulative effects

L-007 Version 6 Revision Date: 2020-01-07 Print Date: 2025-08-10 Page 3/4

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.

L-007 Version 6 Revision Date: 2020-01-07 Print Date: 2025-08-10 Page 4/4