

## Safety Data Sheet

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	"Deleted" METHYLISOTHIAZOLINONE 0.02% aq
Article Number	M-035A
Applications	Diagnosis of contact allergy.
Manufacturer	Chemotechnique MB Diagnostics AB Modemgatan 9 SE-235 39 Vellinge <a href="mailto:lab@chemotechnique.se">lab@chemotechnique.se</a>
Telephone	+46 (0) 40 466 077 (Monday-Friday 8.00-16.00 GMT+1)
Fax	+46 (0) 40 466 700

### 2. HAZARD IDENTIFICATION

#### Health hazards

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

#### Signs and symptom of exposure

Dermal irritation.

#### Medical conditions aggravated by exposure

Dermatitis.

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]

Component	CAS-No.	Content	Classification
AQUA Purificata	7732-18-5	99.98%	-
"Deleted" METHYLISOTHI AZOLINONE	2682-20-4	0.02%	Skin corr. 1B, Skin sensit. 1, Spec. targ. org. tox. - single exp. 3, Acute aq. tox. 1; H302, H314, H317, H331, H335, H400

#### Classification according to EU Directive 67/548/EEC and 1999/45/EC

Component	CAS-No.	Content	Classification
AQUA Purificata	7732-18-5	99.98%	-
"Deleted" METHYLISOTHI AZOLINONE	2682-20-4	0.02%	T, N; R22, R23, R34, R43, R50

#### 4. FIRST AID MEASURES

## Emergency and first aid procedures

Obtain medical attention.

## 5. FIRE-FIGHTING MEASURES\*

No data available.

## 6. ACCIDENTAL RELEASES MEASURES

### Steps to be taken if material is released or spilled

Contain and place in a closed container.

## 7. HANDLING AND STORAGE

### Precautions to be taken in handling and storage

Store dark at 5-8°C. Avoid extended exposure to light. Store in a well-sealed container. FOR EXTERNAL USE ONLY.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## Respiratory protection

Not required.

## Ventilation

Local exhaust.

## Protective gloves

Disposal gloves.

## Eye protection

Not required with normal use.

## Work/Hygienic practices

Wash hands after each use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Transparent, Colorless Liquid
Odour	Odourless
Boiling point*	100°C
Flash point*	>No data available.
Self ignition*	Product does not self ignite.
Danger of explosion*	Product does not present as an explosion hazard.
Density*	1.0 g/cm <sup>3</sup>

\*Data is shown for AQUA Purificata only

## 10. STABILITY AND REACTIVITY

**Incompability**

May react with strong oxidizing agents.

**Stability**

Stable at recommended storage conditions.

**Hazardous polymerization**

Will not occur.

**11. TOXICOLOGICAL INFORMATION**

No data available.

**12. ECOLOGICAL INFORMATION**

No data available.

**13. DISPOSAL CONSIDERATIONS****Waste disposal method**

Comply with federal, state/provincial and local regulation.

**14. TRANSPORT INFORMATION**

Not dangerous goods.

**15. REGULATORY INFORMATION**

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

**16. OTHER INFORMATION****Text of H-statements and R-phrases mentioned in Section 3**

Acute tox. Oral 4  
Acute tox. Inhal. 3  
Skin corr. 1B  
Skin sensit. 1  
Spec. targ. org. tox. - single exp. 3

Acute aq. tox. 1  
H302  
H314  
H317  
H331  
H335  
H400  
T  
N  
R22  
R23

Acute toxicity, Oral (Category 4)  
Acute toxicity, Inhalation (Category 3)  
Skin corrosion (Category 1B)  
Skin sensitization (Category 1)  
Specific target organ toxicity - single exposure (Category 3)  
Acute aquatic toxicity (Category 1)  
Harmful if swallowed.  
Causes severe skin burns and eye damage.  
May cause an allergic skin reaction.  
Toxic if inhaled.  
May cause respiratory irritation.  
Very toxic to aquatic life.  
Toxic  
Dangerous for the environment  
Harmful if swallowed.  
Toxic by inhalation.

R34  
R43  
R50

Causes burns.  
May cause sensitization by skin contact.  
Very toxic to aquatic organisms.

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.