



& REFERENCE MANUAL 2015



CHEMOTECHNIQUE DIAGNOSTICS

2015



The complete range of products for Patch Testing



Foreword by Bo Niklasson, CEO

First of all I would like to thank all our faithful customers for your support during the past year and also welcome our new distributors that have been appointed during the year.

Chemotechnique Diagnostic's 34 years of continuous growth and development has been the result of our belief in building strong and long term business relationships with our global network of distributors, combined with the ongoing support and contributions of our product-user base of physicians. Our commitment is to continue serving dermatology in future years... maintaining our leadership position.

During the past year we have invested in new state of the art equipment in both the analytical and production sector and developed a closed loop system in the production of haptens.

When looking at our website you will note that we have made it possible also for patients to freely access our database of extensive information regarding the haptens and being able to print information sheets. We have also changed the site to be adapted to mobile platforms such as mobile phones, iPads and similar devices.

There will as always be additions and amendments in our range and these are found at the end of the Patch Test Products & Reference Manual.

At Chemotechnique Diagnostics, our passion and total focus on contact dermatitis and patch testing is to ensure that you, as a physician, will have the most advanced products and services that will provide your patients with improved health and enhanced quality of life. We look forward to continuing to serve you in 2015.



...for the diagnosis of contact allergy

Chemotechnique Diagnostics

Chemotechnique Diagnostics is recognized as the world's leading patch test company with the widest global distribution network and product range, with more than 550 different haptens distributed in about 90 countries around the world.



Countries (in blue) where Chemotechnique Diagnostics has distributors.

We offer the most complete range of high quality products including haptens (allergens) and test chambers for patch testing in the diagnosis of contact dermatitis. The contamination free haptens are produced under strict pharmaceutical control following the GMP quality management system audited by the Swedish Medical Products Agency (MPA). In addition, our whole operation follows the ISO 13485 and ISO 9001 Quality Management systems. Our products will therefore enable you to perform a valid diagnosis of contact allergy in your patients.

We focus on Research and Development (R & D) to produce new and relevant haptens for patch testing as well as new products in the medical device sector with special emphasis in the field of occupational dermatology.

By cooperating with national contact dermatitis associations in various countries we want to meet the needs of specific regions. We are guided by contact dermatitis groups such as the International Contact Dermatitis Research Group (ICDRG), European Environmental and Contact Dermatitis Research Group (EECDRG) and North American Contact Dermatitis Group (NACDG). With this in mind we believe ourselves to be up to date and able to facilitate dermatological investigations where patch tests are involved. For example, in 2013 Chemotechnique Diagnostics co-authored an article in Contact Dermatitis in cooperation with the University of Gothenburg.





Patch Test Products authorized by the ICDRG Distributed Worldwide



Customer service: Enrico, Sara, Katarina, Marie, Anna and Therese

Production: Chemotechnique Diagnostics Printing: Tryckfolket 2015 Revised: January 2015 Copyright: Chemotechnique Diagnostics AB

DISTRIBUTOR

...for the diagnosis of contact allergy

Table of Contents

Content	Page
Foreword by Bo Niklasson, CEO	A2
Chemotechnique Diagnostics	A3
General information	4
FAQ	5
Products	6
Patch Testing - Instructions for IQ Ultra™	20
Photopatch testing (PPT)	24
Patch Test Hapten Series	28
Table of Mixes	67
Article Guide to Haptens	74
Table of Haptens	91
Catalogue amendments January 2015	215
References for IQ Chambers™ & IQ Ultra™	216
Ordering procedure	219
Conditions of Sale	219



www.chemotechnique.se

Welcome to the new version of our website!

When you visit the webpage for the first time you will get an option to choose between the Physician section or the Patient section. The Physician section provides access to the full extent of the website following log in. The Patient section is without log in and is limited to give basic information about contact dermatitis and gives the ability to print information about all our haptens (allergens).



Process

Quality

Castomer

Park have for the following the second and an arrangement of the process of the pro

Patient section

Physician section

The website is adapted to fit all mobile platforms such as smartphones and tablets.



Tablet version



Smartphone version

...the trusted name in patch testing

Downloadable content at www.chemotechnique.se

Patient information sheets are available for each hapten, explaining where the substance can be found and if there are some known synonyms of the substance. Below is an example of a Patient Information Sheet, available in English, French, Spanish, and selected series in Swedish.

Material Safety Data Sheets are available in English for all the haptens.

Patch test record forms for all series are available. Download here to get the latest composition for each series.



To the left: Patient information sheet Bottom left: Material Safety Data Sheet (MSDS) Bottom right: Patch test record form







Snapshots from the production









General information

Change of terminology

The traditionally used "Allergen" is replaced by "Hapten" starting from the 2010 catalogue to avoid using an incorrect terminology. The only exception is Mx-21C; Dermatophagoides mix.

Haptens are substances incapable of inducing an immunologic reaction in

...for the diagnosis of contact allergy

diagnostic in vivo testing as a stand alone compound. A hapten needs to bind to a protein to become an antigen capable of eliciting an allergic reaction and this bond depends on individual biological factors in the patient being tested. An allergen is defined as a full antigen with a capability to elicit an allergic reaction during the patch test procedure. Some examples of common allergens are pollens, cat dander and dust mites.

INCI nomenclature

We still continue to adapt to the terminology of the International Nomenclature of Cosmetic Ingredients (INCI). The transition into these names is motivated by the fact that it will be easier to find the ingredients on labels of cosmetic products. The INCI names are shown as capital letters/upper case lettering in the different tables or texts.

Catalogue

You may download this catalogue in pdf format from our website www.chemotechnique.se. The pdf version has several very useful search functions that will facilitate finding what you need to know.



How much does a syringe/bottle contain?

A syringe is filled with 5 ml and a bottle contains 8 ml.

How many patients can you test with one syringe/bottle?

At least 150 patients/syringe and bottle.

Which volume should I dispense onto each patch test chamber?

When applying haptens in petrolatum, dispense a string of around 5-6 mm into the test chamber (about $25~\mu l$).

When applying liquid haptens to the IQ Chamber or IQ Ultra, apply a drop of the test solution by holding the dropper bottle against the filter paper in the chamber (20-25 µl). The amount should be just enough to properly moisten the filter paper. The preferred method is, however, to use a micropipette.

For how long can I store a preloaded patch test unit?

Most of the haptens can be preloaded on IQ Ultra for up to two weeks. This is if the chambers are stored in a refrigerator. **Do not preload liquid haptens** and volatile substances such as acrylates or fragrances.



Products

Products	Art. No.	Page	
Haptens		7	
Patch Test Series - International		8	
Patch Test Series - National Baseline Series		12	
Patch Test Chambers		13	
- IQ Ultra TM	IQ-U	15	
Devices			
Application Device for IQ Ultra TM	AP-P	16	
Chemo Skin Marker			
- Regular TM	SM	17	
- Slim TM	SMS	17	
- UV TM	SMUV	17	
Ultraviolet Lamp (handheld)	UV-Lamp	17	
Reading Plate for IQ Ultra TM	RP-P	18	
Chemo Nickel Test TM	NT	19	
Chemo Cobalt Test TM	СоТ	19	



...the trusted name in patch testing

Products - Haptens

Haptens

Chemotechnique Diagnostics takes pleasure in offering the widest range of commercially available haptens for patch testing now expanded to cover more than 550 different preparations. In cooperation with various national Contact Dermatitis Research Groups a number of country specific Baseline Series are available in addition to our normal range. The products are available through our extensive network of distributors worldwide.

Chemotechnique Diagnostics has the widest production of haptens in the market offering more than 550 different preparations included in 45 different series.



Substances with a petrolatum vehicle are supplied in 5 ml polypropylene syringes.



Substances in liquid solution are supplied in 8 ml polypropylene dropper bottles.

Haptens should be stored in a refrigerator protected from light. In accordance with their stability, we recommend that all substances should be renewed according to the expiry stated on the labels of the haptens.

Patch testing, being the classical method for the diagnosis of contact allergies, is an important tool when investigating contact dermatitis. This test becomes more reliable when using high quality standardised test substances. The raw materials used in the preparation of the haptens are of the highest purity and treated so that extremely small particles are formed and incorporated in the white petrolatum used as a vehicle. The petrolatum is produced by Penreco.

It is also important that the testing and interpretation of the result is performed by an experienced physician.

Delivery On Request haptens (DOR)

An additional selection of haptens can be quoted upon request.



Products - Patch test hapten series

International Series

Below is a short introduction to all the patch test series that Chemotechnique Diagnostics offer world wide. The composition of these can be seen after page 28 or on the website. Test record forms are available for all our series on the website



The European Baseline Series (S-1000) consists of haptens based on the experience from many years of studies of frequencies of contact allergy performed by the European Environmental and Contact Dermatitis Research Group (EECDRG).

The series can be seen as a basic "standard" baseline series in case no specific country specific baseline series is offered.



The International Comprehensive Baseline Series (ICB-1000) consists of a selection of haptens based on the experience from many years of studies of frequencies of contact allergy performed by the North American Contact Dermatitis Group (NACDG).

The series can be seen as an important addition for those physicians who either do not have a domestic baseline series or want to go beyond the various baseline series offered. The experience has been that a larger routine screening series will produce a higher yield of positive reactions and contribute to a better diagnosis.



The **Bakery Series (B-1000)** contains chemicals and substances which are included in foods. They are mostly frequent in pastries, thus exposing the people who might work in the field. The series mostly contains preservatives and substances valued for their fragrance and taste.



The Corticosteroid Series (CS-1000) contains chemicals and substances found in topical pharmaceutical products such as corticosteroid creams and ointments.



The **Cosmetic Series (C-1000)** contains chemicals and substances which anyone could be exposed to using cosmetics and beauty products. The series contains substances which are used for fragrance, preservation, sun protection and vehicles for obtaining optimized formulations.

...world leader in patch testing



The Cutaneous Adverse Drug Reaction Series (CAD-1000) contains chemicals and substances present in pharmaceutical products such as antibiotics, NSAID's and painkillers. These pharmaceutical products may cause systemic dermatitis.



The **Dental Screening Series (DS-1000)** contains the original composition of chemicals and substances which one is normally exposed to as a patient or staff in dental care. This series contains primarily metals and plastics.



The **Dental materials - Patients Series (DMP-1000)** contains chemicals and substances found in dental products that patients get exposed to in dental care. The series consists of plastics, fragrances and composite materials used for mending teeth.



The **Dental Materials - Staff Series (DMS-1000)** is a limited edition of the DMP-1000 series which contains chemicals and substances that a person risks being exposed to whilst working professionally in dental care. The series contains plastics, fragrances and composite materials used for mending teeth.



The **Epoxy Series (E-1000)** contains chemicals and substances which one might be exposed to working professionally with epoxy pastes and glues. Examples of chemicals are stabilizers, additives, resins and epoxies.



The European Photopatch Baseline Series (EP-1000) contains chemicals and substances which one might find in skincare products which protect against the sun. The series contains chemicals that are UV-blockers, additives and pharmaceutical compounds that may become allergenic after

UV activation.

Note that a special test method is required for this series (including a broadspectrum UVA source). See page 24 in this catalogue or www.chemotechnique.se for further information.



The European Photopatch Extended Series (EPE-1000) is an extended version of EP-1000 which contains additional UV-activated drugs. The series contains chemicals and substances which one might find in skincare products which protect against the sun. Examples are chemicals that are UV-blockers,

against the sun. Examples are chemicals that are UV-blockers, additives and pharmaceutical compounds that may become allergenic after UV activation.



Note that a special test method is required for this series (including a broad-spectrum UVA source).



The **Fragrance Series (F-1000)** contains chemicals and substances which one can be exposed to when using perfumes and beauty products. It contains substances which are used for obtaining pleasant odors, preservation as well as aid products in the formulation.



The **Hairdressing Series (H-1000)** contains chemicals and substances which one might risk getting exposed to working professionally in the hairdressing occupation. Examples are chemicals that are coloring agents, stabilizers, metals and preservatives.



The International Standard Series (IS-1000) consists of a selection of haptens based on the experience from many years of studies of frequencies of contact allergy performed by the International Contact Dermatitis Research Group (ICDRG). The selection of haptens in this series is set by the ICDRG.



The Isocyanate Series (I-1000) contains chemicals and substances which one might risk getting exposed to working professionally with isocyanates. Examples are chemicals that are used as stabilizers or additives in plastics.



The **Leg Ulcer Series (LU-1000)** contains chemicals and substances which patients can be exposed to when treating leg ulcers. It contains substances which are used for their medical properties, preservation, and vehicles in the formulation.



The Medicament Series (ME-1000) contains chemicals and substances which one risks getting exposed to when self-medicating antibiotics and topical pharmaceutical products.



The Metal series (MET-1000) contains metals which are present most commonly in jewelry, coins and tools, etc. The series contains all kinds of metals which are found in alloys and in the general environment.



The (Meth) Acrylate Series - Adhesives, Dental & Other (MA-1000) contains chemicals and substances which one normally gets exposed to working professionally in dental care

...the trusted name in patch testing

and/or other occupations in which acrylates are used. Examples are chemicals that are plastics and acrylates of different types.



The (Meth) Acrylate Series - Nails Artificial Series (MN-1000) contains chemicals and substances which one risks getting exposed to when working professionally in nail shops or when using nail products for home use. Examples are chemicals that are plastics and acrylates of different types.



The (Meth) Acrylate Series, Printing series (MP-1000) contains chemicals and substances which one is normally exposed to when working professionally with printing or printing at home. Examples are plastics, stabilizers and acrylates of different types.



The **Oil & Cooling Fluid Series (O-1000)** contains chemicals and substances which one risks getting exposed to when working professionally with mechanical parts and where there is a variety of viscous fluids present. Examples are chemicals that are stabilizers and preservatives.



The Photographic Chemicals Series (P-1000) contains chemicals and substances which one risks getting exposed to when working professionally with photography and development of photos. Examples are chemicals that are developers, oxidizers and reacting agents.



The **Plant Series (PL-1000)** contains extracts of plants and substances which people can be exposed to in nature and when using cosmetics and beauty products in so called "natural creams and ointments".



The **Plastic & Glues Series (PG-1000)** contains chemicals and substances which one is normally exposed to when working professionally with plastics. Examples are chemicals that are stabilizers, plastics/phthalates and preservatives/bactericides.



The Rubber Additives Series (R-1000) contains chemicals and substances which one risks getting exposed to when working professionally with rubber in the industry. Examples are chemicals that are stabilizers, antioxidants and preservatives/bactericides.



The **Shoe Series (SH-1000)** contains chemicals and substances which one risks getting exposed to when working with shoes as well as wearing shoes. Examples are chemicals that are tanning materials, coloring agents and preservatives/bactericides.



The Sunscreen Series (SU-1000) contains chemicals and substances which one will find in skincare products which protect against the sun. It contains substances which are used for their sun blocking properties.



The **Textile Colours & Finish Series (TF-1000)** contains chemicals and substances which one is regularly exposed to when wearing different types of clothes. Examples are chemicals that are coloring agents and protection/bactericides for the fabrics.



The Various Series (V-1000) consists of a selection of haptens which are not included in any other of Chemotechnique's series. The substances found here are hard to categorize and exposure can vary.

National Baseline Series

In cooperation with various national contact dermatitis research groups, there are also a number of country specific baseline series which are available in addition to our normal range of series.

...for the diagnosis of contact allergy

Products - Patch test chambers

Chemotechnique Diagnostics offers two types of test chambers; IQ ChambersTM and IQ Ultra ChambersTM. Both test units offer the feature of re-attaching the tape to a stiff plastic cover to prepare test units in advance. For easy and fast loading of the test chambers use the Application Device.

The basic requirements for a patch test chamber involves using an inert material applied to a hypoallergenic tape providing good occlusion and fixation of the test unit to the skin.




The material of IQ ChambersTM is inert, additive free polyethylene and IQ UltraTM is inert, additive free polyethylene foam and the opening of the chamber has a square form to make it easier to differentiate between allergic and irritant reactions. Undesired side effects in the form of allergic reactions to the test unit itself are avoided due to the chemical stability of the polyethylene plastic.¹⁻²⁴ The effect of reactive test substances on the test chamber which may result in secondary toxic reactions during the patch test, is also avoided due to polyethylene's chemical resistance to these types of substances.²⁵⁻³¹ By using inert plastic material such as polyethylene, the risk of inactivation, modification and absorption of the hapten during contact with the surface of the test chamber is avoided. ³²⁻³³, ³⁵ Considering these facts, the importance and advantages of using chambers made of inert plastic material has been demonstrated. ^{31,34}, ³⁶⁻⁴²

For references see page 216 in this catalouge or visit www.chemotechnique.se

IQ Ultra™

Move up to IQ Ultra™!



Polyethylene foam, inert & additive free. No risk of chemical interaction between the hapten and the patch test chamber Plastic protective cover - to protect the preloaded unit

Adhesive layer on chamber rim to eliminate hapten leakage

> Filter paper in each chamber for easy handling of liquids

High quality surgical tape Hypoallergenic and latex free Thin, soft, inert and additive free polyethylene foam maximizes patient comfort

Facilitates advance chamber filling

Improved staff efficiency

Aluminum free and recyclable

Environmentally friendly



...for the diagnosis of contact allergy

Features/Benefits

The IQ Ultra[™] patch test unit has important advances:

Each chamber has a filter paper incorporated which eliminates adding loose filter papers to facilitate handling of liquid haptens.

- The rim of each chamber has an adhesive layer to optimize adhesion to the skin and to eliminate leakage. This makes IQ Ultra[™] a closed-cell system enhancing occlusion and confining the test reaction within the chamber parameter.
- A defined test area is critical for standardization as the concept of dose/ area is valid only for a closed cell and IQ UltraTM is the only test chamber in the market that has this feature.
- The size of the IQ Ultra[™] is small to allow the application of multiple test units to patients' backs.
- The chambers are made of thin and soft polyethylene foam material to maximize patient comfort.
- The highest quality hypoallergenic surgical tape is used for the IQ Ultra[™]. Each strip of 10 chambers of IQ Ultra[™] is attached to a protective plastic cover with corresponding compartments which makes it possible to re-attach the tape after advance filling of the chambers with the haptens.
- The Application device for IQ UltraTM makes advance filling of test substances even easier. The device is specifically designed for the IQ UltraTM. It is cost effective and saves nurses/technicians time, as they can prepare test series up to two weeks prior to use. Volatile haptens such as acrylates and fragrances should not be preloaded.

Product Information


- IQ Ultra[™] is made of additive-free polyethylene plastic foam with a filter paper incorporated.
- IQ Ultra[™] is supplied in units of 10 chambers (in 2 rows of 5 chambers/row) on a hypoallergenic non woven adhesive tape.
- The tape with the chambers has a protective plastic cover with 10 corresponding compartments. The cover makes it possible to re-attach the tape to the cover after advance filling of the chambers with haptens.
- The volume of the chamber is 32 μ l and the inside area of the chamber is 64mm^2 .
- The width of the tape is 52mm and the length is 118mm.

Packaging & Service

The IQ Ultra[™] is supplied in cardboard boxes containing 100 units per box (100x10 chambers). A **Reading Plate for IQ Ultra[™]** is supplied in each box.



Devices - Application Device



The device significantly facilitates preloading of multiple test units. This is convenient when preparing test series in advance, such as the Baseline series, for a suitable number of patients. The device has a low weight of only 0.3 kg.



The device is equipped with a special function to detach and attach the syringe caps. This eliminates contamination of fingers during the dispensing of haptens.



The design prevents the tape unit from sliding during application of the haptens.

...world leader in patch testing

Devices - Chemo Skin Marker

Chemotechnique Diagnostics has developed 3 different markers to mark the patch test site:

Chemo Skin Marker- RegularTM: This marker contains Methylrosaniline and Silver nitrate for prolonged staining of the skin.

Chemo Skin Marker- SlimTM: Has the same ink and features as Chemo Skin RegularTM except that the tip is narrow thus producing thinner lines.

Chemo Skin Marker- UVIM: Suitable for dark skin types or when a non staining ink is wanted.







Chemo Skin Marker- SlimTM



Chemo Skin Marker- UVIM

Devices - Ultraviolet Lamp

We offer a suitable UV-lamp for easy detection of markings made by the Chemo Skin Marker- UVIM




UV Lamp showing the written mark from Chemo Skin Marker-UVTM



Devices - Reading plate for IQ Ultra™

The IQ Ultra Reading PlateTM facilitates the interpretation of the skin reactions.



Reading Plate for IO UltraTM

A range of photos of different types of allergic reactions are printed on the reading plate. A visual comparison with the actual reaction on the patient along with physical inspection of the skin, following the interpretation model as recommended by the International Contact Dermatitis Research Group (ICDRG) will provide the test result.

...world leader in patch testing

Devices - Chemo Nickel Test™



Important tool to detect free nickel in metallic objects. One-component product incorporating Dimethylglyoxime 1.0% in an ammoniacal solution for easy use with the supplied cotton tips.^{1, 2}

- 1) R.J.G. Rycroft, T. Menne, P.J. Frosch, Textbook of Contact Dermatitis, 2nd edition, (1995) ISBN 3-540-57943-5 Springer-Verlag Berlin, Heidelberg, New York.
- 2) Biesterbos J., Yazar K., Lidén C., Nickel on the Swedish market: follow-up 10 years after entry into force of the EU Nickel Directive. Contact Dermatitis, 2010:63, p. 333-339.







Devices - Chemo Cobalt Test™

An easy tool to detect free cobalt in metallic objects. One-component product incorporating Nitroso-R salt in a water solution for easy use with the supplied cotton tips. ¹, ²

- 1) Feigl F. Test for Metals, Cations and Anions of Metallo Acids. Spot Tests in Inorganic Analysis. Amsterdam: Elsevier, 1985: 149-153.
- 2) Thyssen J P, Menné T, Johansen J D, et al. A spot test for detection of cobalt release early experience and findings. Contact Dermatitis, 2010:63, p. 63-69.











Patch Testing - Instructions for IQ Ultra™



1. Detach one of the perforated corners. Let the corner stay on the tape.




2. If the Application Device (AP-P) is used: slide the IQ Ultra™ unit into the device .



3. Pull back the tape gently until all chambers are revealed. Do not detach the tape from the plastic cover.



4. If the Application Device (AP-P) is used: attach the tape to the device by pressing the clip.




5. Apply the test preparations starting with the first hapten in the lower left chamber. Lower left = upper left on the patient.



6. If the Application Device (AP-P) is used: detach the IQ Ultra™ unit from the clip. Remove the unit from the device.

...the trusted name in patch testing



7. Remove the corner and apply the unit onto the back. Press with the palms on the tape for about 5 seconds.



8. Mark, to the left of the tape, the first and the 5th chamber using the Chemo Skin Marker™.

Patch testing - General considerations

Applying the patch test haptens

When applying haptens in petrolatum, dispense a string of around 5-6 mm into the test chamber (about 25 µl).

When applying liquid haptens, apply a drop of the test solution to the filter paper in the chamber (20-25 μ l). The amount should be just enough to properly moisten the filter paper. The preferred method is, however, to use a micropipette.

Preloading

Most of the haptens can be preloaded on IQ Ultra for up to two weeks. If preloading of the chamber is done for storage in the refrigerator, do not preload liquid haptens and volatile substances such as acrylates or fragrances.

Applying the patch test units on the patient

When applying the test patches on the patient, use if possible the upper part of the patients back, and avoid applying patches to the midline and the scapula. If several test series are applied, 2 horizontal rows of 4-5 units per row can be applied across the back. In some cases other areas of the body like the upper part of the arms may be used. If the patient's skin is oily you can clean it gently with some ethanol. Unless the patient has very dry or oily skin there is no need to put on extra reinforcement tape to secure the patches. Do not put any test units under a brassiere shoulder band which can cause dislocation of the test units. Please note; press the tape with the palm of your hand for about 5 seconds. The pressure and heat will enhance adhesion.

Precautions

The patient should not take any cortisone or medications altering the immune system during the test, avoid taking showers and avoid exposure of the back to the sunlight.



Record form

Make a record on a record form of the numbers and names of each hapten. For patch record forms, visit our website www.chemotechnique.se where forms for all series are available under the section "Patch Testing".

Patient information sheet

Patient information sheets are available for each hapten, explaining where the substance can be found and if there are some known synonyms of the substance. Visit www.chemotechnique.se and go to the specific hapten and press the -button "Patient Info" to get a printable copy.

Interpretation

After about 48 hours the patch test units are removed. Visual imprints on the skin from each chamber + a slight erythema from the frames should be visible as a sign of good occlusion. Reading of the test is preferably performed at day 3 or 4 plus at day 7 after test application for haptens that may show delayed reactions. Some clinics prefer to add an initial reading about 30 minutes after the tape units have been removed. At that point possible skin irritation from the foam frames should have subsided in the normal case. At day 3, a weak erythema from the frames might be present in patients with sensitive skin.

Use the IQ Ultra Reading Plate to facilitate the reading. For the interpretation of the test result the following scheme can be used:

IR Irritant reaction

Discrete patchy erythema without infiltration.

+++ Extreme positive reaction

- -Coalescing vesicles
- -Bullous or ulcerative reaction

Strong positive reaction

-Erythema -Infiltration -Discrete vesicles -Papules


Weak positive reaction

-Infiltration -Erythema -Papules

?+ Doubtful reaction

-No infiltration -Faint macular

-Homogenous erythema



...world leader in patch testing

Patch testing - Visualized



1. Application Device. Slide the IQ unit into the device and pull back the tape



2. Applying the hapten. Apply the haptens starting with the lower left chamber.



3. Application of the test units. Remove the corner and apply the unit onto the back. Press with the palms on the tape for about 5 seconds.



4 Marking. Mark, to the left of the tape, the first and the 5th chamber using the Chemo Skin MarkerTM.



5. Removal of units. A rapid diagonal motion will minimize patient discomfort.



6. Reading. Use the Reading Plate to identify hapten location.



Photopatch testing (PPT) -General information and methodology¹

What patients should be tested and what agents to test?

Primary indication should be dermatitis predominantly affecting exposed sites with or without a history of a sunscreen reaction and that PPT should also be considered in patients with chronic actinic dermatitis and any individual with a photosensitive eruption for which there is no obvious diagnosis. PPT should not be undertaken when the skin test area is active. The European Photopatch Baseline Series EP-1000 is the series of choice supplemented by the additions in the European Photopatch Extended Series EPE-1000 as proposed by the Photopatch test taskforce group.²

Methodology of PPT and light source

The application area recommended is the mid upper back skin, avoiding 3-5 cm on either side of the vertebrae. Apply the agents using e.g. the IQ Ultra Chamber technique. Apply duplicate sets on left and right side of the back of the patient and leave the test units in place for either 24 or 48 h, after which both sets are removed. At this point, one set should be covered with an ultraviolet (UV) opaque material and the other irradiated with a calibrated metered broad-spectrum UVA source. The type of lamp used for testing should be noted as this may affect results. Psoralen plus UVA fluorescent lamps are preferred because of their widespread availability, reproducible spectrum and beam uniformity. One choice of equipment is the UV-Therapy and Photodiagnosis system UV 802 L from Waldmann.

Choice of ultraviolet dose

The UVA dose must be sufficient to trigger the photo allergy response without causing a false-positive or phototoxic response. The recommended dose is 5 J/cm2 for routine PPT.

Timing of readings

Readings should be recorded using the International Contact Dermatitis Research Group (ICDRG) scoring system with readings before irradiation, immediately after irradiation and 48 h after irradiation. Further readings at 72 and 96 h postirradiation are desirable to enable detection of crescendo or decrescendo scoring patterns suggesting allergic and non-allergic mechanisms, respectively. A positive reaction to a photohapten and light in the presence of negative 'contact' and 'irradiation' controls strongly



UV-Therapy and Photodiagnosis system UV 802 L from Waldmann

...world leader in patch testing

supports a photoallergic mechanism, particularly where a strengthening response over the reading time points is recorded. At the same time, it is important to recognize that non-irradiated test site results due to irritancy/allergy or photoaggravation (at the irradiated site) of an irritant/allergic reaction, phototoxicity and awareness of the possibility of a technical error, should all be identified and recorded.

Relevance of readings

It is important to record the relevance of the result using a system such as COA-DEX. This classifies clinical relevance of positive allergic patch test reactions as:

- current relevance (the patient has been exposed to a hapten during current episode of dermatitis and improves when the exposure ceases);
- old or past relevance (past episode of dermatitis from exposure to haptens);
- actively sensitized [patient presents with a sensitization (late) reaction];
- relevance not known (not sure if exposure is current or old);
- cross-reaction (the positive test is due to cross-reaction with another hapten);
- exposed (a history of exposure but not resulting in dermatitis from that exposure or no history of exposure but a definite positive allergic patch test).

(C = current; 0 = old; A = actively sensitized; D = do not know; EX = exposed).

Testing the ultraviolet A photosensitive or immunosuppressed patient

When photopatch testing a patient who has an abnormal UVA sensitivity, it is advisable to establish the UVA minimal erythema dose (MED) prior to PPT. Although there is a lack of recommended dose series data, it is important to test up to and including 5 J/cm² with the same UVA source as used for PPT. If the MED detected at 24 h is less than the lowest dose, it is advisable to use 50% of this value with an awareness of the increased possibility of photoaggravated irritant and contact reactions. Although concomitant systemic or topical immunosuppression/antihistaminic action may result in a false-negative result, a positive response will be valid. In the absence of published data on the duration/degree of immunosuppressive effect, it is recommended when clinically feasible, that such therapy should be stopped for at least 2 weeks prior to PPT investigation.

References

- 1. Photopatch testing: a consensus methodology for Europe. The European Taskforce for Photopatch Testing: Members of the panel: D.P. Bruynzeel, the Netherlands; J. Ferguson, Scotland, UK; K. Andersen, Denmark; M. Goncalo, Portugal; John English, UK; A. Goossens, Belgium; E. Holzle, Germany; S.H. Ibbotson, Scotland, UK; M. Lecha, Spain; P. Lehmann, Germany; F. Leonard, France; Harry Moseley, Scotland, UK; P. Pigatto, Italy; A. Tanen; Austria. JEADV (2004) 18, 679-682.
- 2. PHOTOPATCH TESTING: Recommendations for a European photopatch test baseline series. Contact Dermatitis (2013), accepted for publication. Anna Bonevalle, Derk P Bruynzeel, Ana Giménez-Arnau, An Goossens, Alastair Kerr, Mario Lecha, Norbert Neumann, Bo Niklasson, Paolo Pigatto, Lesley Rhodes, Thomas Rustemeyer, Robert Sarkany, Pierre Thomas, Mark Wilkinson.



The Hydroperoxides of Linalool and Limonene

Linalool is a naturally occurring terpene alcohol chemical found in many flowers and spice plants with many commercial applications, the majority of which are based on its pleasant scent.

Limonene takes its name from the lemon, as the rind of the lemon, contains considerable amounts of this compound, which contributes to the odor.

Both fragrances are very common in cosmetic products, such as perfumes and creams. The hydroperoxides are formed when Limonene and Linalool are exposed to sunlight and air.

Research including multicenter and repeated open application test (ROAT) studies, where Chemotechnique Diagnostics have been involved, have shown that the hydroperoxides are the molecules that cause the allergies – not the unoxidized perfume ingredient.

Swedish national television news broadcasted, in October 2013, two reports covering an outbreak of allergic contact dermatitis caused by these haptens.

Watch the videos on www.chemotechnique.se

Chemotechnique Diagnostics is the only provider of these haptens.

...for the diagnosis of contact allergy

Snapshots from our Customer Service













Patch Test Hapten Series

<u>Hapten series</u>	Art. No.	Page
European Baseline Series	S-1000	30
International Comprehensive Baseline Series	ICB-1000	32
Bakery Series	B-1000	36
Corticosteroid Series	CS-1000	37
Cosmetic Series	C-1000	37
Cutaneous Adverse Drug Reaction Series	CAD-1000	39
Dental Screening	DS-1000	40
Dental Materials - Patients	DMP-1000	41
Dental Materials - Staff	DMS-1000	42
Epoxy Series		
European Photopatch Baseline Series	EP-1000	43
European Photopatch Extended Series		
Fragrance Series	F-1000	45
Hairdressing Series	H-1000	47
International Standard Series	IS-1000	48
Isocyanate Series	I-1000	51
Leg Ulcer Series	LU-1000	51
Medicament Series	ME-1000	52
Metal Series	MET-1000	53
(Meth) Acrylate Series - Adhesives, Dental & Other	MA-1000	54
(Meth) Acrylate Series - Nails-Artificial	MN-1000	55
(Meth) Acrylate Series - Printing	MP-1000	55
Oil & Cooling Fluid Series	O-1000	56
Photographic Chemicals Series	P-1000	57
Plant Series		
Plastics & Glues Series	PG-1000	59
Rubber Additives Series	R-1000	59
Shoe Series	SH-1000	60
Sunscreen Series	SU-1000	61
Textile Colours & Finish	TF-1000	62
Various Haptens	V-1000	64
Supplemental Haptens	SA-1000	66

...the trusted name in patch testing

National Baseline Series

In cooperation with various national contact dermatitis research groups, the following country specific baseline series are available in addition to our normal range of series. Due to frequent changes in the national baseline series, the composition of these are not listed in the printed catalogue. Visit www.chemotechnique.se to see the full composition of the following series.

Series	Art. No.
Australian Baseline Series	ABS-1000
Belgian Baseline Series	BS-1000
British Baseline Series	GB-1000
Chinese Baseline Series	CB-1000
Finnish Baseline Series	FIN-1000
Hungarian Baseline Series	HU-1000
Indian Baseline Series	
Korean Baseline Series	KOR-1000
Latin American Baseline Series	LA-1000
North American Baseline Series	NA-1000
North American Extended Series	NAE-65
North American Comprehensive Series	NAC-80
North American Photopatch Series	NAP-1000
Spanish Baseline Series	
Swedish Baseline Series	



	Compound	Conc. %(w		Art. No.
	European Baseline Series		S-1 (000
1.	Potassium dichromate	0.5	pet	P-014A
2.	p-PHENYLENEDIAMINE (PPD)	1.0	pet	P-006
3.	Thiuram mix	1.0	pet	Mx-01
	-Dipentamethylenethiuram disulfide (D-019)	0.25		
	-Tetraethylthiuram disulfide (TETD) (T-002)	0.25		
	-Tetramethylthiuram disulfide (TMTD) (T-005)	0.25		
	-Tetramethylthiuram monosulfide (TMTM) (T-006)	0.25		
4.	Neomycin sulfate	20.0	pet	N-001
5.	Cobalt(II)chloride hexahydrate	1.0	pet	C-017A
6.	Benzocaine	5.0	pet	B-004
7.	Nickel(II)sulfate hexahydrate	5.0	pet	N-002A
8.	Clioquinol	5.0	pet	C-015
9.	COLOPHONIUM	20.0	pet	C-020
10.	Paraben mix	16.0	pet	Mx-03C
	-BUTYLPARABEN (B-020)	4.0		
	-ETHYLPARABEN (E-010)	4.0		
	-METHYLPARABEN (M-012)	4.0		
	-PROPYLPARABEN (P-020)	4.0		
11.	N-Isopropyl-N-phenyl-4-phenylenediamine (IPPD)	0.1	pet	I-004
12.	LANOLIN ALCOHOL	30.0	pet	W-001
13.	Mercapto mix	2.0	pet	Mx-05A
	-N-Cyclohexyl-2-benzothiazolesulfenamide (C-023)	0.5		
	-2-Mercaptobenzothiazole (MBT) (M-003)	0.5		
	-Dibenzothiazyl disulfide (MBTS) (D-003)	0.5		
	-2-(4-Morpholinylmercapto)benzothiazol (MOR) (M-016)	0.5		
14.	Epoxy resin, Bisphenol A	1.0	pet	E-002
15.	MYROXYLON PEREIRAE RESIN*	25.0	pet	B-001
16.	4-tert-Butylphenolformaldehyde resin (PTBP)	1.0	pet	B-024
17.	2-Mercaptobenzothiazole (MBT)	2.0	pet	M-003A

 $^{^{\}ast}$ Emulsifier: SORBITAN SESQUIOLEATE 5%

	Compound	Conc. %(w		Art. No.
18.	FORMALDEHYDE	2.0	aq	F-002B
19.	Fragrance mix I*	8.0	pet	Mx-07
	-AMYL CINNAMAL (A-014)	1.0		
	-CINNAMYL ALCOHOL (C-013)	1.0		
	-CINNAMAL (C-014)	1.0		
	-EUGENOL (E-016)	1.0		
	-GERANIOL (G-001)	1.0		
	-HYDROXYCITRONELLAL (H-008)	1.0		
	-ISOEUGENOL (I-002)	1.0		
	-Oakmoss absolute (O-001)	1.0		
20.	Sesquiterpene lactone mix	0.1	pet	Mx-18
	-Alantolactone (A-003)	0.03	3	
	-Costunolide (C-039)	0.03	3	
	-Dehydrocostus lactone (D-056)	0.03	3	
21.	QUATERNIUM-15	1.0	pet	C-007A
22.	2-Methoxy-6-n-pentyl-4-benzoquinone	0.01	pet	M-008
23.	METHYLISOTHIAZOLINONE +	0.02	aq	C-009B
	METHYLCHLOROISOTHIAZOLINONE			
24.	Budesonide	0.01	pet	B-033B
25.	Tixocortol-21-pivalate	0.1	pet	T-031B
26.	METHYLDIBROMO GLUTARONITRILE	0.5	pet	D-049E
27.	Fragrance mix II	14.0	pet	Mx-25
	-Hexyl cinnamic aldehyde (H-025)	5.0		
	-COUMARIN (C-038)	2.5		
	-FARNESOL (F-004)	2.5		
	-HYDROXYISOHEXYL 3-CYCLOHEXENE	2.5		
	CARBOXALDEHYDE (L-003)			
	-CITRAL (C-036)	1.0		
	-CITRONELLOL (C-037)	0.5		
28.	HYDROXYISOHEXYL 3-CYCLOHEXENE	5.0	pet	L-003
	CARBOXALDEHYDE		•	
29.	METHYLISOTHIAZOLINONE	0.2	aq	M-035B
30.	Textile dye mix	6.6	pet	Mx-30
	-Diperse Blue 35 (D-027)	1.0	-	
	-Diperse Orange 1 (D-031)	1.0		
	. ,			

 $^{^{\}ast}$ Emulsifier: SORBITAN SESQUIOLEATE 5%



Compound	Conc. Veh. Ar %(w/w)	t. No.
-Disperse Orange 3 (D-032)	1.0	
-Disperse Red 1 (D-034)	1.0	
-Disperse Red 17 (D-035)	1.0	
-Disperse Yellow 3 (D-036)	1.0	
-Disperse Blue 106 (D-040)	0.3	
-Disperse Blue 124 (D-041)	0.3	
	Revised January	2015

Various national baseline series developed by the national contact dermatitis research groups are also available on request.

	International Comprehensiv Baseline Series	/ e	ICB	-1000
1.	Benzocaine*	5.0	pet	B-004
2.	2-Mercaptobenzothiazole (MBT)	1.0	pet	M-003B
3.	COLOPHONIUM*	20.0	pet	C-020
4.	p-PHENYLENEDIAMINE (PPD)*	1.0	pet	P-006
5.	IMIDAZOLIDINYL UREA	2.0	pet	I-001A
6.	CINNAMAL	1.0	pet	C-014
7.	Amerchol L 101	50.0	pet	A-004
8.	Carba mix	3.0	pet	Mx-06
	-1,3-Diphenylguanidine	1.0		D-022
	-ZINC DIBUTYLDITHIOCARBAMATE (ZBC)	1.0		Z-002
	-Zinc diethyldithiocarbamate (ZDC)	1.0		Z-003
9.	Neomycin sulfate*	20.0	pet	N-001
10.	Thiuram mix*	1.0	pet	Mx-01
	-Dipentamethylenethiuram disulfide (D-019)	0.25	_	
	-Tetraethylthiuram disulfide (TETD) (T-002)	0.25		
	-Tetramethylthiuram disulfide (TMTD) (T-005)	0.25		
	-Tetramethylthiuram monosulfide (TMTM)	0.25		
	(T-006)			
11.	Clobetasol-17-propionate	1.0	pet	C-028
12.	Ethylenediamine dihydrochloride	1.0	pet	E-005

* Also present in European Baseline Series

	Compound	Conc. %(v	Veh. v/w)	Art. No.
13.	Epoxy resin, Bisphenol A*	1.0	pet	E-002
14.	QUATERNIUM-15*	2.0	pet	C-007B
15.	4-tert-Butylphenolformaldehyde resin (PTBP)*	1.0	pet	B-024
16.	Mercapto mix	1.0	pet	Mx-05B
	-N-Cyclohexyl-2-benzothiazolesulfenamide	0.25		C-023
	-2-Mercaptobenzothiazole (MBT)	0.25		M-003
	-Dibenzothiazyl disulfide (MBTS)	0.25		D-003
	-2-(4-Morpholinylmercapto)benzothiazol (MOR	3)0.25		M-016
17.	N-Isopropyl-N-phenyl-4-phenylenediamine (IPPD)*	0.1	pet	I-004
18.	Potassium dichromate	0.25	pet	P-014B
19.	MYROXYLON PEREIRAE RESIN*,**	25.0	pet	B-001
20.	Nickel(II)sulfate hexahydrate	2.5	pet	N-002B
21.	DIAZOLIDINYL UREA	1.0	pet	D-044C
22.	TOCOPHEROL	100		T-036
23.	Bacitracin	20.0	pet	B-032B
24.	Mixed dialkyl thiourea	1.0	pet	Mx-24
	-N,N´-Dibutylthiourea (D-038)	0.5		
	-N,N'-Diethylthiourea (D-039)	0.5		
25.	DISPERSE ORANGE 3	1.0	pet	D-032
26.	Paraben mix	12.0	pet	Mx-03A
	-BUTYLPARABEN (B-020)	3.0		
	-ETHYLPARABEN (E-010)	3.0		
	-METHYLPARABEN (M-012)	3.0		
	-PROPYLPARABEN (P-020)	3.0		
27.	METHYLDIBROMO GLUTARONITRILE*	0.5	pet	D-049E
28.	Fragrance mix I*,**	8.0	pet	Mx-07
	-AMYL CINNAMAL (A-014)	1.0		
	-CINNAMYL ALCOHOL (C-013)	1.0		
	-CINNAMAL (C-014)	1.0		
	-EUGENOL (E-016)	1.0		
	-GERANIOL (G-001)	1.0		
	-HYDROXYCITRONELLAL (H-008)	1.0		
	-ISOEUGENOL (I-002)	1.0		
	-Oakmoss absolute (O-001)	1.0		
* 41-	Dealine Code			

^{*} Also present in European Baseline Series

^{**} Emulsifier: SORBITAN SESQUIOLEATE 5%

	Compound	Conc. %(v	Veh. v/w)	Art. No.
29.	GLUTARAL**	0.5	pet	G-003B
30.	2-BROMO-2-NITROPROPANE-1,3-DIOL	0.5	pet	B-015B
31.	Sesquiterpene lactone mix*	0.1	pet	Mx-18
	-Alantolactone (A-003)	0.03	3	
	-Costunolide (C-039)	0.03	3	
	-Dehydrocostus lactone (D-056)	0.03	3	
32.	THIMEROSAL	0.1		T-007
33.	PROPOLIS	10.0	pet	P-022
34.	BENZOPHENONE-3	10.0	pet	H-014C
35.	CHLOROXYLENOL (PCMX)	1.0	pet	C-010B
36.	Ethyleneurea, melamine formaldehyde mix**	5.0	pet	Mx-16
	-Dimethylol dihydroxy ethylene urea (D-012)	4.0		
	-Melamine formaldehyde (M-001)	1.0		
37.	2-tert-Butyl-4-methoxyphenol (BHA)	2.0	pet	B-022
38.	Gold(I)sodium thiosulfate dihydrate	0.5	pet	G-005A
39.	Ethyl acrylate	0.1	pet	E-004
40.	GLYCERYL THIOGLYCOLATE	1.0	pet	G-004
41.	Toluenesulfonamide formaldehyde resin	10.0	pet	T-010
42.	Methyl methacrylate	2.0	pet	M-013
43.	Cobalt(II)chloride hexahydrate*	1.0	pet	C-017A
44.	Tixocortol-21-pivalate*	0.1	pet	T-031B
45.	Budesonide*	0.01	pet	B-033B
46.	COCAMIDE DEA	0.5	pet	C-019
47.	TRIETHANOLAMINE	2.0	pet	T-016
48.	Hydrocortisone-17-butyrate	1.0	pet	H-021B
49.	Tea Tree Oil oxidized	5.0	pet	T-035B
50.	Fragrance mix II*	14.0	pet	Mx-25
	-Hexyl cinnamic aldehyde (H-025)	5.0		
	-COUMARIN (C-038)	2.5		
	-FARNESOL (F-004)	2.5		
	-HYDROXYISOHEXYL 3-CYCLOHEXENE	2.5		
	CARBOXALDEHYDE (L-003)			
	-CITRAL (C-036)	1.0		
	-CITRONELLOL (C-037)	0.5		

^{*} Also present in European Baseline Series ** Emulsifier: SORBITAN SESQUIOLEATE 5%

...the trusted name in patch testing

	Compound	Conc. Veh. %(w/w)	Art. No.
51.	Disperse Yellow 3	1.0 pet	D-036
52.	BENZYL SALICYLATE	10.0 pet	B-010B
53.	DECYL GLUCOSIDE**	5.0 pet	D-065
54.	METHYLISOTHIAZOLINONE*	0.2 aq	M-035B
55.	2-Hydroxyethyl methacrylate	2.0 pet	H-010
56.	DMDM HYDANTOIN***	1.0 pet	D-047B
57.	CANANGA ODORATA OIL	2.0 pet	Y-001
58.	BENZYL ALCOHOL	10.0 sof	B-008B
59.	ISOPROPYL MYRISTATE	20.0 pet	I-003
60.	TRICLOSAN	2.0 pet	T-014
61.	Desoximetasone	1.0 pet	D-057
62.	POLYSORBATE 80	5.0 pet	P-013
63.	IODOPROPYNYL BUTYLCARBAMATE	0.2 pet	I-008C
64.	2-n-Octyl-4-isothiazolin-3-one	0.1 pet	O-004
65.	Disperse Blue mix 106/124	1.0 pet	Mx-26
	-Disperse Blue 106 (D-040)	0.5	
	-Disperse Blue 124 (D-041)	0.5	
66.	Compositae mix II	5.0 pet	Mx-29A
	-ANTHEMIS NOBILIS EXTRACT (C-029)	1.2	
	-CHAMOMILLA RECUTITA EXTRACT (C-051)	1.2	
	-ACHILLEA MILLEFOLIUM EXTRACT	1.0	
	(A-025)		
	-TANACETUM VULGARE EXTRACT	1.0	
	(T-033)		
	-ARNICA MONTANA EXTRACT (A-024)	0.5	
	-Parthenolide (P-029)	0.1	
67.	Lidocaine	15.0 pet	L-002B
68.	Fusidic acid sodium salt	2.0 pet	F-003
69.	Dibucaine hydrochloride	2.5 pet	D-005B
70.	Benzoylperoxide	1.0 pet	B-007
71.	ISOAMYL p-METHOXYCINNAMATE	10.0 pet	I-009
72.	$\label{eq:hydroxy} \begin{split} & \text{HYDROXYISOHEXYL 3-CYCLOHEXENE} \\ & \text{CARBOXALDEHYDE}^* \end{split}$	5.0 pet	L-003

^{*} Also present in European Baseline Series

^{**} Emulsifier: SORBITAN SESQUIOLEATE 2%

^{***} Emulsifier: SORBITAN SESQUIOLEATE 1%



	Compound	Conc. %(w		Art. No.
73.	ETHYLHEXYL SALICYLATE	5.0	pet	O-007A
74.	BENZALKONIUM CHLORIDE	0.1	aq	B-027
75.	Amidoamine	0.1	aq	A-029
76.	COCAMIDOPROPYL BETAINE	1.0	aq	C-018
77.	FORMALDEHYDE*	2.0	aq	F-002B
78.	METHYLISOTHIAZOLINONE +	0.02	aq	C-009B
	METHYLCHLOROISOTHIAZOLINONE*		_	
79.	PROPYLENE GLYCOL	30.0	aq	P-019B
80.	Dimethylol dihydroxy ethylene urea	4.5	aq	D-012
81.	Hydroperoxides of Linalool	1.0	pet	H-031
82.	Hydroperoxides of Limonene	0.3	pet	H-032
83.	Textile dye mix*	6.6	pet	Mx-30
	-Diperse Blue 35 (D-027)	1.0		
	-Diperse Orange 1 (D-031)	1.0		
	-Disperse Orange 3 (D-032)	1.0		
	-Disperse Red 1 (D-034)	1.0		
	-Disperse Red 17 (D-035)	1.0		
	-Disperse Yellow 3 (D-036)	1.0		
	-Disperse Blue 106 (D-040)	0.3		
	-Disperse Blue 124 (D-041)	0.3		
		Revi	sed Janu	ary 2015

	Bakery Series		B -1	000
1.	VANILLIN	10.0	pet	V-001
2.	EUGENOL	2.0	pet	E-016
3.	ISOEUGENOL	2.0	pet	I-002
4.	SODIUM BENZOATE	5.0	pet	S-001
5.	BHT	2.0	pet	D-006
6.	MENTHOL	2.0	pet	M-002
7.	CINNAMYL ALCOHOL	2.0	pet	C-013
8.	CINNAMAL	1.0	pet	C-014
9.	2-tert-Butyl-4-methoxyphenol (BHA)	2.0	pet	B-022
10.	TRANS-ANETHOLE	5.0	pet	A-015

^{*} Also present in European Baseline Series

_			
	Compound	Conc. Veh. %(w/w)	Art. No.
11.	SORBIC ACID	2.0 pet	S-003
12.	BENZOIC ACID	5.0 pet	B-005
13.	PROPIONIC ACID	3.0 pet	P-018
14.	Octyl gallate	0.25 pet	O-002
15.	Hydroperoxides of Limonene	0.3 pet	H-032
16.	AMMONIUM PERSULFATE	2.5 pet	A-011
17.	7 F	1.0 pet	B-007
18.	PROPYL GALLATE	1.0 pet	P-021
19.	DODECYL GALLATE	0.25 pet	D-042
		Revised Jan	nuary 2014
	Corticosteroid Series	CS	-1000
1.	Budesonide*	0.01 pet	B-033B
2.	Betamethasone-17-valerate	1.0 pet	B-031
3.	Triamcinolone acetonide	1.0 pet	T-030
4.	Tixocortol-21-pivalate*	0.1 pet	T-031B
5.	Alclomethasone-17,21-dipropionate	1.0 pet	A-023
6.	Clobetasol-17-propionate	1.0 pet	C-028
7.	Dexamethasone-21-phosphate disodium salt	1.0 pet	D-046
8.	Hydrocortisone-17-butyrate	1.0 alc	H-021A
9.	Desoximetasone	1.0 pet	D-057
		Revised Jan	nuary 2011
	Cosmetic Series	C-1	000
1.	ISOPROPYL MYRISTATE	20.0 pet	I-003
2.	Amerchol L 101	50.0 pet	A-004
3.	TRIETHANOLAMINE	2.0 pet	T-016
4.	POLYSORBATE 80	5.0 pet	P-013
5.	SORBITAN OLEATE	5.0 pet	S-004
6.	2-tert-Butyl-4-methoxyphenol (BHA)	2.0 pet	B-022
7.	BHT	2.0 pet	D-006
8.	Octyl gallate	0.25 pet	O-002
9.	TRICLOSAN	2.0 pet	T-014

^{*} Also present in European Baseline Series

	Compound	Conc. Veh. %(w/w)	Art. No.
10.	SORBIC ACID	2.0 pet	S-003
11.	p-CHLORO-m-CRESOL (PCMC)	1.0 pet	C-008
12.	CHLOROXYLENOL (PCMX)	0.5 pet	C-010A
13.	THIMEROSAL	0.1 pet	T-007
14.	IMIDAZOLIDINYL UREA	2.0 pet	I-001A
15.	METHENAMINE	2.0 pet	H-003
16.	CHLORHEXIDINE DIGLUCONATE	0.5 aq	C-005
17.	Paraben mix*	16.0 pet	Mx-03C
	-BUTYLPARABEN (B-020)	4.0	
	-ETHYLPARABEN (E-010)	4.0	
	-METHYLPARABEN (M-012)	4.0	
	-PROPYLPARABEN (P-020)	4.0	
18.	PHENYL MERCURIC ACETATE	0.01 aq	P-008
19.	CHLOROACETAMIDE	0.2 pet	C-006
20.	Hexahydro-1,3,5-tris-(2-hydroxyethyl)triazine	1.0 aq	H-002
21.	Clioquinol*	5.0 pet	C-015
22.	Ethylenediamine dihydrochloride	1.0 pet	E-005
23.	HYDROABIETYL ALCOHOL	10.0 pet	A-002
24.	PHENYL SALICYLATE	1.0 pet	P-011
25.	BENZOPHENONE-3	10.0 pet	H-014C
26.	SORBITAN SESQUIOLEATE	20.0 pet	S-005
27.	PROPYLENE GLYCOL	5.0 pet	P-019A
28.	STEARYL ALCOHOL	30.0 pet	S-006
29.	CETYL ALCOHOL	5.0 pet	C-003
30.	BENZYL SALICYLATE	10.0 pet	B-010B
31.	2-BROMO-2-NITROPROPANE-1,3-DIOL	0.25 pet	B-015A
32.	Sodium-2-pyridinethiol-1-oxide	0.1 aq	S-002
33.	COCAMIDOPROPYL BETAINE	1.0 aq	C-018
34.	BENZYL ALCOHOL	10.0 sof	B-008B
35.	METHYLISOTHIAZOLINONE +	0.02 aq	C-009B
	METHYLCHLOROISOTHIAZOLINONE*		
36.	t-BUTYL HYDROQUINONE	1.0 pet	B-028
37.	DROMETRIZOLE	1.0 pet	H-016
38.	PROPYL GALLATE	1.0 pet	P-021
39.	DODECYL GALLATE	0.25 pet	D-042

^{*} Also present in European Baseline Series

	Compound	Conc. %(w		Art. No.
40.	QUATERNIUM-15*	1.0	pet	C-007A
41.	PHENOXYETHANOL	1.0	pet	P-025
42.	DIAZOLIDINYL UREA	2.0	pet	D-044A
43.	TOCOPHEROL	100		T-036
44.	DMDM HYDANTOIN	2.0	aq	D-047A
45.	METHYLDIBROMO GLUTARONITRILE**	0.5	pet	D-049E
46.	Tea Tree Oil oxidized	5.0	pet	T-035B
47.	IODOPROPYNYL BUTYLCARBAMATE	0.2	pet	I-008C
48.	3-(Dimethylamino)-1-propylamine	1.0	aq	D-053
49.	LAURYL POLYGLUCOSE	3.0	pet	L-004
50.	MENTHA PIPERITA OIL	2.0	pet	P-036
51.	SHELLAC	20.0	alc	S-015
52.	TOCOPHERYL ACETATE	10.0	pet	T-037B
53.	Turpentine oil oxidized	0.4	pet	T-024B
54.	METHYLISOTHIAZOLINONE*	0.2	aq	M-035B
55.	Musk mix	3.0	pet	Mx-10B
	-MUSK KETONE (M-018)	1.0	•	
	-Musk moskene (M-019)	1.0		
	-Musk xylene (M-021)	1.0		
56.	OLEAMIDOPROPYL DIMETHYLAMINE	0.1	aq	O-005
57.	DECYL GLUCOSIDE***	5.0	pet	D-056
		Revi	sed Janu	ary 2014

Cutaneous Adverse Drug Reaction series CAD-1000

1.	Penicillin G, potassium salt	10.0 pet	P-031
2.	Amoxicillin trihydrate	10.0 pet	A-030
3.	Dicloxacillin sodium salt hydrate	10.0 pet	D-058
4.	Cefotaxim sodium salt	10.0 pet	C-040
5.	Doxycycline monohydrate	10.0 pet	D-059
6.	Minocycline hydrochloride	10.0 pet	M-029

^{*} Also present in European Baseline Series

^{**}Emulsifier: SORBITAN SESQUIOLEATE 1%

^{***}Emulsifier: SORBITAN SESQUIOLEATE 2%



	Compound	Conc. Veh. %(w/w)	Art. No.
7.	Erythromycin base	10.0 pet	E-024
8.	Spiramycin base	10.0 pet	S-012
9.	Clarithromycin	10.0 pet	C-041
10.	Pristinamycin	10.0 pet	P-032
11.	Cotrimoxazole	10.0 pet	C-042
12.	Norfloxacin	10.0 pet	N-007
13.	Ciprofloxacin hydrochloride	10.0 pet	C-043
14.	Carbamazepine	1.0 pet	C-044
15.	Hydantoin	10.0 pet	H-027
16.	Diltiazem hydrochloride	10.0 pet	D-060
17.	Captopril	5.0 pet	C-045
18.	Acetylsalicylic acid	10.0 pet	A-031
19.	Diclofenac sodium salt	1.0 pet	D-061A
20.	Ketoprofen	1.0 pet	K-002B
21.	Piroxicam	1.0 pet	P-033
22.	ACETAMINOPHEN	10.0 pet	A-032
23.	Acyclovir	10.0 pet	A-033
24.	Hydroxyzine hydrochloride	1.0 pet	H-028
25.	Hydrochlorothiazide	10.0 pet	H-029
26.	Clindamycin phosphate	10.0 pet	C-046
27.	Cefradine	10.0 pet	C-047
28.	Cefalexin	10.0 pet	C-048
29.	Ibuprofen	10.0 pet	I-010A
		New series M	Iarch 2008

Drug skin tests and systemic cutaneous adverse drug reactions: An update Annick Barbaud. Expert Rev. Dermatol. 2(4), 2007. www.Future-drugs.com

	Dental Screening		DS-	1000
1.	Methyl methacrylate	2.0	pet	M-013
2.	Triethylene glycol dimethacrylate	2.0	pet	T-018
3.	Urethane dimethacrylate	2.0	pet	U-004
4.	Ethylene glycol dimethacrylate	2.0	pet	E-007
5.	Bisphenol A glycerolate dimethacrylate	2.0	pet	H-013
	(BIS-GMA)			
6.	N,N-dimethyl-4-toluidine	5.0	pet	D-016

...the trusted name in patch testing

	Compound	Conc. Veh. %(w/w)	Art. No.
7.	BENZOPHENONE-3	10.0 pet	H-014C
8.	1,4-Butanediol dimethacrylate	2.0 pet	B-017
9.	Bisphenol A dimethacrylate (BIS-MA)	2.0 pet	M-007
10.	Potassium dichromate*	0.5 pet	P-014A
11.	Mercury	0.5 pet	M-005
12.	Cobalt(II)chloride hexahydrate*	1.0 pet	C-017A
13.	2-Hydroxyethyl methacrylate	2.0 pet	H-010
14.	Gold(I)sodium thiosulfate dihydrate	2.0 pet	G-005B
15.	Nickel(II)sulfate hexahydrate*	5.0 pet	N-002A
16.	EUGENOL	2.0 pet	E-016
17.	COLOPHONIUM*	20.0 pet	C-020
18.	N-Ethyl-p-toluenesulfonamide	0.1 pet	E-015
19.	FORMALDEHYDE*	2.0 aq	F-002B
20.	4-Tolyldiethanolamine	2.0 pet	T-011
21.	Copper(II)sulfate pentahydrate	2.0 pet	C-022
22.	Methylhydroquinone	1.0 pet	M-025
23.	Palladium(II)chloride	2.0 pet	P-001
24.	Aluminium(III)chloride hexahydrate	2.0 pet	A-022
25.	BORNANEDIONE	1.0 pet	C-026
26.	DIMETHYLAMINOETHYL	0.2 pet	D-045
	METHACRYLATE		
27.	1,6-Hexanediol diacrylate	0.1 pet	H-004
28.	DROMETRIZOLE	1.0 pet	H-016
29.	Tetrahydrofurfuryl methacrylate	2.0 pet	T-027
30.	Tin	50.0 pet	T-008
31.	Sodium tetrachloropalladate(II) hydrate	3.0 pet Revised Janu	S-017 ary 2014

	Dental Materials Patients		DMP	-1000
1.	Methyl methacrylate	2.0	pet	M-013
2.	Triethylene glycol dimethacrylate	2.0	pet	T-018
3.	Ethylene glycol dimethacrylate	2.0	pet	E-007
4.	Bisphenol A glycerolate dimethacrylate	2.0	pet	H-013
	(BIS-GMA)		_	

^{*} Also present in European Baseline Series



	Compound	Conc. Veh. %(w/w)	Art. No.
5.	2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)-propane (BIS-EMA)	2.0 pet	M-006B
6.	2-Hydroxyethyl methacrylate	2.0 pet	H-010
7.	DIMETHYLAMINOETHYL	0.2 pet	D-045
8.	METHACRYLATE Tetrahydrofurfuryl methacrylate	2.0 pet	T-027
9.	1,4-Butanediol dimethacrylate	2.0 pet	B-017
10.	1,6-Hexanediol diacrylate	0.1 pet	H-004
11.	Potassium dichromate*	0.5 pet	P-014A
12.	Mercury	0.5 pet	M-005
13.	Cobalt(II)chloride hexahydrate	0.5 pet	C-017B
14.	Gold(I)sodium thiosulfate dihydrate	2.0 pet	G-005B
15.	Nickel(II)sulfate hexahydrate*	5.0 pet	N-002A
16.	EUGENOL	2.0 pet	E-016
17.	COLOPHONIUM*	20.0 pet	C-020
18.	N-Ethyl-p-toluenesulfonamide	0.1 pet	E-015
19.	Palladium(II)chloride	2.0 pet	P-001
20.	CARVONE	5.0 pet	C-035
21.	DROMETRIZOLE	1.0 pet	H-016
22.	MYROXYLON PEREIRAE RESIN*,**	25.0 pet	B-001
23.	Epoxy resin, Bisphenol A*	1.0 pet	E-002
24.	Sodium tetrachloropalladate(II) hydrate	3.0 pet Revised Ma	S-017 arch 2013

	Staff		DMS	-1000
1.	Methyl methacrylate	2.0	pet	M-013
2.	Triethylene glycol dimethacrylate	2.0	pet	T-018
3.	Ethyleneglycol dimethacrylate	2.0	pet	E-007
4.	Bisphenol A glycerolate dimethacrylate	2.0	pet	H-013
	(BIS-GMA)			
5.	2-Hydroxyethyl methacrylate	2.0	pet	H-010
6.	Tetrahydrofurfuryl methacrylate	2.0	pet	T-027

^{*} Also present in European Baseline Series

Dental Materials

^{**} Emulsifier: SORBITAN SESQUIOLEATE 5%

	Compound	Conc. Veh. %(w/w)	Art. No.
7.	1,4-Butanediol dimethacrylate	2.0 pet	B-017
8.	Mercury	0.5 pet	M-005
9.	EUGENOL	2.0 pet	E-016
10.	GLUTARAL*	0.2 pet	G-003A
		New Janua:	ry 2005

	Epoxy Series		E-10	000
1.	METHENAMINE	2.0	pet	H-003
2.	4,4´-Diaminodiphenylmethane (MDA)	0.5	pet	D-001
3.	Triethylenetetramine (TETA)	0.5	pet	T-019
4.	2-Phenyl glycidyl ether	0.25	pet	P-023
5.	Diethylenetriamine, (DETA)	1.0	pet	D-010
6.	Isophorone diamine (IPD)	0.1	pet	I-006
7.	Epoxy resin, cycloaliphatic	0.5	pet	E-020
8.	Ethylenediamine dihydrochloride	1.0	pet	E-005
9.	3-(Dimethylamino)-1-propylamine	1.0	aq	D-053
10.	Epoxy resin, Bisphenol F	0.25	pet	B-035
11.	1,6-Hexanediol diglycidylether	0.25	pet	H-026
12.	1,4-Butanediol diglycidyl ether	0.25	pet	B-036
13.	m-Xylylenediamine	0.1	pet	X-001
14.	Trimethylolpropane triglycidyl ether	0.25	pet	T-038
		Revi	sed Janu	ary 2000

European Photopatch Baseline Series EP-1000

1.	BENZOPHENONE-3	10.0 pet	H-014C
2.	BENZOPHENONE-4	2.0 pet	H-023C
3.	4-METHYLBENZYLIDENE CAMPHOR	10.0 pet	M-024B
4.	ETHYLHEXYL METHOXYCINNAMATE	10.0 pet	E-019C
5.	OCTOCRYLENE	10.0 pet	O-009
6.	ISOAMYL p-METHOXYCINNAMATE	10.0 pet	I-009
7.	PABA	10.0 pet	A-006C
8.	BUTYL METHOXYDIBENZOYLMETHAN:	E 10.0 pet	B-029C
*	1.15 CORPORTING ADDRESS TO LITTLE #0.1		

* Emulsifier: SORBITAN SESQUIOLEATE 5%



Compound			Art. No.
BIS-ETHYLHEXYLOXYPHENOL	10.0	pet	B-037
METHOXYPHENOL TRIAZINE			
DROMETRIZOLE TRISILOXANE	10.0	pet	D-055
Ketoprofen	1.0	pet	K-002B
2-(4-Diethylamino-2-hydroxy benzoyl)-	10.0	pet	D-062
benzoic acid hexylester			
ETHYLHEXYL TRIAZONE	10.0	pet	O-010
Methylene bis-benzotriazolyl tetramethyl-	10.0	pet	M-037
butylphenol			
Etofenamate	2.0	pet	E-025
DIETHYLHEXYL BUTAMIDO TRIAZONE	10.0	pet	D-063
Piroxicam	1.0	pet	P-033
Benzydamine hydrochloride	2.0	pet	B-041
Promethazine hydrochloride	0.1	pet	P-017B
DECYL GLUCOSIDE*	5.0	pet	D-065
	Revi	sed Janu	ary 2014
	BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENOL TRIAZINE DROMETRIZOLE TRISILOXANE Ketoprofen 2-(4-Diethylamino-2-hydroxy benzoyl)- benzoic acid hexylester ETHYLHEXYL TRIAZONE Methylene bis-benzotriazolyl tetramethyl- butylphenol Etofenamate DIETHYLHEXYL BUTAMIDO TRIAZONE Piroxicam Benzydamine hydrochloride Promethazine hydrochloride	BIS-ETHYLHEXYLOXYPHENOL 10.0 METHOXYPHENOL TRIAZINE DROMETRIZOLE TRISILOXANE 10.0 Ketoprofen 1.0 2-(4-Diethylamino-2-hydroxy benzoyl)- 10.0 benzoic acid hexylester ETHYLHEXYL TRIAZONE 10.0 Methylene bis-benzotriazolyl tetramethyl- 10.0 butylphenol Etofenamate 2.0 DIETHYLHEXYL BUTAMIDO TRIAZONE 10.0 Piroxicam 1.0 Benzydamine hydrochloride 2.0 Promethazine hydrochloride 0.1 DECYL GLUCOSIDE* 5.0	BIS-ETHYLHEXYLOXYPHENOL 10.0 pet METHOXYPHENOL TRIAZINE DROMETRIZOLE TRISILOXANE 10.0 pet Ketoprofen 1.0 pet Jet Jet Jet Jet Jet Jet Jet Jet Jet J

European Photopatch Extended Series EPE-1000

1.	BENZOPHENONE-3	10.0 1	pet	H-014C
2.	BENZOPHENONE-4	2.0	pet	H-023C
3.	4-METHYLBENZYLIDENE CAMPHOR	10.0	pet	M-024B
4.	ETHYLHEXYL METHOXYCINNAMATE	10.0 1	pet	E-019C
5.	OCTOCRYLENE	10.0	pet	O-009
6.	ISOAMYL p-METHOXYCINNAMATE	10.0 1	pet	I-009
7.	PABA	10.0 1	pet	A-006C
8.	BUTYL METHOXYDIBENZOYLMETHANE	10.0	pet	B-029C
9.	BIS-ETHYLHEXYLOXYPHENOL			
	METHOXYPHENOL TRIAZINE	10.0	pet	B-037
10.	DROMETRIZOLE TRISILOXANE	10.0	pet	D-055
11.	Ketoprofen	1.0	pet	K-002B
12.	2-(4-Diethylamino-2-hydroxy benzoyl)-benzoic	10.0	pet	D-062
	acid hexylester			
13.	ETHYLHEXYL TRIAZONE	10.0	pet	O-010
* Em	ulsifier: SORBITAN SESQUIOLEATE 2%			

	Compound	Conc. %(w		Art. No.
14.	Methylene bis-benzotriazolyl tetramethyl-			
	butylphenol	10.0	pet	M-037
15.	Etofenamate	2.0	pet	E-025
16.	DIETHYLHEXYL BUTAMIDO TRIAZONE	10.0	pet	D-063
17.	Piroxicam	1.0	pet	P-033
18.	Benzydamine hydrochloride	2.0	pet	B-041
19.	Promethazine hydrochloride	0.1	pet	P-017B
20.	TRICLOCARBAN	1.0	pet	T-013
21.	BENZOPHENONE-10	10.0	pet	H-020B
22.	PHENYLBENZIMIDAZOLE SULFONIC	10.0	pet	P-024B
	ACID			
23.	HOMOSALATE	10.0	pet	H-024B
24.	ETHYLHEXYL SALICYLATE	10.0	pet	O-007B
25.	Polysilicone-15	10.0	pet	P-035
26.	Disodium phenyl dibenzimidazole tetrasulfonate	10.0	pet	D-064
27.	Dexketoprofen	1.0	pet	D-067
28.	TRICLOSAN	2.0	pet	T-014
29.	Ibuprofen	5.0	pet	I-010B
30.	Diclofenac sodium salt	5.0	pet	D-061B
31.	Fenofibrate	10.0	pet	F-006
32.	Chlorpromazine hydrochloride	0.1	pet	C-011
33.	Olaquindox	1.0	pet	O-008
34.	DECYL GLUCOSIDE*	5.0	pet	D-065
		Revi	sed Janu	ary 2014

	Fragrance Series		F-1	000
1.	CINNAMAL ^{EC}	1.0	pet	C-014
2.	CINNAMYL ALCOHOL ^{EC}	2.0	pet	C-013
3.	AMYL CINNAMAL ^{EC}	2.0	pet	A-014
4.	EUGENOL ^{EC}	2.0	pet	E-016
5.	ISOEUGENOL ^{EC}	2.0	pet	I-002
6.	GERANIOL ^{EC}	2.0	pet	G-001
7.	Oakmoss absolute ^{EC,**}	2.0	pet	O-001

EC Directive 2003/15/EC of the European Parliament and of the Council

^{*} Emulsifier: SORBITAN SESQUIOLEATE 2%

^{**} Emulsifier: SORBITAN SESQUIOLEATE 5%



	Compound	Conc. %(w	Veh. //w)	Art. No.
8.	HYDROXYCITRONELLAL ^{EC}	2.0	pet	H-008
9.	Narcissus Poeticus	2.0	pet	N-006
10.	Musk xylene	1.0	pet	M-021
11.	METHYL ANTHRANILATE	5.0	pet	M-028
12.	Musk moskene	1.0	pet	M-019
13.	MUSK KETONE	1.0	pet	M-018
14.	Jasmine synthetic	2.0	pet	J-001
15.	BENZYL SALICYLATE ^{EC}	10.0	pet	B-010B
16.	BENZYL ALCOHOL ^{EC}	10.0	sof	B-008B
17.	VANILLIN	10.0	pet	V-001
18.	LAVANDULA ANGUSTIFOLIA OIL	2.0	pet	L-001
19.	Cananga oil	2.0	pet	C-002
20.	ROSA DAMASCENA EXTRACT	2.0	pet	R-003
21.	CANANGA ODORATA OIL	2.0	pet	Y-001
22.	Geranium oil Bourbon	2.0	pet	G-002
23.	Jasmine absolute	2.0	pet	J-002
24.	SANTALUM ALBUM OIL	2.0	pet	S-009
25.	HYDROXYISOHEXYL 3-CYCLOHEXENE	5.0	pet	L-003
	CARBOXALDEHYDE EC,*			
26.	CITRAL ^{EC}	2.0	pet	C-036
27.	FARNESOL ^{EC}	5.0	pet	F-004
28.	CITRONELLOL ^{EC}	1.0	pet	C-037
29.	Hexyl cinnamic aldehyde ^{EC}	10.0	pet	H-025
30.	COUMARIN ^{EC}	5.0	pet	C-038
31.	Fragrance mix II*	14.0	pet	Mx-25
	-Hexyl cinnamic aldehyde (H-025)	5.0		
	-COUMARIN (C-038)	2.5		
	-FARNESOL (F-004)	2.5		
	-HYDROXYISOHEXYL 3-CYCLOHEXENE	2.5		
	CARBOXALDEHYDE (L-003)			
	-CITRAL (C-036)	1.0		
	-CITRONELLOL (C-037)	0.5		
32.	Amyl cinnamyl alcohol ^{EC}	5.0	pet	A-036
33.	Anise alcohol ^{EC}	10.0	sof	A-037

EC Directive 2003/15/EC of the European Parliament and of the Council

^{*} Also present in European Baseline Series

...the trusted name in patch testing

	Compound	Conc. Veh. %(w/w)	Art. No.
34.	BENZYL BENZOATE ^{EC}	10.0 pet	B-038
35.	BENZYL CINNAMATE ^{EC}	10.0 pet	B-039
36.	BUTYLPHENYL METHYLPROPIONAL ^{EC}	10.0 pet	B-040
37.	Evernia furfuracea ^{EC}	1.0 pet	E-026
38.	α-Isomethyl ionone ^{EC}	10.0 pet	I-017
39.	d-Limonene ^{EC}	10.0 pet	L-006C
40.	LINALOOL ^{EC}	10.0 pet	L-005B
41.	Methyl-2-octynoate ^{EC}	0.2 pet	M-034
42.	Majanthole	5.0 pet	M-033
43.	Hydroperoxides of Linalool	1.0 pet	H-031
44.	Hydroperoxides of Limonene	0.3 pet	H-032
45.	Perfume mix*	6.0 pet	Mx-08
	-CINNAMYL ALCOHOL(C-013)	1.0	
	-CINNAMAL (C-014)	1.0	
	-EUGENOL (E-016)	1.0	
	-GERANIOL (G-001)	1.0	
	-HYDROXYCITRONELLAL (H-008)	1.0	
	-ISOEUGENOL (I-002)	1.0	
		Revised Janu	ary 2014

	Hairdressing Series		H-1	000
7,40	~	٢, ١		
1.	p-PHENYLENEDIAMINE (PPD)**	1.0	pet	P-006
2.	TOLUENE-2,5-DIAMINE SULFATE	1.0	pet	D-002
3.	2-NITRO-p-PHENYLENEDIAMINE	1.0	pet	N-004
4.	AMMONIUM THIOGLYCOLATE	2.5	aq	A-012
5.	AMMONIUM PERSULFATE	2.5	pet	A-011
6.	FORMALDEHYDE**	2.0	aq	F-002B
7.	Nickel(II)sulfate hexahydrate***	5.0	pet	N-002A
8.	Cobalt(II)chloride hexahydrate **	1.0	pet	C-017A
9.	RESORCINOL	1.0	pet	R-001
10.	m-AMINOPHENOL	1.0	pet	A-008
11.	p-AMINOPHENOL	1.0	pet	A-009
12.	HYDROGEN PEROXIDE	3.0	aq	H-006

EC Directive 2003/15/EC of the European Parliament and of the Council

^{*} Emulsifier: SORBITAN SESQUIOLEATE 1%

^{**} Also present in European Baseline Series



	Compound	Conc. Veh. %(w/w)	Art. No.
13.	HYDROQUINONE	1.0 pet	H-007
14.	MYROXYLON PEREIRAE RESIN*,**	25.0 pet	B-001
15.	CHLOROACETAMIDE	0.2 pet	C-006
16.	GLYCERYL THIOGLYCOLATE	1.0 pet	G-004
17.	COCAMIDOPROPYL BETAINE	1.0 aq	C-018
18.	METHYLISOTHIAZOLINONE +	0.02 aq	C-009B
	METHYLCHLORO-ISOTHIAZOLINONE		
19.	2-BROMO-2-NITROPROPANE-1,3-DIOL	0.25 pet	B-015A
20.	Captan	0.5 pet	C-025
21.	p-CHLORO-m-CRESOL (PCMC)	1.0 pet	C-008
22.	CHLOROXYLENOL (PCMX)	0.5 pet	C-010A
23.	IMIDAZOLIDINYL UREA	2.0 pet	I-001A
24.	QUATERNIUM-15*	1.0 pet	C-007A
25.	ZINC PYRITHIONE	1.0 pet	Z-006
26.	DIAZOLIDINYL UREA	2.0 pet	D-044A
27.	LAURYL POLYGLUCOSE	3.0 pet	L-004
28.	OLEAMIDOPROPYL DIMETHYLAMINE	0.1 aq	O-005
29.	DECYL GLUCOSIDE**	5.0 pet	D-065
		Revised Janu	ary 2014

International Standard Series IS-1000

1.	Potassium dichromate*	0.5	pet	P-014A
2.	Neomycin sulfate*	20.0	pet	N-001
3.	Thiuram mix*	1.0	pet	Mx-01
	-Dipentamethylenethiuram disulfide (D-019)	0.25		
	-Tetraethylthiuram disulfide (TETD) (T-002)	0.25		
	-Tetramethylthiuram disulfide (TMTD) (T-005)	0.25		
	-Tetramethylthiuram monosulfide (TMTM)	0.25		
	(T-006)			
4.	p-PHENYLENEDIAMINE (PPD)*	1.0	pet	P-006
5.	FORMALDEHYDE*	2.0	aq	F-002B
6.	COLOPHONIUM*	20.0	pet	C-020
7.	MYROXYLON PEREIRAE RESIN*,***	25.0	pet	B-001

^{*}Also present in European Baseline Series

^{**} Emulsifier: SORBITAN SESQUIOLEATE 2%

^{***} Emulsifier: SORBITAN SESQUIOLEATE 5%

		Compound	Conc. %(w		Art. No.
	8.	LANOLIN ALCOHOL*	30.0	pet	W-001
	9.	Mercapto mix*	2.0	pet	Mx-05A
		-N-Cyclohexyl-2-benzothiazolesulfenamide (C-023)	0.5		
		-2-Mercaptobenzothiazole (MBT) (M-003)	0.5		
		-Dibenzothiazyl disulfide (MBTS) (D-003)	0.5		
		-2-(4-Morpholinylmercapto)benzothiazol	0.5		
		(MOR) (M-016)			
	10.	Epoxy resin, Bisphenol A*	1.0	pet	E-002
	11.	4-tert-Butylphenolformaldehyde resin (PTBP)*	1.0	pet	B-024
	12.	Fragrance mix I*,**	8.0	pet	Mx-07
		-AMYL CINNAMAL (A-014)	1.0		
		-CINNAMYL ALCOHOL (C-013)	1.0		
		-CINNAMAL (C-014)	1.0		
		-EUGENOL (E-016)	1.0		
		-GERANIOL (G-001)	1.0		
		-HYDROXYCITRONELLAL (H-008)	1.0		
		-ISOEUGENOL (I-002)	1.0		
		-Oakmoss absolute (O-001)	1.0		
	13.	Nickel(II)sulfate hexahydrate	2.5	pet	N-002B
	14.	2-Mercaptobenzothiazole (MBT)*	2.0	pet	M-003A
	15.	Budesonide*	0.01	pet	B-033B
	16.	QUATERNIUM-15	2.0	pet	C-007B
	17.	METHYLISOTHIAZOLINONE +	0.02	aq	C-009B
		METHYLCHLORO-ISOTHIAZOLINONE			
	18.	IMIDAZOLIDINYL UREA	2.0	aq	I-001B
	19.	Tixocortol-21-pivalate*	0.1	pet	T-031B
2	20.	METHYLDIBROMO GLUTARONITRILE	0.3	pet	D-049A
2	21.	Carba mix	3.0	pet	Mx-06
		-1,3-Diphenylguanidine	1.0		D-022
		-ZINC DIBUTYLDITHIOCARBAMATE	1.0		Z-002
		(ZBC)			
		-Zinc diethyldithiocarbamate (ZDC)	1.0		Z-003
2	22.	Cobalt(II)chloride hexahydrate*	1.0	pet	C-017A

^{*} Also present in European Baseline Series ** Emulsifier: SORBITAN SESQUIOLEATE 5%



	Compound	Conc. \ %(w/		Art. No.
23.	Compositae mix II	5.0 g	pet	Mx-29A
	-ANTHEMIS NOBILIS EXTRACT (C-029)	1.2		
	-CHAMOMILLA RECUTITA EXTRACT	1.2		
	(C-051)			
	-ACHILLEA MILLEFOLIUM EXTRACT	1.0		
	(A-025)			
	-TANACETUM VULGARE EXTRACT	1.0		
	(T-033)			
	-ARNICA MONTANA EXTRACT (A-024)	0.5		
	-Parthenolide (P-029)	0.1		
24.	DIAZOLIDINYL UREA	2.0	pet	D-044A
25.	Fragrance mix II*	14.0 1	pet	Mx-25
	-Hexyl cinnamic aldehyde (H-025)	5.0		
	-COUMARIN (C-038)	2.5		
	-FARNESOL (F-004)	2.5		
	-HYDROXYISOHEXYL 3-CYCLOHEXENE	2.5		
	CARBOXALDEHYDE (L-003)			
	-CITRAL (C-036)	1.0		
	-CITRONELLOL (C-037)	0.5		
26.	Hydrocortisone-17-butyrate	1.0	pet	H-021B
27.	HYDROXYISOHEXYL 3-CYCLOHEXENE	5.0	pet	L-003
	CARBOXALDEHYDE*			
28.	N-Isopropyl-N-phenyl-4-phenylenediamine	0.1	pet	I-004
	(IPPD)*			
29.	Paraben mix*	16.0 p	pet	Mx-03C
	-BUTYLPARABEN (B-020)	4.0		
	-ETHYLPARABEN (E-010)	4.0		
	-METHYLPARABEN (M-012)	4.0		
	-PROPYLPARABEN (P-020)	4.0		
30.	Sesquiterpene lactone mix*	0.1	pet	Mx-18
	-Alantolactone (A-003)	0.033		
	-Costunolide (C-039)	0.033		
	-Dehydrocostus lactone (D-056)	0.033		
31.	Toluenesulfonamide formaldehyde resin	10.0 1	pet	T-010
32.	METHYLISOTHIAZOLINONE*		aq	M-035B
*		Revise	ed Janu:	ary 2014
" Als	o present in European Baseline Series			

	Compound	Conc. %(v	v/w)	Art. No.
	Isocyanate Series		1-10	00
1.	Toluene-2,4-diisocyanate (TDI)	2.0	pet	T-009
2.	Diphenylmethane-4,4'-diisocyanate (MDI)	0.5	pet	D-023E
3.	4,4'-Diaminodiphenylmethane (MDA)	0.5	pet	D-001
4.	Isophorone diisocyanate (IPDI)	1.0	pet	I-007
5.	Isophorone diamine (IPD)	0.1	pet	I-006
6.	Hexamethylene diisocyanate (HDI)	0.1	pet	H-022
7.	Polymeric diphenylmethane diisocyanate (PMDI)	2.0	pet	P-038
		Revi	sed Mar	rch 2013
	Leg Ulcer Series	9-09 9-09	LU-	1000
1.	Amerchol L 101	50.0	pet	A-004
2.	Fusidic acid sodium salt	2.0	pet	F-003
3.	CHLORHEXIDINE DIGLUCONATE	0.5	aq	C-005
1.	BENZALKONIUM CHLORIDE	0.1	aq	B-027
5.	Nitrofurazone	1.0	pet	N-005
5.	Bacitracin	5.0	pet	B-032A
7.	CETEARYL ALCOHOL	20.0	pet	C-033
3.	ВНТ	2.0	pet	D-006
).	Chloramphenicol	5.0	pet	C-032
0.	Benzoylperoxide	1.0	pet	B-007
11.	PROPYLENE GLYCOL	5.0	pet	P-019A
12.	PROPOLIS	10.0	pet	P-022
3.	THIMEROSAL	0.1	pet	T-007
4.	SORBIC ACID	2.0	pet	S-003
5.	Eosin	5.0	pet	E-022
6.	p-CHLORO-m-CRESOL (PCMC)	1.0	pet	C-008
7.	Budesonide*	0.01	pet	B-033E
8.	TRIETHANOLAMINE		pet	T-016
9.	Framycetin sulphate	20.0	pet	F-005
20.	SORBITAN SESQUIOLEATE	20.0	-	S-005
21.	Tixocortol-21-pivalate*	0.1	pet	T-031E
22.	SORBITAN OLEATE	5.0	pet	S-004
23.	PHENYL MERCURIC ACETATE	0.01	ad	P-008

^{*} Also present in European Baseline Series



	Compound	Conc. Veh. %(w/w)	Art. No.	
24.	CHLOROACETAMIDE	0.2 pet	C-006	
25.	DIAZOLIDINYL UREA	2.0 pet	D-044A	
26.	IMIDAZOLIDINYL UREA	2.0 pet	I-001A	
27.	Wood tar mix	12.0 pet	Mx-14	
	-Beech tar (B-002)	3.0		
	-Birch tar (B-011)	3.0		
	-JUNIPERUS OXYCEDRUS EXTRACT	3.0		
	(J-003)			
	-PINUS PALUSTRIS TAR (P-012)	3.0		
	,	Revised January 2007		

	Medicament Series		ME-	1000
1.	Chloramphenicol	5.0	pet	C-032
2.	Kanamycin sulfate	10.0	pet	K-001
3.	Quinine sulfate	1.0	pet	Q-001
4.	Sulfanilamide	5.0	pet	S-010
5.	Gentamicin sulfate	20.0	pet	G-006
6.	Nitrofurazone	1.0	pet	N-005
7.	Bacitracin	5.0	pet	B-032A
8.	Framycetin sulphate	20.0	pet	F-005
9.	Caine mix III	10.0	pet	Mx-19
	-Benzocaine (B-004)	5.0		
	-Dibucaine hydrochloride (D-005)	2.5		
	-Tetracaine hydrochloride (T-025)	2.5		
10.	Miconazole	1.0	alc	M-027
11.	Econazole nitrate	1.0	alc	E-021
12.	Caine mix IV	10.0	pet	Mx-20
	-Lidocaine (L-002)	5.0		
	-Amylocaine hydrochloride (A-020)	2.5		
	-Prilocaine hydrochloride (P-027)	2.5		
13.	Fusidic acid sodium salt	2.0	pet	F-003
14.	Tioconazole	1.0	pet	T-034
		Revi	sed Mar	ch 2008

...the trusted name in patch testing

	Compound	Conc. %(v	. Veh. v/w)	Art. No.
	Metal Series		MET-	1000
1.	Zinc	2.5	pet	Z-001
2.	Mercury	0.5	pet	M-005
3.	Mercury(II)chloride	0.1	pet	M-004
4.	Aluminium(III)chloride hexahydrate	2.0	pet	A-022
5.	Mercury(II)amidochloride	1.0	pet	M-022
6.	Aluminium	100		A-021
7.	Palladium(II)chloride	2.0	pet	P-001
8.	Gold(I)sodium thiosulfate dihydrate	2.0	pet	G-005B
9.	Copper(II)sulfate pentahydrate	2.0	pet	C-022
10.	Gold(I)sodium thiosulfate dihydrate	0.5	pet	G-005A
11.	Copper(I)oxide	5.0	pet	C-021
12.	Tin	50.0	pet	T-008
13.	Iridium(III)chloride trihydrate	1.0	pet	I-012
14.	Iridium	1.0	pet	I-014
15.	Indium	1.0	pet	I-015
16.	Titanium(III)nitride	5.0	pet	T-039
17.	TITANIUM DIOXIDE	10.0	pet	T-040
18.	ZINC CHLORIDE	1.0	pet	Z-007B
19.	Titanium(III)oxalate decahydrate	5.0	pet	T-041
20.	CALCIUM TITANATE	10.0	pet	C-049
21.	Titanium	10.0	pet	T-042
22.	Vanadium	5.0	pet	V-002
23.	Molybdenum	5.0	pet	M-030
24.	Vanadium(III)chloride	1.0	pet	V-003
25.	MANGANESE CHLORIDE	2.0	pet	M-031
26.	Tin(II)oxalate	1.0	pet	S-014
27.	Zirconium(IV)chloride	1.0	pet	Z-008
28.	Tungsten	5.0	pet	T-043
29.	FERRIC CHLORIDE	2.0	pet	I-016
30.	PHENYL MERCURIC ACETATE	0.01	aq	P-008
31.	Potassium dicyanoaurate(I)	0.1	aq	P-015
32.	SILVER NITRATE	1.0	aq	S-007
33.	Cadmium chloride	1.0	aq	C-001
34.	Ammonium hexachloroiridate (IV)	0.1	aq	A-034



	Compound	Conc. Veh. %(w/w)	Art. No.
35.	Indium(III)chloride	10.0 aq	I-011
36.	Lead(II)acetate trihydrate	0.5 aq	L-007
37.	Indium(III)sulfate	10.0 aq	I-013
38.	Ammonium molybdate (VI) tetrahydrate	1.0 aq	A-035
39.	STANNOUS CHLORIDE	1.0 pet	S-013
40.	Lead(II)chloride	0.2 aq	L-008
41.	Ammonium hexachloroplatinate(IV)	0.1 aq	A-010
42.	Ammonium tetrachloroplatinate(II)	0.25 aq	A-013
43.	Sodium tetrachloropalladate(II) hydrate	3.0 pet	S-017
		Revised Marc	h 2013

	(Meth) Acrylate Series Adhesives, Dental & Other		MA-	1000
1.	Methyl methacrylate	2.0	pet	M-013
2.	BUTYL METHACRYLATE	2.0	pet	B-021
3.	2-Hydroxyethyl methacrylate	2.0	pet	H-010
4.	Hydroxypropyl methacrylate	2.0	pet	H-018
5.	Ethylene glycol dimethacrylate	2.0	pet	E-007
6.	Triethylene glycol dimethacrylate	2.0	pet	T-018
7.	1,4-Butanediol dimethacrylate	2.0	pet	B-017
8.	Urethane dimethacrylate	2.0	pet	U-004
9.	Bisphenol A dimethacrylate (BIS-MA)	2.0	pet	M-007
10.	Bisphenol A glycerolate dimethacrylate	2.0	pet	H-013
	(BIS-GMA)			
11.	1,6-Hexanediol diacrylate	0.1	pet	H-004
12.	Tetrahydrofurfuryl methacrylate	2.0	pet	T-027
13.	Tetraethylene glycol dimethacrylate	2.0	pet	T-029
14.	DIMETHYLAMINOETHYL	0.2	pet	D-045
	METHACRYLATE			
15.	ETHYL CYANOACRYLATE	10.0	pet	E-023
		Rev	ised May	1999

ETHYL METHACRYLATE BUTYL METHACRYLATE BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate Ethylene glycol dimethacrylate 1,6-Hexanediol diacrylate 2,0 pet H-010 2,0 pet H-0		Compound		Veh. w/w)	Art. No.
Butyl acrylate Butyl acrylate Butyl Acrylate Butyl METHACRYLATE BUTYL METHACRYLATE BUTYL METHACRYLATE BUTYL METHACRYLATE 2.0 pet E-012 Butyl acrylate 2.0 pet B-021 2-Hydroxyethyl methacrylate Butyl acrylate Butyl Methyl methacrylate Butyl Methyl Methyl Methyl Methyl methacrylate Butyl Methyl Methyl Methyl Methyl Methyl methacrylate Butyl Methyl Methy		(Meth) Acrylate Series			
ETHYL METHACRYLATE BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate Hydroxypropyl methacrylate Ethylene glycol dimethacrylate 1,6-Hexanediol diacrylate 1,6-Hexanediol diacrylate Trimethylolpropane triacrylate 1. Ethyl acrylate 2. pet T-018 Triethylene glycol dimethacrylate 1. Ethyl acrylate 2. pet T-027 Triethylene glycol diacrylate 1. Ethyl acrylate 2. pet T-027 Triethylene glycol diacrylate 3. Triethylene glycol diacrylate 4. pet T-017 Revised August 199 (Meth) Acrylate Series Printing MP-1000 Ethyl acrylate 2-Hydroxyethyl acrylate 3. Triethylene glycol diacrylate 4. pet E-004 2-Ethylhexyl acrylate 5. pet H-009 4. Ethyl acrylate 5. 2-Hydroxyethyl acrylate 6. pet H-009 4. Hydroxypropyl acrylate 6. pet H-010 6. Ethyl methacrylate 7. pet H-011 7. methyl methacrylate 8. pet H-012 8. pet H-013 8. pet H-014 8. pet H-015 9. pet H-016 9. pet H-016 9. pet H-016 9. pet H-010 9. Det H-010 9.				MN-	-1000
ETHYL METHACRYLATE BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate Hydroxypropyl methacrylate Ethylene glycol dimethacrylate 1,6-Hexanediol diacrylate 1,6-Hexanediol diacrylate Trimethylolpropane triacrylate 1. Ethyl acrylate 2. pet T-018 Triethylene glycol dimethacrylate 1. Ethyl acrylate 2. pet T-027 Triethylene glycol diacrylate 1. Ethyl acrylate 2. pet T-027 Triethylene glycol diacrylate 3. Triethylene glycol diacrylate 4. pet T-017 Revised August 199 (Meth) Acrylate Series Printing MP-1000 Ethyl acrylate 2-Hydroxyethyl acrylate 3. Triethylene glycol diacrylate 4. pet E-004 2-Ethylhexyl acrylate 5. pet H-009 4. Ethyl acrylate 5. 2-Hydroxyethyl acrylate 6. pet H-009 4. Hydroxypropyl acrylate 6. pet H-010 6. Ethyl methacrylate 7. pet H-011 7. methyl methacrylate 8. pet H-012 8. pet H-013 8. pet H-014 8. pet H-015 9. pet H-016 9. pet H-016 9. pet H-016 9. pet H-010 9. Det H-010 9.	1.	Butyl acrylate	0.1	pet	B-018
2-Hydroxyethyl methacrylate Hydroxypropyl methacrylate Ethylene glycol dimethacrylate 1,6-Hexanediol diacrylate Trimethylolpropane triacrylate 1,6-Hexanediol diacrylate 1,1 pet H-004 1,2 pet H-009 1,1 pet H-009 1,2 pet H-010 1,2 pet H-010 1,3 pet H-009 1,4 pet H-009 1,5 pet H-010 1,5 pet H-010 1,6 pet H-010 1,6 pet H-010 1,7 pet H-010 1,	2.	ETHYL METHACRYLATE	2.0	pet	E-012
Hydroxypropyl methacrylate Ethylene glycol dimethacrylate Ethylene glycol dimethacrylate 1,6-Hexanediol diacrylate Trimethylolpropane triacrylate Trimethylate Trimethylate Trimethylate Trimethylate Trimethylate Triethylate Triethylat	3.	BUTYL METHACRYLATE	2.0	pet	B-021
Ethylene glycol dimethacrylate Triethylene glycol dimethacrylate 1,6-Hexanediol diacrylate 1,6-Hexanediol diacrylate 1,6-Hexanediol diacrylate 1,10-Tetrahydrofurfuryl methacrylate 1,10-Tetrahydrofurfuryl methacrylate 1,10-Hexanediol diacrylate 1,10-Hexanediol diac	4.	2-Hydroxyethyl methacrylate	2.0	pet	H-010
Triethylene glycol dimethacrylate 1,6-Hexanediol diacrylate 1,6-Hexanediol diacrylate 1. Trimethylolpropane triacrylate 2.0 pet T-021 1. Ethyl acrylate 2.0 pet T-027 1. Ethyl acrylate 2.1 pet H-009 2. 2-Hydroxyethyl acrylate 3. Triethylene glycol diacrylate 4. Trimethylone glycol diacrylate 5. Triethylene glycol diacrylate 6. Triethylene glycol diacrylate 7. Triethylene glycol diacrylate 8. Triethylene glycol diacrylate 9. Triethylene glycol diacrylate 9. Triethylene glycol dimethacrylate 9. Triethylene glycol dimethacrylate 9. Triethylene glycol dimethacrylate 1. Triethylene glycol dimethacrylate 1. Triethylene glycol dimethacrylate 2. Triethylene glycol dimethacrylate 2. Triethylene glycol dimethacrylate 3. Triethylene glycol dimethacrylate 4. Triethylene glycol dimethacrylate 5. Triethylene glycol dimethacrylate 6. Triethylene glycol dimethacrylate 7. Triethylene glycol dimethacrylate 8. Triethylene glycol dimethacrylate 9. Triethylene glycol dimethacrylate	5.	Hydroxypropyl methacrylate	2.0	pet	H-018
1,6-Hexanediol diacrylate 1,6-Hexanediol diacrylate 2.0 pet T-021 1. Ethyl acrylate 2.1 Ethyl acrylate 2.2 2-Hydroxyethyl acrylate 3. Triethylene glycol diacrylate 4. Trimethylopropane triacrylate 5. Triethylene glycol diacrylate 6. Triethylene glycol diacrylate 7. Triethylene glycol diacrylate 8. Triethylene glycol diacrylate 8. Ethyl acrylate 8. Ethyl methacrylate 8. Ethylene glycol dimethacrylate 9. Ethylene glycol dimethacrylate 1. Triethylene glycol dimethacrylate 1. Trie	5.	Ethylene glycol dimethacrylate	2.0	pet	E-007
Trimethylolpropane triacrylate Tetrahydrofurfuryl methacrylate Tetrahydrofurfuryl methacrylate Lethyl acrylate Lethyl acrylate Lethyl acrylate Lethylene glycol diacrylate Comparison of the pet of the pe	7.	Triethylene glycol dimethacrylate	2.0	pet	T-018
0. Tetrahydrofurfuryl methacrylate 1. Ethyl acrylate 2. 2-Hydroxyethyl acrylate 3. Triethylene glycol diacrylate (Meth) Acrylate Series Printing (Meth) Acrylate Series Printing MP-1000 Ethyl acrylate 2-Ethylhexyl acrylate 3-Ethylhexyl acrylate 3-Hydroxyethyl acrylate 4-Dydroxyethyl acrylate 5-Hydroxyethyl acrylate 6-Dydroxyethyl acrylate 7-Dydroxyethyl acrylate 7-Dydroxyethyl acrylate 8-Dydroxyethyl acrylate 8-Dydroxyethyl acrylate 8-Dydroxyethyl acrylate 8-Dydroxyethyl acrylate 8-Dydroxyethyl methacrylate 9-Dydroxyethyl met	3.	1,6-Hexanediol diacrylate	0.1	pet	H-004
1. Ethyl acrylate 2. 2-Hydroxyethyl acrylate 3. Triethylene glycol diacrylate 3. Triethylene glycol diacrylate 3. Triethylene glycol diacrylate (Meth) Acrylate Series Printing MP-1000 Ethyl acrylate 2-Ethylhexyl acrylate 3. Ethyl acrylate 3. Ethyl acrylate 4. 2-Ethylhexyl acrylate 5. Ethyloxyethyl acrylate 6. E-004 7. Hydroxyethyl acrylate 7. Methyl methacrylate 8. ETHYL METHACRYLATE 8. ETHYL METHACRYLATE 8. BUTYL METHACRYLATE 8. ETHYL METHACRYLATE 8. Ethylene glycol dimethacrylate 8. Ethylene glycol dimethacrylate 8. Ethylene glycol dimethacrylate 9. Ethylene glycol dimethacrylate 1. Triethylene glycol dimethacrylate 2. 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)-propane (BIS-EMA)).	Trimethylolpropane triacrylate	0.1	pet	T-021
2. 2-Hydroxyethyl acrylate 3. Triethylene glycol diacrylate (Meth) Acrylate Series Printing Ethyl acrylate 2-Ethylhexyl acrylate 3-Hydroxyethyl acrylate 4-2-Ethylhexyl acrylate 5-004 4-2-Hydroxyethyl acrylate 6-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	10.	Tetrahydrofurfuryl methacrylate	2.0	pet	T-027
Companies Comp	11.	Ethyl acrylate	0.1	pet	E-004
(Meth) Acrylate Series Printing Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate 0.1 pet E-004 1 pet E-009 2-Hydroxyethyl acrylate 0.1 pet H-019 1 Hydroxypropyl acrylate 0.1 pet H-017 1 Methyl methacrylate 2.0 pet M-013 2 ETHYL METHACRYLATE 2.0 pet E-012 3 BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate 3 Pethyl methacrylate 4 Hydroxypropyl methacrylate 5 Ethylene glycol dimethacrylate 6 Ethylene glycol dimethacrylate 7 Ethylene glycol dimethacrylate 8 Printing 8 MP-1000 9 Pet E-004 9 Pet H-010 9 Pet H-017 9 Pethylene glycol dimethacrylate 9 Pethylene glycol dimethylene glycol d	2.	2-Hydroxyethyl acrylate	0.1	pet	H-009
(Meth) Acrylate Series MP-1000 Printing MP-1000 Ethyl acrylate 0.1 pet E-004 2-Ethylhexyl acrylate 0.1 pet H-009 2-Hydroxyethyl acrylate 0.1 pet H-017 Hydroxypropyl acrylate 0.1 pet H-013 ETHYL METHACRYLATE 2.0 pet E-012 BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate 2.0 pet H-010 Hydroxypropyl methacrylate 2.0 pet H-018 Ethylene glycol dimethacrylate 2.0 pet E-007 Triethylene glycol dimethacrylate 2.0 pet T-018 2.2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)-propane (BIS-EMA) 2.0 pet M-006	3.	Triethylene glycol diacrylate	0.1	pet	T-017
Printing Bethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate 4-009 4-009 4-009 4-009 4-010 5-01 6-01			Rev	ised Au	agust 1992
Ethyl acrylate 2-Ethylhexyl acrylate 3-Hydroxyethyl acrylate 4-009 4-009 4-013 5-024 6-024 6-034 6-035 6-036 6					
2-Ethylhexyl acrylate 0.1 pet E-009 2-Hydroxyethyl acrylate 0.1 pet H-009 Hydroxypropyl acrylate 0.1 pet H-017 Methyl methacrylate 2.0 pet M-013 ETHYL METHACRYLATE 2.0 pet E-012 BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate 2.0 pet H-010 Hydroxypropyl methacrylate 2.0 pet H-018 Ethylene glycol dimethacrylate 2.0 pet E-007 Triethylene glycol dimethacrylate 2.0 pet T-018 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- propane (BIS-EMA)		(Meth) Acrylate Series			
2-Hydroxyethyl acrylate 0.1 pet H-009 Hydroxypropyl acrylate 0.1 pet H-017 Methyl methacrylate 2.0 pet M-013 ETHYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate 2.0 pet H-010 Hydroxypropyl methacrylate 2.0 pet H-018 Ethylene glycol dimethacrylate 2.0 pet E-007 Triethylene glycol dimethacrylate 2.0 pet T-018 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- propane (BIS-EMA)				MP-	1000
Hydroxypropyl acrylate 0.1 pet H-017 Methyl methacrylate 2.0 pet M-013 ETHYL METHACRYLATE 2.0 pet B-021 BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate 2.0 pet H-010 Hydroxypropyl methacrylate 2.0 pet H-018 D. Ethylene glycol dimethacrylate 2.0 pet E-007 Triethylene glycol dimethacrylate 2.0 pet T-018 2. 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- propane (BIS-EMA)		Printing	0.1	32-02	-0-1-0-1-0-
Hydroxypropyl acrylate 0.1 pet H-017 Methyl methacrylate 2.0 pet M-013 ETHYL METHACRYLATE 2.0 pet B-021 BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate 2.0 pet H-010 Hydroxypropyl methacrylate 2.0 pet H-018 D. Ethylene glycol dimethacrylate 2.0 pet E-007 Triethylene glycol dimethacrylate 2.0 pet T-018 2. 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- propane (BIS-EMA)		Printing Ethyl acrylate		pet	-0-1-0-1-0-
ETHYL METHACRYLATE BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate 2.0 pet H-010 Hydroxypropyl methacrylate 2.0 pet H-018 Ethylene glycol dimethacrylate 2.0 pet E-007 Triethylene glycol dimethacrylate 2.0 pet T-018 2.2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- propane (BIS-EMA)	2.	Printing Ethyl acrylate 2-Ethylhexyl acrylate	0.1	pet pet	E-004
BUTYL METHACRYLATE 2.0 pet B-021 2-Hydroxyethyl methacrylate 2.0 pet H-010 Hydroxypropyl methacrylate 2.0 pet H-018 D. Ethylene glycol dimethacrylate 2.0 pet E-007 Triethylene glycol dimethacrylate 2.0 pet T-018 2.2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- propane (BIS-EMA)	2. 3.	Printing Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate	0.1 0.1	pet pet pet	E-004 E-009
2-Hydroxyethyl methacrylate 2.0 pet H-010 Hydroxypropyl methacrylate 2.0 pet H-018 D. Ethylene glycol dimethacrylate 2.0 pet E-007 Triethylene glycol dimethacrylate 2.0 pet T-018 2. 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- propane (BIS-EMA)	2. 3. 4.	Printing Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate Hydroxypropyl acrylate	0.1 0.1 0.1	pet pet pet pet	E-004 E-009 H-009 H-017
Hydroxypropyl methacrylate D. Ethylene glycol dimethacrylate D. Ethylene glycol dimethacrylate D. Triethylene glycol dimethacrylate D. Triethylene glycol dimethacrylate D. Det E-007 Det T-018	2. 3. 4. 5.	Printing Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate Hydroxypropyl acrylate Methyl methacrylate	0.1 0.1 0.1 2.0	pet pet pet pet pet	E-004 E-009 H-009 H-017
0. Ethylene glycol dimethacrylate 2.0 pet E-007 1. Triethylene glycol dimethacrylate 2.0 pet T-018 2. 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- propane (BIS-EMA)	2. 3. 4. 5.	Printing Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate Hydroxypropyl acrylate Methyl methacrylate ETHYL METHACRYLATE	0.1 0.1 0.1 2.0 2.0	pet pet pet pet pet pet	E-004 E-009 H-009 H-017 M-013 E-012
1. Triethylene glycol dimethacrylate 2.0 pet T-018 2. 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- 2.0 pet M-006 propane (BIS-EMA)	2. 3. 4. 5.	Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate Hydroxypropyl acrylate Methyl methacrylate ETHYL METHACRYLATE BUTYL METHACRYLATE	0.1 0.1 0.1 2.0 2.0	pet pet pet pet pet pet	E-004 E-009 H-009 H-017 M-013 E-012
 2. 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)- 2.0 pet M-006 propane (BIS-EMA) 	2. 3. 4. 5. 5. 7.	Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate Hydroxypropyl acrylate Methyl methacrylate ETHYL METHACRYLATE BUTYL METHACRYLATE 2-Hydroxyethyl methacrylate	0.1 0.1 0.1 2.0 2.0 2.0 2.0	pet pet pet pet pet pet pet	E-004 E-009 H-009 H-017 M-013 E-012 B-021
propane (BIS-EMA)	1. 22. 33. 44. 55. 56. 77. 10.	Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate Hydroxypropyl acrylate Methyl methacrylate ETHYL METHACRYLATE BUTYL METHACRYLATE 2-Hydroxyethyl methacrylate Hydroxypropyl methacrylate	0.1 0.1 0.1 2.0 2.0 2.0 2.0 2.0	pet pet pet pet pet pet pet pet	E-004 E-009 H-009 H-017 M-013 E-012 B-021 H-010
	2. 3. 4. 5. 6. 7. 3.	Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate Hydroxypropyl acrylate Methyl methacrylate ETHYL METHACRYLATE BUTYL METHACRYLATE 2-Hydroxyethyl methacrylate Hydroxypropyl methacrylate Ethylene glycol dimethacrylate	0.1 0.1 0.1 2.0 2.0 2.0 2.0 2.0 2.0	pet pet pet pet pet pet pet pet pet	E-004 E-009 H-009 H-017 M-013 E-012 B-021 H-010 H-018 E-007
	2. 3. 4. 5. 5. 7. 3.	Ethyl acrylate 2-Ethylhexyl acrylate 2-Hydroxyethyl acrylate Hydroxypropyl acrylate Hydroxypropyl acrylate Methyl methacrylate ETHYL METHACRYLATE BUTYL METHACRYLATE 2-Hydroxyethyl methacrylate Hydroxypropyl methacrylate Ethylene glycol dimethacrylate Triethylene glycol dimethacrylate 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)-	0.1 0.1 0.1 2.0 2.0 2.0 2.0 2.0 2.0 2.0	pet pet pet pet pet pet pet pet pet	E-004 E-009 H-009 H-017 M-013 E-012 B-021 H-010 H-018 E-007



	Diridinostics			
	Compound		. Veh. v/w)	Art. No.
14.	1,6-Hexanediol diacrylate	0.1	pet	H-004
15.	Di(ethylene glycol) diacrylate	0.1	pet	D-009
16.	Tri(propylene glycol) diacrylate	0.1	pet	T-023
17.	Trimethylolpropane triacrylate	0.1	pet	T-021
18.	Pentaerythritol triacrylate	0.1	pet	P-002
19.	Oligotriacrylate (OTA 480)	0.1	pet	O-003
20.	Epoxy acrylate	0.5	pet	E-001
21.	Urethane diacrylate, aliphatic	0.1	pet	U-002
22.	Urethane diacrylate, aromatic	0.05	pet	U-003
23.	Triethylene glycol diacrylate	0.1	pet	T-017
24.	N,N-Methylene-bisacrylamide	1.0	pet	M-023
		Revi	sed Mar	ch 2010
707		~~~	Y-2Y-0	7-67-67-4
	Oil & Cooling Fluid Series		O -1	000
1.	ABIETIC ACID	10.0	net	A-001
2.	p-CHLORO-m-CRESOL (PCMC)	1.0	pet	C-008
3.	CHLOROXYLENOL (PCMX)	0.5	pet	C-010A
4.	DICHLOROPHENE	1.0	pet	D-008
5.	o-PHENYLPHENOL	1.0	pet	P-010
6.	PROPYLENE GLYCOL	5.0	pet	P-019A
7.	TRIETHANOLAMINE	2.0	pet	T-016
8.	4-tert-Butylbenzoic acid	1.0	pet	B-019
9.	BENZISOTHIAZOLINONE	0.05	•	B-003
10.	Hexahydro-1,3,5-tris-(2-hydroxyethyl)triazine	1.0	aq	H-002
11.	Bioban P 1487	0.5	pet	E-014
12.	CHLOROACETAMIDE	0.2	pet	C-006
13.	N-Methylolchloroacetamide	0.1	pet	M-014
14.	BENZOTRIAZOLE	1.0	pet	B-006
15.	Ethylenediamine dihydrochloride	1.0	pet	E-005
16.	2-Mercaptobenzothiazole (MBT)*	2.0	pet	M-003A
17.	Zinc ethylenebis-(dithiocarbamate) (Zineb)	1.0	pet	Z-005

2.0 pet

1.0 pet

1.0 pet

T-014

A-017

D-015

19. 7-ETHYLBICYCLOOXAZOLIDINE

TRICLOSAN

20. Bioban CS 1135

18.

^{*} Also present in European Baseline Series

	Compound	Conc. %(w		Art. No.
21.	TRIS(HYDROXYMETHYL)NITROMETHANE	1.0	pet	H-015
22.	THIMEROSAL	0.1	pet	T-007
23.	Hydrazine sulfate	1.0	pet	H-005
24.	TRICLOCARBAN	1.0	pet	T-013
25.	FORMALDEHYDE*	2.0	aq	F-002B
26.	Amerchol L 101	50.0	pet	A-004
27.	Hydroperoxides of Limonene	0.3	pet	H-032
28.	Sodium-2-pyridinethiol-1-oxide	0.1	aq	S-002
29.	2-BROMO-2-NITROPROPANE-1,3-DIOL	0.25	pet	B-015A
30.	COCAMIDE DEA	0.5	pet	C-019
31.	METHYLISOTHIAZOLINONE +	0.02	aq	C-009B
	METHYLCHLORO-ISOTHIAZOLINONE*			
32.	PHENOXYETHANOL	1.0	pet	P-025
33.	2-n-Octyl-4-isothiazolin-3-one	0.1	pet	O-004
34.	METHYLDIBROMO GLUTARONITRILE*	0.5	pet	D-049E
35.	IODOPROPYNYL BUTYLCARBAMATE	0.2	pet	I-008C
		Revi	sed Janu	ary 2014
	Photographic Chemicals Ser	ies	P-10	000
1.	N,N-DIETHYLTOLUENE-2,5-DIAMINE HCL	1.0	pet	D-011
2.	N-Ethyl-N-(2-methane-sulfonamidoethyl)-2-methyl-1,4-PPD-sesquisulfate, hydrate (CD-3)	1.0	pet	E-013
3.	N-Ethyl-N-(2-hydroxyethyl)-2-methyl-1,4-	1.0	pet	E-011

	HCL			
2.	N-Ethyl-N-(2-methane-sulfonamidoethyl)-2-	1.0	pet	E-013
	methyl-1,4-PPD-sesquisulfate, hydrate (CD-3)			
3.	N-Ethyl-N-(2-hydroxyethyl)-2-methyl-1,4-	1.0	pet	E-011
	phenylenediamine sulfate salt			
4.	p-METHYLAMINOPHENOL SULFATE	1.0	pet	M-009
5.	HYDROQUINONE	1.0	pet	H-007
6.	1-Phenyl-3-pyrazolidinone	1.0	pet	P-004
7.	HYDROXYLAMINE HCL	0.1	aq	H-011
8.	AMMONIUM PERSULFATE	2.5	pet	A-011
9.	Ethylenediamine dihydrochloride	1.0	pet	E-005
10	. BENZOTRIAZOLE	1.0	pet	B-006
11	. GLUTARAL**	0.2	pet	G-003A

^{*} Also present in European Baseline Series

^{**} Emulsifier: SORBITAN SESQUIOLEATE 5%



	Compound	Conc. Veh. %(w/w)	Art. No.		
12.	BENZYL ALCOHOL	10.0 sof	B-008B		
13.	HYDROXYLAMINE SULFATE	0.1 aq	H-012		
14.	Potassium dichromate*	0.5 pet	P-014A		
15.	N,N-DIETHYL-P-PHENYLENEDIAMINE	1.0 pet	A-007		
	SULFATE (TSS)				
16.	Tricresyl phosphate	5.0 pet	T-015		
		Revised February 2009			

	Plant Series		PL-	1000	
1.	ANTHEMIS NOBILIS EXTRACT ^{e)}	1.0	pet	C-029	
2.	Diallyl disulfide	1.0	pet	D-048	
3.	ARNICA MONTANA EXTRACT ^{e)}	0.5	pet	A-024	
4.	Taraxacum Officinale ^{e)}	2.5	pet	T-032	
5.	ACHILLEA MILLEFOLIUM EXTRACT ^{e)}	1.0	pet	A-025	
6.	PROPOLIS	10.0	pet	P-022	
7.	Chrysanthemum Cinerariaefolium ^{e)}	1.0	pet	C-031	
8.	Sesquiterpene lactone mix*	0.1	pet	Mx-18	
	-Alantolactone (A-003)	0.03	3		
	-Costunolide (C-039)	0.03	3		
	-Dehydrocostus lactone (D-056)	0.03	3		
9.	α-Methylene-γ-butyrolactone	0.01	pet	M-026	
10.	TANACETUM VULGARE EXTRACT ^{e)}	1.0	pet	T-033	
11.	Alantolactone	0.03	3pet	A-003B	
12.	Lichen acid mix	0.3	pet	Mx-15	
	-Atranorin (A-016)	0.1			
	-Evernic acid (E-017)	0.1			
	-(+)Usnic acid (U-005)	0.1			
13.	Parthenolide	0.1	pet	P-029	
14.	CHAMOMILLA RECUTITA EXTRACT ^{e)}	1.0	pet	C-051	
15.	(+)-Usnic acid	0.1	pet	U-005	
16.	Atranorin	0.1	pet	A-016	
17.	Evernic acid	0.1	pet	E-017	
Revised January 201					

^{*} Also present in European Baseline Series

e) Plant extract

...the trusted name in patch testing

	Compound	Conc. Veh. %(w/w)	Art. No.
	Plastics & Glues Series	PG	-1000
1.	HYDROQUINONE	1.0 pet	H-007
2.	Dibutyl phthalate	5.0 pet	D-007
3.	PHENYL SALICYLATE	1.0 pet	P-011
4.	Dioctyl phtalate (DEHP, DOP)	2.0 pet	D-018
5.	ВНТ	2.0 pet	D-006
6.	DROMETRIZOLE	1.0 pet	H-016
7.	Benzoylperoxide	1.0 pet	B-007
8.	4-tert-Butylcatechol (PTBC)	0.25 pet	B-030B
9.	Azodiisobutyrodinitrile	1.0 pet	A-018
10.	Bisphenol A	1.0 pet	B-013
11.	Tricresyl phosphate	5.0 pet	T-015
12.	Phenol formaldehyde resin (PFR2)	1.0 pet	P-005
13.	p-tert-Butylphenol formaldehyde resin*	1.0 pet	B-024
14.	Triphenyl phosphate	5.0 pet	T-022
15.	Toluenesulfonamide formaldehyde resin	10.0 pet	T-010
16.	Resorcinol monobenzoate	1.0 pet	R-002
17.	2-Phenylindole	2.0 pet	P-007
18.	2-tert-Butyl-4-methoxyphenol (BHA)	2.0 pet	B-022
19.	HYDROABIETYL ALCOHOL	10.0 pet	A-002
20.	4-tert-Butylphenol	1.0 pet	B-023
21.	2-Monomethylol phenol	1.0 pet	M-015
22.	N,N'-Diphenylthiourea (DPTU)	1.0 pet	D-025
23.	2-n-Octyl-4-isothiazolin-3-one	0.1 pet	O-004
24.	Cyclohexanone resin	1.0 pet	C-027
25.	Triglycidyl isocyanurate (TGIC)	0.5 pet	T-028
	· · · · · · · · · · · · · · · · · · ·	Revised Jan	nuary 2001
	Rubber Additives Series	R	1000

	Rubber Additives Series		R-	1000
1.	Tetramethylthiuram disulfide (TMTD)	1.0	pet	T-005
2.	Tetramethylthiuram monosulfide (TMTM)	1.0	pet	T-006
3.	Tetraethylthiuram disulfide (TETD)	1.0	pet	T-002
4.	Dipentamethylenethiuram disulfide	1.0	pet	D-019
5.	N-Cyclohexyl-N-phenyl-4-phenylenediamine	1.0	pet	C-024

^{*} Also present in European Baseline Series



	Compound		:. Veh. w/w)	Art. No.
6.	N,N'-Diphenyl-p-phenylenediamine (DPPD)	1.0	pet	D-024
7.	N-Isopropyl-N-phenyl-4-phenylenediamine (IPPD)*	0.1	pet	I-004
8.	2-Mercaptobenzothiazole (MBT)*	2.0	pet	M-003A
9.	N-Cyclohexyl-2-benzothiazolesulfenamide	1.0	pet	C-023
10.	Dibenzothiazyl disulfide (MBTS)	1.0	pet	D-003
11.	2-(4-Morpholinylmercapto)benzothiazol (MOR)	1.0	pet	M-016
12.	1,3-Diphenylguanidine	1.0	pet	D-022
13.	Zinc diethyldithiocarbamate (ZDC)	1.0	pet	Z-003
14.	ZINC DIBUTYLDITHIOCARBAMATE (ZBC)	1.0	pet	Z-002
15.	N,N-Di-2-naphtyl-4-phenylenediamine	1.0	pet	D-017
	(DBNPD)			
16.	N-Phenyl-2-naphtylamine (PBN)	1.0	pet	P-009
17.	METHENAMINE	2.0	pet	H-003
18.	4,4'-Diaminodiphenylmethane (MDA)	0.5	pet	D-001
19.	N,N'-Diphenylthiourea (DPTU)	1.0	pet	D-025
20.	Zinc dimethyldithiocarbamate (Ziram)	1.0	pet	Z-004
21.	2,2,4-Trimethyl-1,2-dihydroquinoline	1.0	pet	T-020
22.	N,N´-Diethylthiourea	1.0	pet	D-039
23.	N,N´-Dibutylthiourea	1.0	pet	D-038
24.	Dodecyl mercaptan	0.1	pet	D-043
25.	N-(Cyclohexylthio) phthalimide	1.0	pet	C-034
26.	Thiourea	0.1	pet	T-026
		Revi	ised Janu	ary 2011

Scandinavian Photo Patch SP-1000

Deleted as of January 2014

	Shoe Series		SH	-1000
1.	N-Isopropyl-N-phenyl-4-phenylenediamine (IPPD)*	0.1	pet	I-004
2.	GLUTARAL**	0.2	pet	G-003A
3.	DISPERSE ORANGE 3	1.0	pet	D-032
4. * Als	Acid yellow 36 o present in European Baseline Series	1.0	pet	A-019

^{**} Emulsifier: SORBITAN SESQUIOLEATE 5%

	Compound		. Veh. v/w)	Art. No.
5.	Hydroquinone monobenzylether	1.0	pet	H-019
6.	Thiuram mix*	1.0	pet	Mx-01
	-Dipentamethylenethiuram disulfide (D-019)	0.25		
	-Tetraethylthiuram disulfide (TETD) (T-002)	0.25		
	-Tetramethylthiuram disulfide (TMTD) (T-005)	0.25		
	-Tetramethylthiuram monosulfide (TMTM) (T-006)	0.25		
7.	Potassium dichromate*	0.5	pet	P-014A
8.	4-tert-Butylphenolformaldehyde resin (PTBP)*	1.0	pet	B-024
9.	p-PHENYLENEDIAMINE (PPD)*	1.0	pet	P-006
10.	Nickel(II)sulfate hexahydrate*	5.0	pet	N-002A
11.	COLOPHONIUM*	20.0	pet	C-020
12.	FORMALDEHYDE*	2.0	aq	F-002B
13.	N,N'-Diphenylthiourea (DPTU)	1.0	pet	D-025
14.	2-Mercaptobenzothiazole (MBT)*	2.0	pet	M-003A
15.	N,N'-Diethylthiourea	1.0	pet	D-039
16.	1,3-Diphenylguanidine	1.0	pet	D-022
17.	N,N'-Dibutylthiourea	1.0	pet	D-038
18.	Epoxy resin, Bisphenol A*	1.0	pet	E-002
19.	Dodecyl mercaptan	0.1	pet	D-043
20.	METHYLISOTHIAZOLINONE +	0.02	aq	C-009B
	METHYLCHLORO-ISOTHIAZOLINONE*		_	
21.	4-Aminoazobenzene	0.25	pet	A-005
22.	2-n-Octyl-4-isothiazolin-3-one	0.1	pet	O-004
23.	4,4`-Dithiodimorpholine	1.0	pet	D-054
		Revi	sed Janu	ary 2014

	Sunscreen Series	SU-	1000
1.	BUTYL METHOXYDIBENZOYL-	10.0 pet	B-029C
	METHANE		
2.	PABA	10.0 pet	A-006C
3.	HOMOSALATE	5.0 pet	H-024A
4.	4-METHYLBENZYLIDENE CAMPHOR	10.0 pet	M-024B
5.	ETHYLHEXYL DIMETHYL PABA	10.0 pet	E-018D

^{*} Also present in European Baseline Series ** Emulsifier: SORBITAN SESQUIOLEATE 1%



	Compound	Conc. Veh. %(w/w)	Art. No.
6.	BENZOPHENONE-3	10.0 pet	H-014C
7.	ETHYLHEXYL METHOXYCINNAMATE	10.0 pet	E-019C
8.	BENZOPHENONE-10	10.0 pet	H-020B
9.	PHENYLBENZIMIDAZOLE SULFONIC	10.0 pet	P-024B
	ACID		
10.	BENZOPHENONE-4	2.0 pet	H-023C
11.	DROMETRIZOLE TRISILOXANE	10.0 pet	D-055
12.	OCTOCRYLENE	10.0 pet	O-009
13.	ETHYLHEXYL SALICYLATE	5.0 pet	O-007A
14.	ETHYLHEXYL TRIAZONE	10.0 pet	O-010
15.	ISOAMYL p-METHOXYCINNAMATE	10.0 pet	I-009
16.	BIS-ETHYLHEXYLOXYPHENOL	10.0 pet	B-037
	METHOXYPHENOL TRIAZINE		
17.	Methylene bis-benzotriazolyl	10.0 pet	M-037
	tetramethylbutylphenol		
18.	2-(4-Diethylamino-2-hydroxybenzoyl)-benzoic	10.0 pet	D-062
	acid hexylester		
19.	DIETHYLHEXYL BUTAMIDO TRIAZONE	10.0 pet	D-063
20.	Disodium phenyl dibenzimidazole tetrasulfonate	10.0 pet	D-064
21.	DECYL GLUCOSIDE*	5.0 pet	D-065
		Revised Janu	ary 2014

	Textile Colours & Finish		TE	1000
1.	Disperse Yellow 3	1.0	pet	D-036
2.	DISPERSE ORANGE 3	1.0	pet	D-032
3.	Disperse Red 1	1.0	pet	D-034
4.	DISPERSE RED 17	1.0	pet	D-035
5.	Disperse Blue 153	1.0	pet	D-029
6.	DISPERSE BLUE 3	1.0	pet	D-026
7.	Disperse Blue 35	1.0	pet	D-027
8.	Dimethylol dihydroxy ethylene urea	4.5	aq	D-012
9.	Dimethyl dihydroxy ethylene urea	4.5	aq	D-052
10.	Dimethylol dihydroxy ethylene urea,	5.0	aq	D-050
	modified			
11.	Disperse Blue 106	1.0	pet	D-040

 * Emulsifier: SORBITAN SESQUIOLEATE 2%

	Compound	Conc. Veh. %(w/w)	Art. No.
12.	Ethyleneurea, melamine formaldehyde mix*	5.0 pet	Mx-16
	-Dimethylol dihydroxy ethylene urea (D-012)	4.0	
	-Melamine formaldehyde (M-001)	1.0	
13.	Urea formaldehyde resin	10.0 pet	U-001
14.	Melamine formaldehyde (Kaurit M70)*	7.0 pet	M-001
15.	Disperse Blue 85	1.0 pet	D-028
16.	Disperse Orange 1	1.0 pet	D-031
17.	Acid Yellow 61	5.0 pet	A-026
18.	Disperse Brown 1	1.0 pet	D-030
19.	Disperse Yellow 9	1.0 pet	D-037
20.	Disperse Blue 124	1.0 pet	D-041
21.	Basic Red 46	1.0 pet	B-026
22.	Reactive Black 5	1.0 pet	R-004B
23.	Reactive Blue 21	1.0 pet	R-005B
24.	Reactive Blue 238	1.0 pet	R-006B
25.	Reactive Orange 107	1.0 pet	R-007B
26.	Reactive Red 123	1.0 pet	R-008B
27.	Reactive Red 238	1.0 pet	R-009B
28.	Reactive Red 228	1.0 pet	R-010B
29.	Reactive Violet 5	1.0 pet	R-011B
30.	Acid Red 118	5.0 pet	A-027
31.	Direct Orange 34	5.0 pet	D-051
32.	Acid Red 359	5.0 pet	A-028
33.	Disperse Blue mix 106/124	1.0 pet	Mx-26
	-Disperse Blue 106 (D-040)	0.5	
	-Disperse Blue 124 (D-041)	0.5	
34.	Textile dye mix**	6.6 pet	Mx-30
	-Diperse Blue 35 (D-027)	1.0	
	-Diperse Orange 1 (D-031)	1.0	
	-Disperse Orange 3 (D-032)	1.0	
	-Disperse Red 1 (D-034)	1.0	
	-Disperse Red 17 (D-035)	1.0	
	-Disperse Yellow 3 (D-036)	1.0	
	-Disperse Blue 106 (D-040)	0.3	
	-Disperse Blue 124 (D-041)	0.3	
		Revised Ja	

 $^{^{\}ast}$ Emulsifier: SORBITAN SESQUIOLEATE 5%

^{**} Also present in European Baseline Series



	Compound	Conc %(v	.Veh. v/w)	Art. No.
	Various Haptens		V-1	000
1.	Prilocaine hydrochloride	5.0	pet	P-027A
2.	Deleted			
3.	Deleted			
4.	OLEA EUROPAEA OIL	100		O-006
5.	Deleted			
6.	Ethylenediaminetetraacetic acid disodium salt dihydrate (Na ₂ EDTA)	1.0	pet	E-006
7.	Deleted			
8.	Deleted			
9.	Deleted			
10.	Deleted			
11.	CHLORHEXIDINE DIACETATE	0.5	aq	C-004
12.	Deleted			
13.	Deleted			
14.	Deleted			
15.	Deleted			
16.	Coal tar	5.0	pet	C-016
17.	PETROLATUM	100		P-003
18.	Deleted			
19.	Chlorquinaldol	5.0	pet	C-012
20.	METHYLPARABEN	3.0	pet	M-012
21.	ETHYLPARABEN	3.0	pet	E-010
22.	PROPYLPARABEN	3.0	pet	P-020
23.	BUTYLPARABEN	3.0	pet	B-020
24.	Deleted			
25.	PINUS PALUSTRIS TAR	3.0	pet	P-012
26.	Beech tar	3.0	pet	B-002
27.	JUNIPERUS OXYCEDRUS EXTRACT	3.0	pet	J-003
28.	Birch tar	3.0	pet	B-011
29.	Procaine hydrochloride	1.0	pet	P-016
30.	Dibucaine hydrochloride	5.0	pet	D-005A
31.	Naphthyl mix	1.0	pet	Mx-11
	-N,N-Di-2-naphtyl-4-phenylenediamine (DBNPD) (D-017)	0.5		
	-N-Phenyl-2-naphtylamine (PBN) (P-009)	0.5		

	Compound	Conc.Veh. %(w/w)	Art. No.
32.	Deleted		
33.	Deleted		
34.	Caine mix I	3.5 pet	Mx-12
	-Dibucaine hydrochloride (D-005)	2.5	
	-Procaine hydrochloride (P-016)	1.0	
35.	Deleted		
36.	Caine mix II	10.0 pet	Mx-13
	-Lidocaine (L-002)	5.0	
	-Dibucaine hydrochloride (D-005)	2.5	
	-Tetracaine hydrochloride (T-025)	2.5	
37.	Deleted		
38.	Deleted		
39.	p-PHENYLENEDIAMINE HCl	0.5 pet	P-028
40.	Ethylene urea	1.0 pet	E-008
41.	Deleted		
42.	Tetracaine hydrochloride	5.0 pet	T-025A
43.	MYROXYLON BALSAMUM RESIN	10.0 alc	B-025
44.	Styrax	2.0 pet	S-008
45.	Amylocaine hydrochloride	5.0 pet	A-020
46.	Deleted		
47.	Deleted		
48.	Deleted		
49.	Deleted		
50.	Deleted		
51.	Lidocaine	5.0 pet	L-002A
52.	Deleted		
53.	Black rubber mix	0.6 pet	Mx-04
	-N-Cyclohexyl-N-phenyl-4-phenylenediamine	0.25	
	(C-024)		
	-N,N'-Diphenyl-p-phenylenediamine (D-024)	0.25	
	-N-Isopropyl-N-phenyl-4-phenylenediamine	0.1	
	(IPPD) (I-004)		
54.	Deleted		
55.	Deleted		
56.	Deleted	1.0 pet	O-008



	Compound	Conc. %(w		Art. No.
57.	Quinoline mix	6.0	pet	Mx-02
	-Chlorquinaldol (C-012)	3.0		
	-Clioquinol (C-015)	3.0		
58.	Deleted			
59.	Deleted			
60.		0.1		D-066A
61.	Dimethyl fumarate*	0.01	pet	D-066B
62.	Softisan 649	100		S-016
63.	METHYLISOTHIAZOLINONE	0.02	aq	M-035A
64.	Deleted			
65.	Deleted			
66.	6-METHYL COUMARIN	1.0	pet	M-010A
67.	3,3',4',5-Tetrachlorosalicylanilide (TCS)	0.1	pet	T-001
68.	Diphenhydramine hydrochloride	1.0	pet	D-021
69.	Methylene bis-benzotriazolyl tetramethylbutylphenol**	10.0	pet	M-032
70.	SODIUM LAURYL SULFATE	0.25	aq	S-018
		Revis	sed Janu	ary 2015
	Supplemental Haptens		SA-	1000
1.	Deleted			
2.	Deleted			
3.	Dermatophagoides mix (vol=2,5 ml)***	30%	pet	Mx-21C

1.	Deleted		
2.	Deleted		
3.	Dermatophagoides mix (vol=2,5 ml)***	30% pet	Mx-21C
	(Pteronyssinus/Pharinae 50/50)		
4.	Corticosteroid mix	2.1% pet	Mx-23
	-Budesonide (B-033)	0.1	
	-Hydrocortisone-17-butyrate (H-021)	1.0	
	-Tixocortol-21-pivalate (T-031)	1.0	
		Revised Nove	mber 2006

^{*} Kaija Lammintausta, Erik Zimerson, Sandra Winhoven, Päivikki Susitaival, Taina Hasan, Birgitta Gruvberger, Jason Williams, Michael Beck and Magnus Bruze, Sensitization to dimethyl fumarate with multiple concurrent patch test reactions, Contact Dermatitis 2010: 62: 88–96.

^{**} Contains DECYL GLUCOSIDE

^{***} Divergent price, ask for quotation.

Table of N	lixes		
	Part.Conc	. Art. No.	Series
Thiuram mix 1.0 % pet	%(w/w)	Mx-01	S, ICB,
·			IS, SH
-Dipentamethylenethiuram disulfide (PTD)	0.25	D-019	
-Tetraethylthiuram disulfide (TETD)	0.25	T-002	
-Tetramethylthiuram disulfide (TMTD)	0.25	T-005	
-Tetramethylthiuram monosulfide (TMTM)	0.25	T-006	
Quinoline mix 6.0% pet		Mx-02	V
-Chlorquinaldol	3.0	C-012	
-Clioquinol	3.0	C-015	
Paraben mix 12.0% pet		Mx-03A	ICB
-BUTYLPARABEN	3.0	B-020	
-ETHYLPARABEN	3.0	E-010	
-METHYLPARABEN	3.0	M-012	
-PROPYLPARABEN	3.0	P-020	
Paraben mix 16.0% pet		Mx-03C	S, C, IS
-BUTYLPARABEN	4.0	B-020	
-ETHYLPARABEN	4.0	E-010	
-METHYLPARABEN	4.0	M-012	
-PROPYLPARABEN	4.0	P-020	
Black rubber mix 0.6% pet		Mx-04	V
-N-Cyclohexyl-N-phenyl-4-phenylene-			
diamine	0.25	C-024	
-N,N´-Diphenyl-p-phenylenediamine -N-Isopropyl-N-phenyl-4-phenylene-	0.25	D-024	
diamine (IPPD)	0.1	I-004	



	Part.Conc. %(w/w)	Art. No.	Series
Mercapto mix 2.0% pet		Mx-05A	S, IS
-N-Cyclohexyl-2-benzothiazyl-			
sulfenamide	0.5	C-023	
-Dibenzothiazyl disulfide (MBTS)	0.5	D-003	
-2-Mercaptobenzothiazole (MBT) -2-(4-Morpholinylmercapto)-	0.5	M-003	
benzothiazol (MOR)	0.5	M-016	
Mercapto mix 1.0% pet		Mx-05B	ICB
-N-Cyclohexyl-2-benzothiazyl-			
sulfenamide	0.25	C-023	
-Dibenzothiazyl disulfide (MBTS)	0.25	D-003	
-2-Mercaptobenzothiazole (MBT) -2-(4-Morpholinylmercapto)-	0.25	M-003	
benzothiazol (MOR)	0.25	M-016	
Carba mix 3.0% pet		Mx-06	ICB, IS
-1,3-Diphenylguanidine	1.0	D-022	
-ZINC DIBUTYLDITHIOCARBA-			
MATE (ZBC)	1.0	Z-002	
-Zinc diethyldithiocarbamate (ZDC)	1.0	Z-003	
Fragrance mix I 8.0% pet*		Mx-07	S, ICB,
			IS
-AMYL CINNAMAL	1.0	A-014	
-CINNAMYL ALCOHOL	1.0	C-013	
-CINNAMAL	1.0	C-014	
-EUGENOL	1.0	E-016	
-GERANIOL	1.0	G-001	
-HYDROXYCITRONELLAL	1.0	H-008	
-ISOEUGENOL	1.0	I-002	
-Oakmoss absolute	1.0	O-001	

 $^{^*}$ Emulsifier: SORBITAN SESQUIOLEATE 5%

	Part.Co %(w/w)	nc. Art. No.	Series
Perfume mix 6.0% pet*		Mx-08	F
-CINNAMYL ALCOHOL	1.0	C-013	
-CINNAMAL	1.0	C-014	
-EUGENOL	1.0	E-016	
-GERANIOL	1.0	G-001	
-HYDROXYCITRONELLAL	1.0	H-008	
-ISOEUGENOL	1.0	I-002	
Wood mix 20.0% pet		Mx-09	
Deleted from January 2014			
Musk mix 3.0% pet		Mx-10B	С
-MUSK KETONE	1.0	M-018	
-Musk moskene	1.0	M-019	
-Musk xylene	1.0	M-021	
Naphthyl mix 1.0% pet		Mx-11	V
-N,N-Di-2-naphtyl-4-phenylenediami	ine		
(DBNPD)	0.5	D-017	
-N-Phenyl-2-naphtylamine (PBN)	0.5	P-009	
Caine mix I 3.5% pet		Mx-12	V
-Dibucaine hydrochloride	2.5	D-005	
-Procaine hydrochloride	1.0	P-016	
Caine mix II 10.0% pet		Mx-13	V
-Dibucaine hydrochloride	2.5	D-005	
-Lidocaine	5.0	L-002	
-Tetracaine hydrochloride	2.5	T-025	

 $^{^{\}ast}$ Emulsifier: SORBITAN SESQUIOLEATE 1%



BINGIVOS	J11C5		
	Part.Con %(w/w)	c. Art. No.	Series
Wood tar mix 12.0% pet		Mx-14	LU
-Beech tar	3.0	B-002	
-Birch tar	3.0	B-011	
-JUNIPERUS OXYCEDRUS			
EXTRACT	3.0	J-003	
-PINUS PALUSTRIS TAR	3.0	P-012	
Lichen acid mix 0.3% pet		Mx-15	PL
-Atranorin	0.1	A-016	
-Evernic acid	0.1	E-017	
-(+)Usnic acid	0.1	U-005	
Ethyleneurea, melamine forr 5.0% pet*	maldeh	yde mix _{Mx-16}	ICB, TF
-Dimethylol dihydroxy ethylene urea	4.0	D-012	
-Melamine formaldehyde	1.0	M-001	
Euxyl K 400 1.5% pet		Mx-17D	
Deleted as of January 2011. Please ref DIBROMO GLUTARONITRILE an			
Sesquiterpene lactone mix 0	.1% pe	t Mx-18	S, ICB,
-Alantolactone	0.033	A-003	IS, PL
-Costunolide	0.033	C-039	
-Dehydrocostus lactone	0.033	D-056	
Caine mix III 10.0% pet		Mx-19	ME
-Benzocaine	5.0	B-004	
-Dibucaine hydrochloride	2.5	D-005	

2.5

T-025

-Tetracaine hydrochloride

 $^{^{\}ast}$ Emulsifier: SORBITAN SESQUIOLEATE 5%

Part.Conc. Art. No.

Series

	%(w/w)	c. Art. No.	Series
Caine mix IV 10.0% pet		Mx-20	ME
-Lidocaine	5.0	L-002	
-Amylocaine hydrochloride	2.5	A-020	
-Prilocaine hydrochloride	2.5	P-027	
Dermatophagoides mix 30%	pet [*]	Mx-21C	SA
-Pteronyssinus/Pharinae (50/50)			
Compositae mix I 5.0% pet		Mx-22A	
Deleted as of January 2011. Please refermix Π .	er to Mx-2	9A, Compo	sitae
Corticosteroid mix 2.1% pet		Mx-23	SA
-Hydrocortisone-17-butyrate	1.0	H-021	
-Tixocortol-21-pivalate	1.0	T-031	
-Budesonide	0.1	B-033	
Mixed dialkyl thiourea 1.0% p	oet	Mx-24	ICB
-N,N'-Dibutylthiourea	0.5	D-038	
-N,N´-Diethylthiourea	0.5	D-039	
Fragrance mix II 14.0% pet		Mx-25	S, ICB, F,
-Hexyl cinnamic aldehyde	5.0	H-025	IS
-COUMARIN	2.5	C-038	
-FARNESOL	2.5	F-004	
-HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE	2.5	L-003	

1.0

0.5

C-036

C-037

-CITRAL

-CITRONELLOL

^{*} Volume = 2.5 ml. Divergent price, please contact costumer service.



	Part.Conc. %(w/w)	Art. No.	Series
Disperse Blue mix 106/124			
1.0% pet		Mx-26	ICB, TF
-Disperse Blue 106	0.5	D-040	
-Disperse Blue 124	0.5	D-041	
Thiourea mix 1.5% pet		Mx-27	*
-1,3-Dibutyl-2-thiourea	0.5	D-038	
-N,N-Diethylthiourea	0.5	D-039	
-N,N-Diphenylthiourea	0.5	D-025	
Gallate mix 1.5% pet		Mx-28	*
-DODECYL GALLATE	0.5	D-042	
-PROPYL GALLATE	0.5	P-021	
-Octyl gallate	0.5	O-002	
Compositae mix II 5.0% pet		Mx-29A	ICB, IS
-ANTHEMIS NOBILIS EXTRACT -CHAMOMILLA RECUTITA	1.2	C-029	
EXTRACT -ACHILLEA MILLEFOLIUM	1.2	C-051	
EXTRACT -TANACETUM VULGARE	1.0	A-025	
EXTRACT	1.0	T-033	
-ARNICA MONTANA EXTRACT	0.5	A-024	
-Parthenolide	0.1	P-029	
Compositae mix II 2.5% pet		Mx-29B	*
-ANTHEMIS NOBILIS EXTRACT -CHAMOMILLA RECUTITA	0.6	C-029	
EXTRACT -ACHILLEA MILLEFOLIUM	0.6	C-051	
EXTRACT	0.5	A-025	

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

	Part.Conc. %(w/w)	Art. No.	Series
-TANACETUM VULGARE			
EXTRACT	0.5	T-033	
-ARNICA MONTANA EXTRACT	0.25	A-024	
-Parthenolide	0.05	P-029	
Textile dye mix 6.6% pet		Mx-30	S ,ICB,
-Diperse Blue 35	1.0	D-027	TF
-Diperse Orange 1	1.0	D-031	
-Disperse Orange 3	1.0	D-032	
-Disperse Red 1	1.0	D-034	
-Disperse Red 17	1.0	D-035	
-Disperse Yellow 3	1.0	D-036	
-Disperse Blue 106	0.3	D-040	
-Disperse Blue 124	0.3	D-041	
-		Revised J	anuary 2015



Article Guide to Haptens

Art. No.	Serial no.	Conc %(w & Vehicle	v/w) Name
A-001	O-1	10.0 pet	ABIETIC ACID
A-002	C-23, PG-19	10.0 pet	HYDROABIETYL ALCOHOL
A-003B	PL-11	0.033 pet	Alantolactone
A-004	ICB-7, C-2,	50.0 pet	Amerchol L 101
	O-26, LU-1		
A-005	SH-21	0.25 pet	4-Aminoazobenzene
A-006A	*	5.0 pet	PABA
A-006B	*	5.0 alc	PABA
A-006C	EP-7, EPE-7,	10.0 pet	PABA
	SU-2		
A-007	P-15	1.0 pet	N,N-DIETHYL-p-PHENYLENEDI
			AMINE SULFATE (TSS)
A-008	H-10	1.0 pet	m-AMINOPHENOL
A-009	H-11	1.0 pet	p-AMINOPHENOL
A-010	MET-41	0.1 aq	Ammonium hexachloroplatinate(IV)
A-011	B-16, H-5, P-8	2.5 pet	AMMONIUM PERSULFATE
A-012	H-4	2.5 aq	AMMONIUM THIOGLYCOLATE
A-013	MET-42	0.25 aq	Ammonium tetrachloroplatinate(II)
A-014	F-3	2.0 pet	AMYL CINNAMAL
A-015	B-10	5.0 pet	TRANS-ANETHOLE
A-016	PL-16	0.1 pet	Atranorin
A-017	O-19	1.0 pet	7-ETHYLBICYCLOOXAZOLIDINE
A-018	PG-9	1.0 pet	Azodiisobutyrodinitrile
A-019	SH-4	1.0 pet	Acid Yellow 36
A-020	V-45	5.0 pet	Amylocaine hydrochloride
A-021	MET-6	100.0	Aluminium
A-022	DS-24, MET-4	2.0 pet	Aluminium(III)chloride hexahydrate
A-023	CS-5	1.0 pet	Alclometasone-17,21-dipropionate
A-024	PL-3	0.5 pet	ARNICA MONTANA EXTRACT
A-025	PL-5	1.0 pet	ACHILLEA MILLEFOLIUM EXTRACT
A-026	TF-17	5.0 pet	Acid Yellow 61
A-027	TF-30	5.0 pet	Acid Red 118
A-028	TF-32	5.0 pet	Acid Red 359
A-029	ICB-75	0.1 aq	Amidoamine
A-030	CAD-2	10.0 pet	Amoxicillin trihydrate
A-031	CAD-18	10.0 pet	Acetylsalicylic acid
A-032	CAD-22	10.0 pet	ACETAMINOPHEN
A-033	CAD-23	10.0 pet	Acyclovir
A-034	MET-34	0.1 aq	Ammonium hexachloroiridate (IV)
A-035	MET-38	1.0 aq	Ammonium molybdate (VI) tetrahydrate
A-036	F-32	5.0 pet	Amyl cinnamyl alcohol

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

Art. No.		Conc %(w & Vehicle	r/w) Name
A-037	F-33	10.0 sof	Anise alcohol
B-001	S-15, ICB-19, H-14, IS-7,	25.0 pet	MYROXYLON PEREIRAE RESIN*
	DMP-22		
B-002	V-26	3.0 pet	Beech tar
B-003	O-9	0.05 pet	BENZISOTHIAZOLINONE
B-004	S-6, ICB-1	5.0 pet	Benzocaine
B-005	B-12	5.0 pet	BENZOIC ACID
B-006	O-14,P-10	1.0 pet	BENZOTRIAZOLE
B-007	ICB-70, B-17,	1.0 pet	Benzoylperoxide
	PG-7, LU-10	•	•
B-008B	ICB-58, C-34,	10.0 sof	BENZYL ALCOHOL
	F-16, P-12		
B-009	Deleted 2015		(BENZYLPARABEN)
B-010A	Deleted 2011		(BENZYL SALICYLATE)
B-010B	ICB-52. C-30, F-15	10.0 pet	BENZYL SALICYLATE
B-011	V-28	3.0 pet	Birch tar
B-013	PG-10	1.0 pet	Bisphenol A
B-014	**	1.0 pet	Bithionol
B-015A	C-31, H-19, O-29	0.25 pet	2-BROMO-2-NITROPROPANE-1,3-DIOL
B-015B	ICB-30	0.5 pet	2-BROMO-2-NITROPROPANE-1,3-DIOL
B-016	MP-13	0.1 pet	1,4-Butanediol diacrylate
B-017	DS-8, MA-7,	2.0 pet	1,4-Butanediol dimethacrylate
	DMP-9, DMS-7		
B-018	MN-1	0.1 pet	Butyl acrylate
B-019	O-8	1.0 pet	4-tert-Butylbenzoic acid
B-020	V-23	3.0 pet	BUTYLPARABEN
B-021	MA-2, MN-3, MP-7		BUTYL METHACRYLATE
B-022	ICB-37, B-9, C-6, PG-18	2.0 pet	2-tert-Butyl-4-methoxyphenol (BHA)
B-023	PG-20	1.0 pet	4-tert-Butylphenol
B-024	S-16, ICB-15,	1.0 pet	4-tert-Butylphenolformaldehyde resin
	PG-13, SH-8, IS-11		(PTBP)
B-025	V-43	10.0 alc	MYROXYLON BALSAMUM RESIN
B-026	TF-21	1.0 pet	Basic Red 46
B-027	ICB-74, LU-4	0.1 aq	BENZALKONIUM CHLORIDE
B-028	C-36	1.0 pet	t-BUTYL HYDROQUINONE
B-029B	**	5.0 pet	BUTYL METHOXY-
			DIBENZOYLMETHANE
B-029C	SU-1, EP-8, EPE-8	10.0 pet	BUTYL METHOXY-
			DIBENZOYLMETHANE

^{*}Emulsifier: SORBITAN SESQUIOLEATE 5%

^{**} Present in national series. Please visit www.chemotechnique.se for further information



Art. No.		Conc %(w & Vehicle	r/w) Name
B-030B	PG-8	0.25 pet	4-tert-Butylcatechol
B-031	CS-2	1.0 pet	Betamethasone-17-valerate
B-032A	ME-7, LU-6	5.0 pet	Bacitracin
B-032B	ICB-23	20.0 pet	Bacitracin
B-033A	*	0.1 pet	Budesonide
B-033B	S-24, ICB-45,	0.01 pet	Budesonide
	CS-1, LU-17, IS-15		
B-035	E-10	0.25 pet	Epoxy resin, Bisphenol F
B-036	E-12	0.25 pet	1,4-Butanediol diglycidyl ether
B-037	SU-16, EP-9,	10.0 pet	BIS-ETHYLHEXYLOXYPHENOL
	EPE-9		METHOXYPHENOL TRIAZINE
B-038	F-34	10.0 pet	BENZYL BENZOATE
B-039	F-35	10.0 pet	BENZYL CINNAMATE
B-040	F-36	10.0 pet	BUTYLPHENYL METHYLPROPIONAL
B-041	EP-18, EPE-18	2.0 pet	Benzydamine hydrochloride
B-042	*	1.0 pet	Betamethasone 17,21-dipropionate
B-043	*	5.0 pet	Bufexamac
C-001	MET-33	1.0 aq	Cadmium chloride
C-002	F-19	2.0 pet	Cananga oil
C-003	C-29	5.0 pet	CETYL ALCOHOL
C-004	V-11	0.5 aq	CHLORHEXIDINE DIACETATE
C-005	C-16, LU-3	0.5 aq	CHLORHEXIDINE DIGLUCONATE
C-006	H-15, C-19,	0.2 pet	CHLOROACETAMIDE
	O-12, LU-24		
C-007A	S-21, H-24, C-40	1.0 pet	QUATERNIUM-15
C-007B	ICB-14, IS-16	2.0 pet	QUATERNIUM-15
C-008	C-11, H-21,	1.0 pet	p-CHLORO-m-CRESOL
	O-2, LU-16		
C-009A	*	0.01 aq	METHYLISOTHIAZOLINONE +
			METHYLCHLOROISOTHIAZOLINONE
C-009B	S-23, ICB-78,	0.02 aq	METHYLISOTHIAZOLINONE +
	C-35, IS-17, O-31, SH-20, H-18		METHYLCHLOROISOTHIAZOLINONE
C-009C	**	0.01 pet	METHYLISOTHIAZOLINONE +
			METHYLCHLOROISOTHIAZOLINONE**
C-010A	C-12, H-22, O-3	0.5 pet	CHLOROXYLENOL (PCMX)
C-010A	ICB-35	1.0 pet	CHLOROXYLENOL (PCMX)
C-010B	EPE-32	0.1 pet	Chlorpromazine hydrochloride
C-011 C-012	V-19	5.0 pet	Chlorquinaldol
C-012 C-013			CINNAMYL ALCOHOL
C-013	B-7, F-2	2.0 pet	CHAIMAINTE ALCOHOL

 $[\]boldsymbol{\ast}$ Present in national series. Please visit www.chemotechnique.se for further information

^{**} Emulsifier: SORBITAN SESQUIOLEATE 1%

Art. No.	Serial no.	Conc %(w & Vehicle	r/w) Name
C-014	ICB-6, B-8, F-1	1.0 pet	CINNAMAL
C-015	S-8, C-21	5.0 pet	Clioquinol
C-016	V-16	5.0 pet	Coal tar
C-017A	S-5, ICB-43,	1.0 pet	Cobalt(II)chloride hexahydrate
	DS-12, H-8, IS-22	2	
C-017B	DMP-13	0.5 pet	Cobalt(II)chloride hexahydrate
C-018	ICB-76, C-33, H-	17 1.0 aq	COCAMIDOPROPYL BETAINE
C-019	ICB-46, O-30	0.5 pet	COCAMIDE DEA
C-020	S-9, ICB-3, DS-17	7, 20.0 pet	COLOPHONIUM
	SH-11, IS-6, DMP-	17	
C-021	MET-11	5.0 pet	Copper(I)oxide
C-022	DS-21, MET-9	2.0 pet	Copper(II)sulfate pentahydrate
C-023	R-9	1.0 pet	N-Cyclohexyl-2-benzothiazolesulfenamide
C-024	R-5	1.0 pet	N-Cyclohexyl-N-phenyl-4-phenylenediamine
C-025	H-20	0.5 pet	Captan
C-026	DS-25	1.0 pet	BORNANEDIONE
C-027	PG-24	1.0 pet	Cyclohexanone resin
C-028	ICB-11, CS-6	1.0 pet	Clobetasol-17-propionate
C-029	PL-1	1.0 pet	ANTHEMIS NOBILIS EXTRACT
C-031	PL-7	1.0 pet	Chrysanthemum Cinerariaefolium
C-032	ME-1, LU-9	5.0 pet	Chloramphenicol
C-033	LU-7	20.0 pet	CETEARYL ALCOHOL
C-034	R-25	1.0 pet	N-(Cyclohexylthio) phthalimide
C-035	DMP-20	5.0 pet	CARVONE
C-036	F-26	2.0 pet	CITRAL
C-037	F-28	1.0 pet	CITRONELLOL
C-038	F-30	5.0 pet	COUMARIN
C-040	CAD-4	10.0 pet	Cefotaxim sodium salt
C-041	CAD-9	10.0 pet	Clarithromycin
C-042	CAD-11	10.0 pet	Cotrimoxazole
C-043	CAD-13	10.0 pet	Ciprofloxacin hydrochloride
C-044	CAD-14	1.0 pet	Carbamazepine
C-045	CAD-17	5.0 pet	Captopril
C-046	CAD-26	10.0 pet	Clindamycin phosphate
C-047	CAD-27	10.0 pet	Cefradine
C-048	CAD-28	10.0 pet	Calculation
C-049	MET-20	10.0 pet	CALCIUM TITANATE
C-050	*	0.5 pet	CETRIMONIUM BROMIDE
C-051	PL-14	1.0 pet	CHAMOMILLA RECUTITA EXTRACT
D-001	E-2,I-3,R-18	0.5 pet	4,4´-Diaminodiphenylmethane (MDA)
D-002	H-2	1.0 pet	TOLUENE-2,5-DIAMINE SULFATE
D-003	R-10	1.0 pet	Dibenzothiazyl disulfide (MBTS)

^{*} Present in national series. Please visit www.chemotechnique.se for further information.



Art. No.	Serial no.	Conc %(w & Vehicle	
D-005A	V-30	5. 0 pet	Dibucaine hydrochloride
D-005B	ICB-69	2.5 pet	Dibucaine hydrochloride
D-006	B-5, C-7, PG-5, LU-8	2.0 pet	ВНТ
D-007	PG-2	5.0 pet	Dibutyl phthalate
D-008	O-4	1.0 pet	DICHLOROPHENE
D-009	MP-15	0.1 pet	Di(ethylene glycol) diacrylate
D-010	E-5	1.0 pet	Diethylenetriamine, (DETA)
D-011	P-1	1.0 pet	N,N-DIETHYLTOLUENÉ-2,5-DIAMINE HCL
D-012	ICB-80, TF-8	4.5 aq	Dimethylol dihydroxy ethylene urea
D-014	Deleted 1999	1	(Dimethylol propyleneurea)
D-015	O-20	1.0 pet	Bioban CS 1135
D-016	DS-6	5.0 pet	N,N-Dimethyl-4-toluidine
D-017	R-15	1.0 pet	N,N-Di-2-naphtyl-4-phenylenediamine (DBNPD)
D-018	PG-4	2.0 pet	Dioctyl phthalate (DEHP, DOP)
D-019	R-4	1.0 pet	Dipentamethylenethiuram disulfide
D-020	Deleted 2014	1	(DIPENTENE (oxidized))
D-021	V-68	1.0 pet	Diphenhydramine hydrochloride
D-022	R-12,SH-16	1.0 pet	1,3-Diphenylguanidine
D-023	Deleted 2012	•	(Diphenylmethane-4,4´-diisocyanate (MDI))
D-023B	I-2	0.5 pet	Diphenylmethane-4,4'-diisocyanate (MDI)
D-024	R-6	1.0 pet	N,N'-Diphenyl-p-phenylenediamine (DPPD)
D-025	PG-22, R-19, SH-13	1.0 pet	N,N'-Diphenylthiourea (DPTU)
D-026	TF-6	1.0 pet	DISPERSE BLUE 3
D-027	TF-7	1.0 pet	Disperse Blue 35
D-028	TF-15	1.0 pet	Disperse Blue 85
D-029	TF-5	1.0 pet	Disperse Blue 153
D-030	TF-18	1.0 pet	Disperse Brown 1
D-031	TF-16	1.0 pet	Disperse Orange 1
D-032	ICB-25, TF-2, SH-3	1.0 pet	DISPERSE ORANGE 3
D-033	Deleted 1999		(Disperse Orange 13)
D-034	TF-3	1.0 pet	Disperse Red 1
D-035	TF-4	1.0 pet	DISPERSE RED 17
D-036	ICB-51, TF-1	1.0 pet	Disperse Yellow 3
D-037	TF-19	1.0 pet	Disperse Yellow 9
D-038	SH-17, R-23	1.0 pet	N,N´-Dibutylthiourea
D-039	SH-15, R-22	1.0 pet	N,N'-Diethylthiourea
D-040	TF-11	1.0 pet	Disperse Blue 106
D-041	TF-20	1.0 pet	Disperse Blue 124
D-042	B-19, C-39	0.25 pet	DODECYL GALLATE

Art. No.		Conc %(w & Vehicle	r/w) Name
D-043	R-24, SH-19	0.1 pet	Dodecyl mercaptan
D-044A	C-42, H-26, IS-24, LU-25		DIAZOLIDINYL UREA
D-044B	*	2.0 aq	DIAZOLIDINYL UREA
D-044C	ICB-21	1.0 pet	DIAZOLIDINYL UREA
D-045	DS-26, MA-14, DMP-7	0.2 pet	DIMETHYLAMINOETHYL METHACRYLATE
D-046	CS-7	1.0 pet	Dexamethasone-21-phosphate disodium salt
D-047A	C-44	2.0 aq	DMDM HYDANTOIN
D-047B	ICB-56	1.0 pet	DMDM HYDANTOIN**
D-048	PL-2	1.0 pet	Diallyl disulfide
D-049A	IS-20	0.3 pet	METHYLDIBROMO GLUTARONITRILE
D-049C	Deleted 2014	0.1 pet	(METHYLDIBROMO GLUTARONITRILE)
D-049E	S-26, ICB-27,	0.5 pet	METHYLDIBROMO GLUTARONITRILE
	O-34, C-45		
D-050	TF-10	5.0 aq	Dimethylol dihydroxy ethylene urea, modified
D-051	TF-31	5.0 pet	Direct Orange 34
D-052	TF-9	4.5 aq	Dimethyl dihydroxy ethylene urea
D-053	C-48, E-9	1.0 aq	3-(Dimethylamino)-1-propylamine
D-054	SH-23	1.0 pet	4,4`-Dithiodimorpholine
D-055	SU-11, EP-10,	10.0 pet	DROMETRIZOLE TRISILOXANE
D 0==	EPE-10	4.0	5
D-057	ICB-61, CS-9	1.0 pet	Desoximetasone
D-058	CAD-3	10.0 pet	Dicloxacillin sodium salt hydrate
D-059	CAD-16	10.0 pet	Doxycycline monohydrate
D-060 D-061A	CAD-16 CAD-19	10.0 pet	Diltiazem hydrochloride Diclofenac sodium salt
D-061B	EPE-30	1.0 pet 5.0 pet	Diclofenac sodium salt
D-061B	SU-18, EP-12,	10.0 pet	2-(4-Diethylamino-2-hydroxybenzoyl)benzoic
D 002	EPE-12	10.0 pct	acid hexylester
D-063	SU-19, EP-16,	10.0 pet	DIETHYLHEXYL BUTAMIDO
	EPE-16	P	TRIAZONE
D-064	SU-20, EPE-26	10.0 pet	Disodium phenyl dibenzimidazole tetrasulfonate
D-065	ICB-53, C-57, H-29, EP-20, EPE-34, SU-21	5.0 pet	DECYL GLUCOSIDE***
D-066A	V-60	0.1 pet	Dimethyl fumarate
D-066B	V-61	0.01 pet	Dimethyl fumarate
D-067	EPE-27	1.0 pet	Dexketoprofen
E-001	MP-20	0.5 pet	Epoxy acrylate

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

^{**} Emulsifier: SORBITAN SESQUIOLEATE 1%

^{***} Emulsifier: SORBITAN SESQUIOLEATE 2%



Art. No.		Conc %(w & Vehicle	/w) Name
E-002	S-14, ICB-13, IS-10, SH-18, DMP-23	1.0 pet	Epoxy resin, Bisphenol A
E-003	Deleted 2011		(Ethoxyquin)
E-004	ICB-39, MN-11, MP-1	0.1 pet	Ethyl acrylate
E-005	ICB-12, C-22, O-15, E-8, P-9	1.0 pet	Ethylenediamine dihydrochloride
E-006	V-6	1.0 pet	Ethylenediaminetetraacetic acid disodium salt dihydrate (Na ₂ EDTA)
E-007	DS-4, MA-5, MN-0 MP-10, DMP-3, DMS-3	6, 2.0 pet	Ethylene glycol dimethacrylate
E-008	V-40	1.0 pet	Ethylene urea
E-009	MP-2	0.1 pet	2-Ethylhexyl acrylate
E-010	V-21	3.0 pet	ETHYLPARABEN
E-011	P-3	1.0 pet	N-Ethyl-N-(2-hydroxyethyl)-2-methyl-1,4- phenylenediamine sulfate salt
E-012	MN-2, MP-6	2.0 pet	ETHYL METHACRYLATE
E-013	P-2	1.0 pet	N-Ethyl-N-(2-methane-sulfonamidoethyl)-2-methyl-1,4-PPD-sesquisulfate, hydrate(CD-3)
E-014	O-11	0.5 pet	Bioban P 1487
E-015	DS-18, DMP-18	0.1 pet	N-Ethyl-p-toluenesulfonamide
E-016	B-2, DS-16, F-4, DMP-16, DMS-9	2.0 pet	EUGENOL
E-017	PL-17	0.1 pet	Evernic acid
E-018B	*	5.0 pet	ETHYLHEXYL DIMETHYL PABA
E-018C	*	5.0 alc	ETHYLHEXYL DIMETHYL PABA
E-018D	SU-5	10.0 pet	ETHYLHEXYL DIMETHYL PABA
E-019B	*	7.5 pet	ETHYLHEXYL METHOXYCINNAMATE
E-019C	SU-7, EP-4. EPE-4		ETHYLHEXYL METHOXYCINNAMATE
E-020	E-7	0.5 pet	Epoxy resin, cycloaliphatic
E-021 E-022	ME-11	1.0 alc	Econazole nitrate Eosin
E-022 E-023	LU-15 MA-15	5.0 pet	ETHYL CYANOACRYLATE
E-023 E-024	CAD-7	10.0 pet 10.0 pet	Erythromycin base
E-024 E-025	EP-15, EPE-15	2.0 pet	Etythromychi base Etofenamate
E-025 E-026	F-37	1.0 pet	Evernia furfuracea
F-001	*	1.0 pet	2,2'-THIOBIS(4-CHLOROPHENOL)
F-002A	*	1.0 aq	FORMALDEHYDE
F-002B	S-18, ICB-77,	2.0 aq	FORMALDEHYDE
	DS-19, H-6, IS-5, O-25, SH-12	1	

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

Art. No.	Serial no.	Conc %(w & Vehicle	ı/w) Name
F-002C	*	1.0 pet	FORMALDEHYDE**
F-003	ICB-68, LU-2, ME-13	2.0 pet	Fusidic acid sodium salt
F-004	F-27	5.0 pet	FARNESOL
F-005	LU-19, ME-8	20.0 pet	Framycetin sulphate
F-006	EPE-31	10.0 pet	Fenofibrate
G-001	F-6	2.0 pet	GERANIOL
G-002	F-22	2.0 pet	Geranium oil Bourbon
G-003A	SH-2,P-11, DMS-10	0.2 pet	GLUTARAL***
G-003B	ICB-29	0.5 pet	GLUTARAL***
G-004	ICB-40, H-16	1.0 pet	GLYCERYL THIOGLYCOLATE
G-005A	ICB-38, MET-10	0.5 pet	Gold(I)sodium thiosulfate dihydrate
G-005B	DS-14, DMP-14, MET-8	2.0 pet	Gold(I)sodium thiosulfate dihydrate
G-006	ME-5	20.0 pet	Gentamicin sulfate
H-001	*	1.0 pet	Hexachlorophene
H-002	C-20, O-10	1.0 aq	Hexahydro-1,3,5-tris-(2-hydroxyethyl)triazine
H-003	C-15, E-1, R-17	2.0 pet	METHENAMINE
H-004	DS-27, MA-11, MN-8, MP-14, DMP-10	0.1 pet	1,6-Hexanediol diacrylate
H-005	O-23	1.0 pet	Hydrazine sulfate
H-006	H-12	3.0 aq	HYDROGEN PEROXIDE
H-007	H-13, PG-1, P-5	1.0 pet	HYDROQUINONE
H-008	F-8	2.0 pet	HYDROXYCITRONELLAL
H-009	MN-12, MP-3	0.1 pet	2-Hydroxyethyl acrylate
H-010	ICB-55, DS-13, MA-3, MN-4, MP-8, DMP-6, DMS-5	2.0 pet	2-Hydroxyethyl methacrylate
H-011	P-7	0.1 aq	HYDROXYLAMINE HCL
H-012	P-13	0.1 aq	HYDROXYLAMINE SULFATE
H-013	DS-5, MA-10, DMP-4, DMS-4	2.0 pet	Bisphenol A glycerolate dimethacrylate (BIS-GMA)
H-014C	ICB-34, C-25, DS-7, SU-6 EP-1, EPE-1	10.0 pet	BENZOPHENONE-3
H-015	O-21	1.0 pet	TRIS(HYDROXYMETHYL)NITRO- METHANE

^{*} Present in national series. Please visit www.chemotechnique.se for further information

^{**} Emulsifier: SORBITAN SESQUIOLEATE 1%.

^{***} Emulsifier: SORBITAN SESQUIOLEATE 5%



Art. No.	Serial no.	Conc %(w & Vehicle	r/w) Name	
H-016	C-37, DS-28, PG	-6, 1.0 pet	DROMETRIZOLE	
	DMP-21	-		
H-017	MP-4	0.1 pet	Hydroxypropyl acrylate	
H-018	MA-4, MN-5, MI	P-92.0 pet	Hydroxypropyl methacrylate	
H-019	SH-5	1.0 pet	Hydroquinone monobenzylether	
H-020B	EPE-21, SU-8	10.0 pet	BENZOPHENONE-10	
H-021A	CS-8	1.0 alc	Hydrocortisone-17-butyrate	
H-021B	ICB-48, IS-26	1.0 pet	Hydrocortisone-17-butyrate	
H-022	I-6	0.1 pet	Hexamethylene diisocyanate (HDI)	
H-023B	*	10.0 pet	BENZOPHENONE-4	
H-023C	EP-2, EPE-2, SU-10	2.0 pet	BENZOPHENONE-4	
H-024A	SU-3	5.0 pet	HOMOSALATE	
H-024B	EPE-23	10.0 pet	HOMOSALATE	
H-025	F-29	10.0 pet	Hexyl cinnamic aldehyde	
H-026	E-11	0.25 pet	1,6-Hexanediol diglycidylether	
H-027	CAD-15	10.0 pet	Hydantoin	
H-028	CAD-24	1.0 pet	Hydroxyzine hydrochloride	
H-029	CAD-25	10.0 pet	Hydrochlorotiazide	
H-031	ICB-81, F-43	1.0 pet	Hydroperoxides of Linalool	
H-032	ICB-82, F-44, O-27 0.3 pet		Hydroperoxides of Limonene	
I-001A	ICB-5, C-14, H-2 LU-26	3, 2.0 pet	IMIDÂZOLIDINYL UREA	
I-001B	IS-18	2.0 aq	IMIDAZOLIDINYL UREA	
I-002	B-3, F-5	2.0 pet	ISOEUGENOL	
I-003	ICB-59, C-1	20.0 pet	ISOPROPYL MYRISTATE	
I-004	S-11, ICB-17,	0.1 pet	N-Isopropyl-N-phenyl-4-	
	IS-28, SH-1, R-7	1	phenylenediamine (IPPD)	
I-005	Deleted 1999		(4-Isopropyl-dibenzoylmethane)	
I-006	E-6, I-5	0.1 pet	Isophorone diamine (IPD)	
I-007	I-4	1.0 pet	Isophorone diisocyanate (IPDI)	
I-008C	ICB-63, C-47, O-35	0.2 pet	IODOPROPYNÝL BUTYLCÁRBAMATE	
I-009	ICB-71, SU-15, EP-6, EPE-6	10.0 pet	ISOAMYL p -METHOXYCINNAMATE	
I-010A	CAD-29	10.0 pet	Ibuprofen	
I-010B	EPE-29	5.0 pet	Ibuprofen Ibuprofen	
I-011	MET-35	10.0 aq	Indium(III)chloride	
I-012	MET-13	1.0 pet	Iridium(III)chloride trihydrate	
I-013	MET-37	10.0 aq	Indium(III)sulfate	
I-014	MET-14	1.0 pet	Iridium	
I-015	MET-15	1.0 pet	Indium	
I-016	MET-29	2.0 pet	FERRIC CHLORIDE	

^{*} Present in national series. Please visit www.chemotechnique.se for further information

Art. No.		Conc %(w & Vehicle	r/w) Name
I-017	F-38	10.0 pet	α-Isomethyl ionone
J-001	F-14	2.0 pet	Jasmine synthetic
J-002	F-23	2.0 pet	Jasmine absolute
J-003	V-27	3.0 pet	JUNIPERUS OXYCEDRUS EXTRACT
K-001	ME-2	10.0 pet	Kanamycin sulfate
K-002B	CAD-20, EP-11, EPE-11	1.0 pet	Ketoprofen
L-001	F-18	2.0 pet	LAVANDULA ANGUSTIFOLIA OIL
L-002A	V-51	5.0 pet	Lidocaine
L-002B	ICB-67	15.0 pet	Lidocaine
L-003	S-28, ICB-72, F-25	5.0 pet	HYDROXYISOHEXYL 3-CYCLOHEX-
	IS-27	•	ENE CARBOXALDEHYDE
L-004	C-49, H-27	3.0 pet	LAURYL POLYGLUCOSE
L-005B	F-40	10.0 pet	LINALOOL
L-006C	F-39	10.0 pet	d-Limonene
L-007	MET-36	0.5 aq	Lead(II)acetate trihydrate
L-008	MET-40	0.2 aq	Lead(II)chloride
M-001	TF-14	7.0 pet	Melamine formaldehyde*
M-002	B-6	2.0 pet	MENTHOL
M-003A	S-17, IS-14, O-16,	2.0 pet	2-Mercaptobenzothiazole (MBT)
	R-8, SH-14	1	,
M-003B	ICB-2	1.0 pet	2-Mercaptobenzothiazole (MBT)
M-004	MET-3	0.1 pet	Mercury(II)chloride
M-005	DS-11, DMP-12,	0.5 pet	Mercury
	DMS-8, MET-2	1	,
M-006B	DMP-5, MP-12	2.0 pet	2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)-propane (BIS-EMA)
M-007	DS-9, MA-9	2.0 pet	Bisphenol A dimethacrylate (BIS-MA)
M-008	S-22	0.01 pet	2-Methoxy-6-n-pentyl-4-benzoquinone (Primin)
M-009	P-4	1.0 pet	p-METHYLAMINOPHENOL SULFATE
M-010A	V-66	1.0 pet	6-METHYL COUMARIN
M-010B	**	1.0 alc	6-METHYL COUMARIN
M-012	V-20	3.0 pet	METHYLPARABEN
M-013	ICB-42, DS-1,	2.0 pet	Methyl methacrylate
	MA-1, MP-5, DMP-1, DMS-1		•
M-014	O-13	0.1 pet	N-Methylolchloroacetamide
M-015	PG-21	1.0 pet	2-Monomethylol phenol
M-016	R-11	1.0 pet	2-(4-Morpholinylmercapto)benzothiazol (MOR)
M-018	F-13	1.0 pet	MUSK KETONE
	CODDITANI CEC		

^{*} Emulsifier: SORBITAN SESQUIOLEATE 1%

^{**} Present in national series. Please visit www.chemotechnique.se for further information



Art. No.		Conc %(w & Vehicle	/w) Name
M-019	F-12	1.0 pet	Musk moskene
M-020	Deleted 1999		(Musk tibetine)
M-021	F-10	1.0 pet	Musk xylene
M-022	MET-5	1.0 pet	Mercury(II)amidochloride
M-023	MP-24	1.0 pet	N,N-Methylene-bisacrylamide
M-024B	SU-4, EP-3, EPE-3	10.0 pet	4-METHYLBENZYLIDENE CAMPHOR
M-025	DS-22	1.0 pet	Methylhydroquinone
M-026	PL-9	0.01 pet	α-Methylene-γ-butyrolactone
M-027	ME-10	1.0 alc	Miconazole
M-028	F-11	5.0 pet	METHYL ANTHRANILATE
M-029	CAD-6	10.0 pet	Minocycline hydrochloride
M-030	MET-23	5.0 pet	Molybdenum
M-031	MET-25	2.0 pet	MANGANESE CHLORIDE
M-032	V-69	10.0 pet	Methylene bis-benzotriazolyl tetramethylbutylphenol
M-033	F-42	5.0 pet	Majanthole
M-034	F-41	0.2 pet	Methyl-2-octynoate
M-035A	V-63	0.02 aq	METHYLISOTHIAZOLINONE
M-035B	S-29, ICB-54, C-54, IS-32	0.2 aq	METHYLISOTHIAZOLINONE
M-036	*	1.0 pet	Methylprednisolone aceponate
M-037	EP-14, EPE-14	10.0 pet	Methylene bis-benzotriazolyl tetramethyl-
	SU-17	-	butylphenol
Mx-01	S-3, ICB-10, IS-3, SH-6	1.0 pet	Thiuram mix
Mx-02	V-57	6.0 pet	Quinoline mix
Mx-03A	ICB-26	12.0 pet	Paraben mix
Mx-03C	S-10, C-17, IS-29	16.0 pet	Paraben mix
Mx-04	V-53	0.6 pet	Black rubber mix
Mx-05A	S-13, IS-9	2.0 pet	Mercapto mix
Mx-05B	ICB-16	1.0 pet	Mercapto mix
Mx-06	ICB-8, IS-21	3.0 pet	Carba mix
Mx-07	S-19, ICB-28, IS-12	8.0 pet	Fragrance mix I**
Mx-08	F-45	6.0 pet	Perfume mix***
Mx-09	Deleted 2014	-	(Wood mix)
Mx-10B	C-55	3.0 pet	Musk mix
Mx-11	V-31	1.0 pet	Naphthyl mix
Mx-12	V-34	3.5 pet	Caine mix I
Mx-13	V-36	10.0 pet	Caine mix II

^{*} Present in national series. Please visit www.chemotechnique.se for further information

^{**} Emulsifier: SORBITAN SESQUIOLEATE 5%

^{***} Emulsifier: SORBITAN SESQUIOLEATE 1%

Art. No.		Conc %(w & Vehicle	r/w) Name	
Mx-14	LU-27	12.0 pet	Wood tar mix	
Mx-15	PL-12	0.3 pet	Lichen acid mix	
Mx-16	ICB-36, TF-12	5.0 pet	Ethyleneurea, melamine formaldehyde mix*	
Mx-17D	Deleted 2011	-	(Euxyl K 400)	
Mx-18	S-20, ICB-31, IS-30, PL-8	0.1 pet	Sesquiterpene lactone mix	
Mx-19	ME-9	10.0 pet	Caine mix III	
Mx-20	ME-12	10.0 pet	Caine mix IV	
Mx-21C	SA-3	30 pet	Dermatophagoides mix (Pteronyssinus/ Pharinae 50/50)	
Mx-22A	Deleted 2011		(Compositae mix I)	
Mx-23	SA-4	2.1 pet	Corticosteroid mix	
Mx-24	ICB-24	1.0 pet	Mixed dialkyl thiourea	
Mx-25	S-27, ICB-50, F-31 IS-25	14.0 pet	Fragrance mix II	
Mx-26	ICB-65, TF-33	1.0 pet	Disperse Blue mix 106/124	
Mx-27	**	1.5 pet	Thiourea mix	
Mx-28	**	1.5 pet	Gallate mix	
Mx-29A	ICB-66, IS-23	5.0 pet	Compositae mix II	
Mx-29B	**	2.5 pet	Compositae mix II	
Mx-30	S-30, ICB-83, TF-34	4 6.6 pet	Textile dye mix	
N-001	S-4, ICB-9, IS-2	20.0 pet	Neomycin sulfate	
N-002A	S-7, H-7, SH-10, DS-15, DMP-15	5.0 pet	Nickel(II)sulfate hexahydrate	
N-002B	ICB-20, IS-13	2.5 pet	Nickel(II)sulfate hexahydrate	
N-003	Deleted 2015		(SOLVENT BLACK 5)	
N-004	H-3	1.0 pet	2-NITRO-p-PHENYLENEDIAMINE	
N-005	ME-6, LU-5	1.0 pet	Nitrofurazone	
N-006	F-9	2.0 pet	Narcissus Poeticus	
N-007	CAD-12	10.0 pet	Norfloxacin	
O-001	F-7 IS-12	2.0 pet	Oakmoss absolute*	
O-002	B-14, C-8	0.25 pet	Octyl gallate	
O-003	MP-19	0.1 pet	Oligotriacrylate (OTA 480)	
O-004	O-33, SH-22, PG-23, ICB-64	0.1 pet	2-n-Octyl-4-isothiazolin-3-one	
O-005	C-56, H-28	0.1 aq	OLEAMIDOPROPYL DIMETHYL AMINE	
O-006	V-4	100	OLEA EUROPAEA OIL	
O-007A	ICB-73, SU-13	5.0 pet	ETHYLHEXYL SALICYLATE	
O-007B	EPE-24	10.0 pet	ETHYLHEXYL SALICYLATE	

 $^{^{\}ast}$ Emulsifier: SORBITAN SESQUIOLEATE 5%

^{**} Present in national series. Please visit www.chemotechnique.se for further information



Art. No.	Serial no.	Conc %(w & Vehicle	r/w) Name	
O-008	EPE-33	1.0 pet	Olaquindox	
O-009	SU-12, EP-5, EPE-5	10.0 pet	OCTOCRYLENE	
O-010	SU-14, EP-13, EPE-13	10.0 pet	ETHYLHEXYL TRIAZONE	
P-001	DS-23, DMP-19, MET-7	2.0 pet	Palladium(II)chloride	
P-002	MP-18	0.1 pet	Pentaerythritol triacrylate	
P-003	V-17	100	PETROLATUM	
P-004	P-6	1.0 pet	1-Phenyl-3-pyrazolidinone	
P-005	PG-12	1.0 pet	Phenol formaldehyde resin (PFR2)	
P-006	S-2, H-1, ICB-4, SH-9, IS-4	1.0 pet	p-PHENYLENEDIAMINE (PPD)	
P-007	PG-17	2.0 pet	2-Phenylindole	
P-008	C-18, LU-23, MET-30	0.01 aq	PHENYL MERCURIC ACETATE	
P-009	R-16	1.0 pet	N-Phenyl-2-naphtylamine (PBN)	
P-010	O-5	1.0 pet	o-PHENYLPHENOL	
P-011	C-24, PG-3	1.0 pet	PHENYL SALICYLATE	
P-012	V-25	3.0 pet	PINUS PALUSTRIS TAR	
P-013	ICB-62, C-4	5.0 pet	POLYSORBATE 80	
P-014A	S-1, DS-10, SH-7, P-14, IS-1, DMP-1	0.5 pet 11	Potassium dichromate	
P-014B	ICB-18	0.25 pet	Potassium dichromate	
P-015	MET-31	0.1 aq	Potassium dicyanoaurate(I)	
P-016	V-29	1.0 pet	Procaine hydrochloride	
P-017A	*	1.0 pet	Promethazine hydrochloride	
P-017B	EP-19, EPE-19	0.1 pet	Promethazine hydrochloride	
P-018	B-13	3.0 pet	PROPIONIC ACID	
P-019A	C-27, O-6, LU-11	5.0 pet	PROPYLENE GLYCOL	
P-019B	ICB-79	30.0 aq	PROPYLENE GLYCOL	
P-019C	*	10.0 aq	PROPYLENE GLYCOL	
P-020	V-22	3.0 pet	PROPYLPARABEN	
P-021	B-18, C-38	1.0 pet	PROPYL GALLATE	
P-022	ICB-33, PL-6, LU-12	10.0 pet	PROPOLIS	
P-023	E-4	0.25 pet	2-Phenyl glycidyl ether	
P-024B	SU-9, EPE-22	10.0 pet	PHENYLBENZIMIDAZOLE SULFONIC ACID	
P-025	C-41, O-32	1.0 pet	PHENOXYETHANOL	
P-026	Deleted 2007	•	(Polymyxin B sulfate)	
P-027A	V-1	5.0 pet	Prilocaine hydrochloride	
P-028	V-39	0.5 pet	p-PHENYLENEDIAMINE HCl	

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

Art. No.	Serial no.	Conc %(w & Vehicle	
P-029	PL-13	0.1 pet	Parthenolide
P-030	Deleted 2014	•	(Phosphorus sesquisulfide)
P-031	CAD-1	10.0 pet	Penicillin G, potassium salt
P-032	CAD-10	10.0 pet	Pristinamycin
P-033	CAD-21, EP-17, EPE-17	1.0 pet	Piroxicam
P-034	*	100	Polyethylene glycol 400 (PEG 400)
P-035	EPE-25	10.0 pet	Polysilicone-15
P-036	C-50	2.0 pet	MENTHA PIPERITA OIL
P-038	I-7	2.0 pet	Polymeric diphenylmethane diisocyanate (PMDI)
Q-001	ME-3	1.0 pet	Quinine sulfate
R-001	H-9	1.0 pet	RESORCINOL
R-002	PG-16	1.0 pet	Resorcinol monobenzoate
R-003	F-20	2.0 pet	ROSA DAMASCENA EXTRACT
R-004B	TF-22	1.0 pet	Reactive Black 5
R-005B	TF-23	1.0 pet	Reactive Blue 21
R-006B	TF-24	1.0 pet	Reactive Blue 238
R-007B	TF-25	1.0 pet	Reactive Orange 107
R-008B	TF-26	1.0 pet	Reactive Red 123
R-009B	TF-27	1.0 pet	Reactive Red 238
R-010B	TF-28	1.0 pet	Reactive Red 228
R-011B	TF-29	1.0 pet	Reactive Violet 5
S-001	B-4	5.0 pet	SODIUM BENZOATE
S-002	C-32,O-28	0.1 aq	Sodium-2-pyridinethiol-1-oxide
S-003	B-11, C-10, LU-14		SORBIC ACID
S-004	C-5, LU-22	5.0 pet	SORBITAN OLEATE
S-005	C-26, LU-20	20.0 pet	SORBITAN SESQUIOLEATE
S-006	C-28	30.0 pet	STEARYL ALCOHOL
S-007	MET-32	1.0 aq	SILVER NITRATE
S-008	V-44	2.0 pet	Styrax
S-009	F-24	2.0 pet	SANTALUM ALBUM OIL
S-010	ME-4 *	5.0 pet	Sulfanilamide
S-011		1.0 pet	SODIUM METABISULFITE
S-012	CAD-8	10.0 pet	Spiramycin base
S-013	MET-39	1.0 pet	STANNOUS CHLORIDE
S-014	MET-26	1.0 pet	Tin(II)oxalate
S-015 S-016	C-51 V-62	20.0 alc	SHELLAC Softian 640
		100	Softisan 649
S-017	DMP-24, DS-31, MET-43	3.0 pet	Sodium tetrachloropalladate(II) hydrate
S-018	V-70	0.25.00	SODIUM LAURYL SULFATE
T-001		0.25 aq	
1-001	V-67	0.1 pet	3,3',4',5-Tetrachlorosalicylanilide (TCS)

^{*} Present in national series. Please visit www.chemotechnique.se for further information.



Art. No.		Conc %(v & Vehicle	
T-002	R-3	1.0 pet	Tetraethylthiuram disulfide (TETD)
T-003	Deleted 1999		(Tetramethylol acetylenediurea)
T-004	Deleted 2014		(3,3',5,5'-Tetramethylbenzidine)
T-005	R-1	1.0 pet	Tetramethylthiuram disulfide (TMTD)
T-006	R-2	1.0 pet	Tetramethylthiuram monosulfide (TMTM)
T-007	ICB-32, C-13,	0.1 pet	THIMEROSAL
	O-22, LU-13	. r	
T-008	DS-30, MET-12	50.0 pet	Tin
T-009	I-1	2.0 pet	Toluene-2,4-diisocyanate (TDI)
T-010	ICB-41, IS-31,	10.0 pet	Toluenesulfonamide formaldehyde resin
1-010	PG-15	10.0 pct	Tordenesunonamide formadenyde resin
T-011	DS-20	2.0 pet	4-Tolyldiethanolamine
T-012	*	1.0 pet	3,4,5-Tribromosalicylanilide (TBS)
T-013	O-24, EPE-20	1.0 pet	TRICLOCARBAN
T-014	ICB-60, C-9, O-18.		TRICLOSAN
1-014	EPE-28	, 2.0 pct	TRICLOSHIV
T-015	PG-11, P-16	5.0 pet	Tricresyl phosphate
T-016	ICB-47, C-3, O-7,	2.0 pet	TRIETHANOLAMINE
	LU-18	Ι	
T-017	MN-13, MP-23	0.1 pet	Triethylene glycol diacrylate
T-018	DS-2, MA-6,	2.0 pet	Triethylene glycol dimethacrylate
	MN-7, MP-11,	Ι	, 8, ,
	DMP-2, DMS-2		
T-019	E-3	0.5 pet	Triethylenetetramine (TETA)
T-020	R-21	1.0 pet	2,2,4-Trimethyl-1,2-dihydroquinoline
T-021	MN-9, MP-17	0.1 pet	Trimethylolpropane triacrylate
T-022	PG-14	5.0 pet	Triphenyl phosphate
T-023	MP-16	0.1 pet	Tri(propylene glycol) diacrylate
T-024A	Deleted 2011	o.i pet	(Turpentine peroxides)
T-024R	C-53	0.4 n ot	Turpentine oil oxidized
T-024B	V-42	0.4 pet 5.0 pet	Tetracaine hydrochloride
T-025A T-026	V-42 R-26		Thiourea
T-026		0.1 pet	
1-02/	DS-29, MA-12,	2.0 pet	Tetrahydrofurfuryl methacrylate
	MN-10, DMP-8,		
Т 020	DMS-6	0.5	Tri-la-id-line (TOIC)
T-028	PG-25	0.5 pet	Triglycidyl isocyanurate, (TGIC)
T-029	MA-13	2.0 pet	Tetraethylene glycol dimethacrylate
T-030	CS-3	1.0 pet	Triamcinolone acetonide
T-031A	*	1.0 pet	Tixocortol-21-pivalate
T-031B	S-25, ICB-44,	0.1 pet	Tixocortol-21-pivalate
	IS-19, CS-4, LU-21		
T-032	PL-4	2.5 pet	TARAXACUM OFFICINALE EXTRACT
T-033	PL-10	1.0 pet	TANACETUM VULGARE EXTRACT

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

Art. No.	Serial no.	Conc %(w & Vehicle	r/w) Name	
T-034	ME-14	1.0 pet	Tioconazole	
T-035B	ICB-49, C-46	5.0 pet	Tea Tree Oil oxidized	
T-036	ICB-22, C-43	100	TOCOPHEROL	
T-037B	C-52	10.0 pet	TOCOPHERYL ACETATE	
T-038	E-14	0.25 pet	Trimethylolpropane triglycidyl ether	
T-039	MET-16	5.0 pet	Titanium(III)nitride	
T-040	MET-17	10.0 pet	TITANIUM DIOXIDE	
T-041	MET-19	5.0 pet	Titanium(III)oxalate decahydrate	
T-042	MET-21	10.0 pet	Titanium	
T-043	MET-28	5.0 pet	Tungsten	
U-001	TF-13	10.0 pet	Urea formaldehyde resin	
U-002	MP-21	0.1 pet	Urethane diacrylate, aliphatic	
U-003	MP-22	0.05 pet	Urethane diacrylate, aromatic	
U-004	DS-3, MA-8	2.0 pet	Urethane dimethacrylate	
U-005	PL-15	0.1 pet	(+)-Usnic acid	
V-001	B-1, F-17	10.0 pet	VANILLIN	
V-002	MET-22	5.0 pet	Vanadium	
V-003	MET-24	1.0 pet	Vanadium(III)chloride	
W-001	S-12, IS-8	30.0 pet		
X-001	E-13	0.1 pet	m-Xylylenediamine	
Y-001	ICB-57, F-21	2.0 pet	CANANGA ODORATA OIL	
Z-001	MET-1	2.5 pet	Zinc	
Z-002	R-14	1.0 pet	ZINC DIBUTYLDITHIOCARBAMATE (ZBC)	
Z-003	R-13	1.0 pet	Zinc diethyldithiocarbamate (ZDC)	
Z-004	R-20	1.0 pet	Zinc dimethyldithiocarbamate (Ziram)	
Z-005	O-17	1.0 pet	Zinc ethylenebis-(dithiocarbamate) (Zineb)	
Z-006	H-25	1.0 pet	ZINC PYRITHIONE	
Z-007A	Deleted 2011	•	(ZINC CHLORIDE)	
Z-007B	MET-18	1.0 pet	ZINC CHLORIDE	
Z-008	MET-27	1.0 pet	Zirconium(IV)chloride	



Abbreviations in the Table of Haptens

CAS: Chemical Abstract Service (CAS) registry numbers.

Cross: Antigens mentioned are primary sensitizers to which the compound

might crossreact.

FW: Formula weight.

ICU: Immunologic Contact Urticaria.

INCI: International Nomenclature of Cosmetic Ingredients,

names displayed in Capitals in accordance to EUR-Lex 2006/257/

EG.

NSAID: Non-steroidal anti-inflammatory drug NICU: Nonimmunologic contact urticaria.

PA: Compound that may cause photoallergic reactions.
PL: Compound that may cause persistent light reactions.
PT: Compound that may cause phototoxic reactions.
UCU: Uncertain mechanism type contact urticaria.

Table of Haptens

Art. No. Formula FW Series



ABIETIC ACID

A-001 $C_{20}H_{30}O_2$ 302.44 O

Component in tall oil used as deodorizing agent in cooling fluids. Major component of rosin used in adhesive tapes, glues, inks, sealants, cosmetics, dental impression materials. Cross: COLOPHONIUM, dihydroabietyl alcohol. CAS 514-10-3.

Abitol

Change of name as of January 2011; please refer to HYDROABIETYL ALCOHOL (Art. No. A-002).

ACETAMINOPHEN

A-032 $C_8H_9NO_2$ 151.16 CAD

Paracetamol or acetaminophen, is the active metabolite of phenacetin, a so-called coal tar analgesic. It is an effective substitute for acetylsalicylic acid, due to its analgesic (to relieve minor aches and pains) and antipyretic (to reduce fever) properties. However, unlike aspirin, it is not a very effective anti-inflammatory agent though it lacks many of the side effects of aspirin, and is available over-the-counter. Paracetamol is also useful in the management of more severe pain, where it allows lower dosages of additional non-steroidal anti-inflammatory drugs (NSAIDs) or opioid analgesics to be used, thereby minimizing overall side effects. It is a major ingredient in numerous cold and flu medications. **CAS** 103-90-2.

Acetylsalicylic acid

A-031 $C_9H_8O_4$ 180.16 CAD

Aspirin®, or acetylsalicylic acid, (acetosal) is a salicylate drug often used as an analgesic, antipyretic, and as an anti-inflammatory. It also has an antiplatelet



Art. No. Formula FW Series

("blood-thinning") effect and is used long-term in low doses to prevent heart attacks and blood clot formation in people at high risk for developing blood clots. **CAS** 50-78-2.

ACHILLEA MILLEFOLIUM EXTRACT

A-025 PL

Perennial compositae weed with white flowers. Grows in most of Europe and in N. America, New Zealand and southern Australia. Contains the sesquiterpene lactone -peroxyachifolide. Also known as Yarrow. **May cause airborne contact dermatitis. CAS** 84082-83-7.

Acid Yellow 36

A-019 $C_{18}H_{14}N_3NaO_3S$ 375.38 SH

Dye used in leather. As indicator (pH) in laboratories. CAS 587-98-4.

Acid Yellow 61

A-026 TF

Azo dye belonging to the acid dye class for coloring wool and polyamide textiles. CAS 12217-38-8

Acid Red 118

A-027 TF

Azo dye belonging to the acid dye class for coloring wool and polyamide textiles.

Acid Red 359

A-028 TF

Azo dye (chrome) belonging to the premetallic dye class for coloring wool and polyamide textiles. **CAS** 61814-65-1.

Art. No.	Formula	FW	Series
Acyclovir			
A-033	$\mathrm{C_8H_{11}N_5O_3}$	225.21	CAD

Aciclovir, chemical name acycloguanosine, is a guanine analogue antiviral drug, marketed under trade names such as Zovirax and Zovir. One of the most commonly-used antiviral drugs, it is primarily used for the treatment of herpes simplex virus infections, as well as in the treatment of herpes zoster (shingles). **CAS** 59277-89-3.

Alantolactone

A-003 $C_{15}H_{20}O_2$ 232.31 S, ICB, IS, PL

Sesquiterpene lactone present in, e.g., species of Chrysanthemum plants (Helenin). Also available in Mx-18. **CAS** 546-43-0.

Alclometasone-17, 21-dipropionate

A-023 $C_{20}H_{37}ClO_{7}$ 520.71 CS

Topical non-fluorinated corticosteroid with low systemic effects. CAS 66734-13-2

Aluminium

A-021 Al 26.98 MET

Used as the pure metal or as alloys for utensils, dental materials, aircraft, electrical conductors etc. Occurs also in aluminium paints, analytical agents. **CAS** 7429-90-5.

Aluminium(III)chloride hexahydrate

A-022 AlCl₃ · 6H₂O 241.43 DS, MET

Used in preserving wood, disinfecting stables, etc., in deodorants and antiperspirant preparations. Used in refining crude oil, dyeing fabrics. Found in dental ceramics and topical astringents. **CAS** 7784-13-6



Art. No. Formula FW Series

Amerchol L 101

A-004 ICB, C, O, LU

Trade name of product containing lanolin alcohols obtained from hydrolysis of lanolin. Emulsifier and emollient in cosmetic and pharmaceutical bases, topical drugs, furniture polish, leather, metal corrosion prevention, paper, inks, textiles, furs, cutting oils, waxes. **UCU**.

Amidoamine

A-029 ICB

Amidoamines are a class of chemical compounds used as intermediates in the synthesis of surfactants, such as cocamidopropylbetaine (CAPB), some of which are used in personal care products including soaps, shampoos, and cosmetics. Amidoamines are amides formed from fatty acids and diamines. Studies have concluded that most apparent allergic reactions to products containing CAPB are more likely due to amidoamine.

4-Amino-azobenzene

A-005

 $C_{12}H_{11}N_3$

197.24

SH

Intermediate in the production of diazo dyes. Pigment in, e.g., plastic materials. Solvent yellow 1. **Cross: para group of compounds. CAS** 60-09-3.

4-Aminobenzoic acid

Change of name as of January 2011; please refer to PABA (Art. No. A-006).

4-Amino-N, N-diethyl-aniline sulfate

Change of name as of January 2011; please refer to N,N-DIETHYL-p-PHENYLENEDIAMINE SULFATE (Art. No. A-007).

m-AMINOPHENOL

A-008

C₆H₇NO

109.13

Η

Used as a coupler for hair dyes. Found as dye intermediate. Used in the

Art. No. Formula FW Series

manufacturing of 4-amino salicylic acid. **Cross: para group of compounds. CAS** 591-27-5

p-AMINOPHENOL

A-009 C_6H_7NO 109.13 H

Primary intermediate for hair dyes. Photographic developer. Dye for furs and feathers. **Cross: para group of compounds. CAS** 123-30-8.

Ammonium hexachloroiridate (IV)

A-034 $H_8Cl_6IrN_2$ 441.01 MET

Ammonium hexachloroiridate (IV) is used in the production of photographic emulsions and in catalytic composites in the process of converting hydrocarbons. **CAS** 16940-92-4.

Ammonium hexachloroplatinate

Change of name as of January 2012; please refer to Ammonium hexachloroplatinate(IV) (Art. No. A-010).

Ammonium hexachloroplatinate(IV)

A-010 $Cl_6H_8N_2Pt$ 443.88 MET

Precious metal salt which is used in platinum plating. ICU. CAS 16919-58-7.

Ammonium molybdate (VI) tetrahydrate

A-035 H₂₄Mo₇N₆O₂₄· 4H₂O1235.86 MET

Ammonium Molybdate is an odourless crystalline compound ranging in colour from white to yellow-green. It is also called molybdic acid hexammonium salt tetrahydrate, ammonium molybdate tetrahydrate, and ammonium heptamolybdate tetrahydrate. Used as an analytical reagent to find the presence of phosphates, silicates, arsenates and lead in pigments. Used in the production of molybdenum metal and ceramics, in the fixing of metals and in electroplating, in fertilizers for crops and as a negative stain in biological electron microscopy. **CAS** 12054-85-2.



Art. No.	Formula	FW	Series	
AMMONIUM PERSULFATE				
A-011	$\mathrm{H_8N_2O_8S_2}$	228.20	В, Н, Р	

Found in hair bleaches as oxidizer and bleacher. Used in decolorizing and deodorizing oils, electroplating, making starch soluble, yeast treatment. Used as reducer and retarder in photography. May cause airborne contact dermatitis. UCU, CAS 7727-54-0.

AMMONIUM THIOGLYCOLATE

A-012 $C_2H_7NO_2S$ 109.15 H

Acts as reducing agent in permanent waving formulations for hair treatment. **CAS** 5421-46-5.

Ammonium tetrachloroplatinate(II)

 $A-013 \hspace{1cm} \text{Cl}_4\text{H}_8\text{N}_2\text{Pt} \hspace{1cm} 372.98 \hspace{1cm} \text{MET}$

Precious metal salt which is used in photography. ICU. CAS 13820-41-2.

Amoxicillin trihydrate

A-030 $C_{16}H_{19}N_3O_5S$ 365.40 CAD

Amoxicillin or amoxycillin is a moderate-spectrum β -lactam antibiotic used to treat bacterial infections caused by susceptible microorganisms. It is usually the drug of choice within the class because it is better absorbed, following oral administration, than other beta-lactam antibiotics. Amoxicillin is susceptible to degradation by β -lactamase-producing bacteria, and so may be given with clavulanic acid to decrease its susceptibility. Is currently marketed by GlaxoSmithKline (the inheritor company) under the original trade name Amoxil **CAS** 26787-78-0.

AMYL CINNAMAL

A-014 $C_{14}H_{18}O$ 202.30 F

Raw material in the production of perfumes. Also known as Amylcinnamalaldehyde. **Cross: amylcinnamic alcohol. CAS** 122-40-7.

Art. No.	Formula	FW	Series	
Amyl cinnamyl alcohol				
A-036	$\mathrm{C}_{14}\mathrm{H}_{20}\mathrm{O}$	204.31	F	

Amyl cinnamyl alcohol is one of many ingredients in fragrances. It is found in soaps, detergent, beauty care products and household products. **CAS** 101-85-9.

Amylocaine hydrochloride

A-020 $C_{14}H_{22}CINO_2$ 271.80 V

Used as a topical and local anesthetic agent. **Cross: Tetracaine. CAS** 532-59-2.

TRANS-ANETHOLE

A-015 $C_{10}H_{12}O$ 148.21 B

Used as flavoring agent in food, dentifrices, pharmaceuticals etc. In perfumery for soap, etc. In photography and in embedding materials in microscopy. **CAS** 4180-23-8.

Anise alcohol

A-037 $C_8H_{10}O_2$ 138.16 F

Anise alcohol (2-Methoxybenzyl alcohol) is one of many ingredients in fragrances. It is found in soaps, detergents, beauty care products and household products. **CAS** 105-13-5.

ANTHEMIS NOBILIS EXTRACT

C-029 PL

Compositae plant growing in most of Europe, in N.Africa, S.America, Australia and New Zealand. A yellow dye is extracted from the dried flowers and is sometimes used in shampoos, hair rinses and ointments. Anaphylactic reaction following ingestion of camomile tea has been reported. Also known as Chamomilla Romana. **CAS** 84649-86-5.



Art. No. Formula FW Series

ARNICA MONTANA EXTRACT

A-024 PL

Compositae plant that grows on prairies and in mountainous lands in Europe, and Asia. Tincture of arnica is used in trauma treatment. Major haptens appear to be helenalin and its esters. **Cross: a number of other Asteraceae plants. CAS** 68990-11-4.

Atranorin

A-016

 $C_{19}H_{18}O_{8}$

374.33

PL

One of the most common substances found in lichens. Component in extracts of oak moss used as fragrance. **Cross: oakmoss. PA. CAS** 479-20-9

1-Aza-3,7-dioxa-5-ethyl-bicyclo-(3,3,0)-octane

Change of name as of January 2011; please refer to 7-ETHYLBICYCLO-OXAZOLIDINE (Art. No. A-017).

Azodiisobutyrodinitrile

A-018

 $C_8H_{12}N_4$

164.21

PG

Foaming agent and inhibitor in plastic and elastomer materials. CAS 78-67-1.

B

Bacitracin

B - 032

 $C_{66}H_{103}N_{17}O_{16}S$

1421.79

ICB, ME, LU

Antibiotic agent effective against gram-positive organisms and spirochetes. In products for topical treatment, ear medications, and ophthalmic drugs. Common hapten in leg ulcer treatment. Cross: polymyxin B sulfate, neomycin sulfate. ICU. CAS 1405-87-4.

Art. No. Formula FW Series

Ralsam Peru

Change of name as of January 2011; please refer to MYROXYLON PEREIRAE RESIN (Art. No. B-001).

Balsam Tolu

Change of name as of January 2011; please refer to MYROXYLON BALSAMUM RESIN (Art. No. B-025).

Basic Red 46

B-026 TF

Monoazo dye used for acrylic and polyester textiles (sweaters, etc.).

Beech tar

B-002 V, LU

Used in tar paper, insulation tapes and topical medicaments. Also known as FAGUS SYLVATICA.

BENZALKONIUM CHLORIDE

Topical quaternary ammonium antiseptic agent found in ophthalmic (eye) preparations, skin disinfectants, cosmetics, deodorants, mouthwashes, dentifries, sterilization solutions, lozenges, and solutions for contact lenses. Cross: cetrimoniumbromide, benzethoniumchloride. May cause airborne contact dermatitis. CAS 63449-41-2

BENZISOTHIAZOLINONE

B-003 C_7H_5NOS 147.15 O

Preservative used in cooling fluids, paints, adhesives paper and in the textile industry. Also known as BIT. **CAS** 2634-33-5.



Art. No.	Formula	FW	Series
Benzocaine			
B-004	$C_9H_{11}NO_2$	165.19	S, ICB, ME

Local and topical anesthetic used in products such as burn and sunburn remedies, hemorrhoidal creams, suppositories, creams for treatment of poison ivy, oral and gingival products, sore throat sprays/lozenges, astringents, appetite suppressants. Also known as Ethyl 4-aminobenzoate. Cross: para group of compounds, butethamine, procainamide, hydrochlorothiazide, PABA and esters, azo/aniline dyes, PPD, sulfonamides, sulfonylureas, 4-aminosalicylic acid, parabens. PA. UCU. CAS 94-09-7.

BENZOIC ACID

B-005 $C_7H_6O_2$ 122.12 B

Used in preserving foods, fats, fruit juices, etc (it and its salt is represented by E-numbers E210, E211, E212, and E213). Also used as an antifungal agent in pharmaceutical preparations and cosmetics.

Cross: MYROXYLON PEREIRAE RESIN. ICU. CAS 65-85-0

BENZOPHENONE-3

			ICB, C, DS, EP,
H-014	$C_{14}H_{12}O_3$	228.24	EPE, SU

Common UV-adsorber in dental composite materials and other plastic materials. Used as a UV-adsorber in topical sunscreens, moisturizers, shampoos, hair care products, lipsticks, lip balms, nail polish, etc. Also known as 2-Hydroxy-4-methoxybenzophenone, Eusolex 4360, Escalol 567, Oxybenzone. **Cross:** dioxybenzone. **PA. CAS** 131-57-7.

BENZOPHENONE-4

H-023	$C_{14}H_{12}O_{6}S$	308.31	SU, EP, EPE
-------	----------------------	--------	-------------

Sunscreen for use in various sunscreen products as well as in textiles, plastics, paints and cosmetics. Also known as 2-Hydroxy-4-methoxy-benzophenone-5-sulfonic acid, Sulisobenzone and Uvinyl MS-40. **CAS** 4065-45-6.

Art. No.	Formula	FW	Series	
BENZOPHENONE-10				
H-020	$C_{15}H_{14}O_3$	242.26	SU, EPE	

UV absorbing agent in sunscreen cosmetics of the type creams, lotions, lipsticks, sun oils, etc. Also known as 2-Hydroxy-4-methoxy-4'-methylbenzophenone, Mexenone. **Cross (photo): BENZOPHENONE-3. PA. CAS** 1641-17-4

BENZOTRIAZOLE

B-006 $C_6H_5N_3$ 119.13 O, P

Anticorrosive agent in cooling fluids fuels, photographic development, antifreeze, dry cleaning, etc. Also known as 1H-Benzotriazole. CAS 95-14-7.

Benzoylperoxide

B-007 $C_{14}H_{10}O_4$ 242.23 ICB, B, PG, LU

Used as initiator in the polymerization of plastics, as oxidizer in bleaching oils, flour etc. Is a keratolytic agent in acne medications. May cause discoloration of the hair and postinflammatory pigmentation and hypopigmentation. May cause airborne contact dermatitis. UCU. CAS 94-36-0.

Benzydamine hydrochloride

B-041 C₁₉H₂₃N₃O·HCl 345.87 EP, EPE

Benzydamine hydrochloride is a NSAID, with local anesthetic and analgesic properties for pain relief and anti-inflammatory treatment of inflammatory conditions of the mouth and throat. **CAS** 132-69-4

BENZYL ALCOHOL

B-008 C_7H_8O 108.13 ICB, C, F, P

Solvent in photography, perfumery and for dyestuffs, inks, pharmaceutical products, etc. Used as preservative in injectable drugs, ophthalmic solutions, and oral liquids. Cross: MYROXYLON PEREIRAE RESIN, benzoin tincture. May cause pigmentation of the face. ICU. CAS 100-51-6.



Art. No.	Formula	FW	Series	
BENZYL BENZOATE				
B-038	$C_{14}H_{12}O_2$	212.24	F	

Benzyl benzoate is the ester of BENZYL ALCOHOL and BENZOIC ACID. This easily prepared compound has a variety of uses. Benzyl benzoate, as a topical solution, may be used as an antiparasitic insecticide to kill lice and the mites responsible for the skin condition scabies. It has other uses such as a fixative in fragrances to improve the stability and other characteristics of the main ingredients; a food additive in artificial flavors; a plasticizer in cellulose and other polymers; a solvent for various chemical reactions; a treatment for sweet itch in horses. **CAS** 120-51-4.

BENZYL CINNAMATE

B-039 $C_{16}H_{14}O_2$ 238.29 F

Used as flavoring agent (sweet, floral, fruity) and as a perfumery fixer. **CAS** 103-41-3

BENZYLPARABEN

B-009

Deleted as of January 2015.

BENZYL SALICYLATE

B-010 $C_{14}H_{12}O_3$ 228.26 ICB, C, F

Used as organic solvent for perfumes, also found in tanning creams and lotions. May cause pigmentation of the face. CAS 118-58-1.

Betamethasone-17,21-dipropionate

B-042 $C_{28}H_{37}FO_7$ 504.59

Betamethasone dipropionate is a glucocorticoid steroid with anti-inflammatory and immunosuppressive abilities. It is applied as a topical cream, ointment, lotion, aerosol sprays or gel to treat itching and other minor skin conditions such as eczema. **CAS** 5593-20-4.

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

...the trusted name in patch testing

Art. No.	Formula	FW	Series	
Betamethasone-17-valerate				
B-031	$\mathrm{C}_{27}\mathrm{H}_{37}\mathrm{FO}_{6}$	476.26	CS	

Topical and systemic corticosteroid of group C type with a C-16 methyl substitution, CAS 2152-44-5

BHT

D-006 C₁₅H₂₄O 220.36 B, C, PG, LU

Used as an antioxidant in foods (beverages, gum, ice cream, fruits, cereals), cosmetics, topical medications, animal feeds, petroleum products, jet fuels, rubber, plastics, paints, glues. Also known as Butyl hydroxy toluene and 2,6-Di-tert-butyl-4-cresol. **Cross: Lidocaine. UCU. CAS** 128-37-0

Bioban CS 1135

D-015 O

Trade name of a product that consists of two components: 4,4-Dimethyloxazolidine and 3,4,4-Trimethyl-oxazolidine. See the respective component for further information

Bioban P 1487

E-014 O

Trade name of a product that consists of two components: 4-(2-Nitrobutyl) morpholine and 4,4-(2-Ethyl-2-nitro-trimethylene)dimorpholine. See the respective name for further information.

Birch tar

B-011 V

Birch tari derived from the dry distillation of the bark of the birch tree. It is compounded of guaiacol, phenols, cresol, xylenol and creosol. Used as a component in pharmaceutical preparations.



Art. No. Formula FW Series

Birch wood

Mx-09

Deleted as of January 2014.

Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine

Change of name as of March 2013; please refer to BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENOL TRIAZINE (Art. No. B-037)

BIS-ETHYLHEXYLOXYPHENOL METHOXYPHENOL TRIAZINE

B-037 $C_{38}H_{40}N_3O_5$ 627.81 SU, EP, EPE

Used in sunscreens to absorb UV rays and is highly photostable. It is a broad spectrum UV absorber, absorbing UVB as well as UVA rays. Also known as Tinosorb S and Bis-Ethylhexyloxyphenol Methoxyphenyl Triazine.

CAS 187393-00-6

Bisphenol A dimethacrylate

M-007 $C_{23}H_{24}O_4$ 364.44 DS, MA

Methacrylic monomer based on bisphenol A. Used in dental restorative composite and adhesive materials. Also known as 2,2-bis(4-Methacryloxy) phenylpropane and BIS-MA. **CAS** 3253-39-2.

Bisphenol A glycerolate dimethacrylate

 $\begin{array}{ccc} & & & DS, MA, DMP, \\ H\text{-}013 & & C_{29}H_{36}O_8 & & 512.61 & & DMS \end{array}$

Common methacrylic monomer in dental composite restorative materials and dental sealants. This monomer is also extensively used in industrial applications. Also known as 2,2-bis(4-(2-Hydroxy-3-methacryloxypropoxy)phenyl)propane and BIS-GMA. **CAS** 1565-94-2.

...world leader in patch testing

Art. No.	Formula	FW	Series
Bisphenol A			
B-013	$C_{15}H_{16}O_2$	228.29	PG

Comes from raw material in the production of epoxy and acrylic resins. Is a component in semisynthetic waxes. Also known as 4,4-Isopropylidene diphenol. Cross: diethylstilbestrol, hydroquinonemonobenzyl ether. CAS 80-05-7.

Bithionol

B-014 $C_{12}H_6Cl_4O_2S$ 356.07

Used as antibacterial agent in soaps, cosmetics, agricultural fungisides, veterinaryantiseptic and antihelminthic products, industrial cleansers, etc. 2,2-Thiobis (4,6-dichlorophenol). **PA. PL. CAS** 97-18-7

BORNANEDIONE

C-026 $C_{10}H_{14}O_2$ 166.22 DS

An initiator for visible light cured dental acrylic composite materials. Also known as Camphoroquinone and Camphorquinone. **CAS** 10373-78-1

2-BROMO-2-NITROPROPANE-1,3-DIOL

B-015 $C_3H_6BrNO_4$ 199.99 ICB, C, H, O

Used a preservative in cooling fluids, hand & face creams, shampoos, hair dressings, mascaras, cleansing lotions, milk sampling, paints, textiles, humidifiers, pharmaceutical products, washing detergents (Bronopol). **CAS** 52-51-7.

Budesonide

B-033 $C_{25}H_{34}O_6$ 430.55 S, ICB, CS, IS, LU

A nonhalogenated corticosteroid for use in topical preparations and for the treatment of rhinitis and asthma. Belongs to the group B (triamcinolone acetonide) type of corticosteroids. Good marker of corticosteroid allergy. **Cross: hydrocortisone butyrate. CAS** 51333-22-3

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

Art. No.	Formula	FW	Series
Bufexamac			
B-043	$\mathrm{C}_{12}\mathrm{H}_{17}\mathrm{NO}_3$	223.27	*

Drug used as an anti-inflammatory agent on the skin, as well as rectally. Ointments and lotions containing bufexamac are used for the treatment of subacute and chronic eczema of the skin, including atopic eczema, as well as sunburn and other minor burns, and itching. Suppositories containing bufexamac in combination with local anaesthetics are used against haemorrhoids. **CAS** 2438-72-4.

1,4-Butanediol diacrylate

 $B-016 \hspace{1.5cm} C_{10}H_{14}O_{4} \hspace{1.5cm} 198.24 \hspace{1.5cm} MP$

A cross-linking monomer for use in inks, adhesives, textile product modifiers, photo resists, etc. Also known as BUDA. **CAS** 1070-70-8.

1,4-Butanediol diglycidyl ether

 $B-036 \hspace{1.5cm} C_{10}H_{18}O_{4} \hspace{1.5cm} 202.25 \hspace{1.5cm} E$

A difunctional glycidylether of butyl alcohol; containing 2 epoxide groups (three-membered ring cyclic ethers that are also known as oxiranes or alkylene oxides). It is used as a general purpose diluent to reduce the viscosity of epoxy resins. Also used as rubber adhesive. Also known as Araldite RD-2; 1,4-Bis(2,3-epoxypropoxy)butane. **CAS** 2425-79-8.

1,4-Butanediol dimethacrylate

MA, DS, DMP, B-017 $C_{12}H_{18}O_4$ 226.28 DMS

A cross-linking methacrylic monomer for use in dental composite materials, sealants, prostheses, etc. Also known as BUDMA. **CAS** 2082-81-7.

Butyl acrylate

B-018 $C_7H_{12}O_2$ 128.17 MN

A cross-linking acrylic monomer for use in textile and leather finishes, paint formulations, etc. Aslo known as BA, **CAS** 141-32-2.

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

...for the diagnosis of contact allergy

Art. No.	Formula	FW	Series		
4-tert-Butylbenzoic acid					
B-019	$C_{11}H_{14}O_2$	178.24	O		

Used as corrosion inhibitor in cooling fluids. **CAS** 98-73-7.

4-tert-Butylcatechol

B-030 $C_{10}H_{14}O_2$ 166.22 PG

An antioxidant found in polyester resins and as polymerization inhibitor in PVC. Also described as hapten in photocopying paper and as antioxidant in oil. Also known as PTBC. **May cause depigmentation. CAS** 98-29-3.

Butyl-4-hydroxybenzoate

Change of name as of January 2011; please refer to BUTYLPARABEN. (Art. No. B-020).

t-BUTYL HYDROQUINONE

B-028 $C_{10}H_{14}O_2$ 166.22 C

Used as an antioxidant in cosmetic products like lipsticks. CAS 1948-33-0.

BUTYL METHACRYLATE

B-021 $C_8H_{14}O_2$ 142.20 MA, MN, MP

A cross-linking methacrylic monomer for use in dental composite materials, artificial nails, etc. Also known as BMA. **CAS** 97-88-1.

BUTYL METHOXYDIBENZOYLMETHANE

B-029 $C_{20}H_{22}O_3$ 310.20 SU, EP, EPE

A UV-A-ray adsorbing agent in sunscreen cosmetics of the type creams, lotions, lipsticks, sun oils, etc. (Parsol 1789). Also known as tert-Butyl-4'-methoxydibenzopylmethane. **CAS** 70356-09-1.

Art. No.	Formula	FW	Series		
2-tert-Butyl-4-methoxyphenol					
B-022	$C_{11}H_{16}O_2$	180.25	ICB, B, C, PG		
Used as an antioxidant in foods (beverages our ice cream fruits cereals)					

Used as an antioxidant in foods (beverages, gum, ice cream, fruits, cereals), cosmetics, topical medications, animal feeds, petroleum products, jet fuels, rubber, plastics, paints, glues. Also known as BHA. **May cause depigmentation. May cause airborne contact dermatitis. UCU. CAS** 121-00-6.

BUTYLPARABEN

 $C_{11}H_{14}O_3$ 194.23 V

Used as preservative in foods (salad dressings, mayonnaise, spiced sauces, mustard, frozen dairy products, baked products), cosmetics and pharmaceutical preparations. Also known as Butyl-4-hydroxybenzoate. **CAS** 94-26-8.

4-tert-Butylphenol

 $C_{10}H_{14}O$ 150.21 PG

An intermediate in the production of lacquer and varnish resins. Antioxidant in plastics, adhesives, etc. **May cause depigmentation. CAS** 98-54-4.

4-tert-Butylphenolformaldehyde resin

B-024 ICB, PG, S, SH, IS

Resin used in adhesives for shoes and watch straps. Also found in do-it-yourself glues, plywood, insulation, automobiles, motor oils, inks, papers, film developers, disinfectants, deodorants. Also known as PTBP. **May cause depigmentation.**

BUTYLPHENYL METHYLPROPIONAL

B-040 $C_{14}H_{20}O$ 204.30 F

Common fragrance found in soaps, detergents, beauty care products and household products. It is also used as an intermediate for the synthesis of agrochemicals. Also known as Lilial and Lilialdehyde. **CAS** 80-54-6.

...the trusted name in patch testing

Art. No. Formula FW Series

C

Cadmium chloride

C-001 CdCl₂ 183.32 MET

Used in photography, the production of cadmium yellow. Works as fungicide and anticorrosive agent. Also used in pigments for glass, tattoos, and paints. **CAS** 10108-64-2.

CALCIUM TITANATE

C-049 CaO₃Ti 135.96 MET

Used in a method of manufacturing a ceramic capacitor suitable for high energy density and high temperature application. Uses are for example, as an antenna material, a capacitor material, a layered circuit substrate material, a connector material, and the like which are required to be dielectric. **CAS** 12049-50-2.

Camphoroquinone

Change of name as of January 2015; please refer to BORNANEDIONE (Art. No. C-026).

CANANGA ODORATA OIL

Y-001 ICB, F

Fragrance for use in various perfumed products. Extracted by steam distillation from flowers of the tree Cananga Odorata (botanical name). The total amount of oil is traded as Cananga oil and CANANGA ODORATA OIL is the first fraction out of 4 different fractions. This fraction is used by Chemotechnique and the perfume industry. It is the finest part and contains 20-40% of the whole distillate. It contains among other substances Methyl anthranilate, (E,E)-Farnesene, δ-Cadinene, p-Methyl anisole, Linalool, Geranyl acetate, β-Caryophyllene, p-Cresylmethyl ether, Methyl benzoate, Benzyl acetate and Benzyl benzoate. Mostly contributing to its odor are p-cresol, EUGENOL and Isoeugenol. Cross: Benzyl salicylate, geranial. May cause pigmentation of the face, CAS 8006-81-3.



Art. No. Formula FW Series

Cananga oil

C-002 F

Is a fragrance used in various perfumes. Botanical origin: Cananga odorata and the total amount of oil extracted by steam distillation is traded as Cananga oil. Contains among other substances BENZOIC ACID, β -Caryophyllene, α -Humulene, (E,E)-Farnasene, γ -Cadinene, δ -Cadinene, Benzyl benzoate, Linalool and Geranyl acetate. **Cross: benzyl salicylate. May cause pigmentation of the face. CAS** 68606-83-7.

Captan

C-025 $C_9H_8Cl_3NO_2S$ 300.57 H

Used as a fungicide on vegetables, fruits, and different types of plants. Used as bacteriostat in soaps, shampoos, hair tonics, animalflea removers and tick sprays. Also known as N-trichloromethylthio-4-cyclohexene-1,2-dicarboximide, Vancide, Dangard and Merpan. **May cause airborne contact dermatitis. CAS** 133-06-2

Captopril

C-045 $C_9H_{15}NO_3S$ 217.28 CAD

Captopril is an angiotensin-converting enzyme inhibitor (ACE inhibitor) used for the treatment of hypertension and some types of congestive heart failure. Captopril's main uses are based on its vasodilatation and inhibition of some renal function activities. **CAS** 62571-86-2.

Carbamazepine

 C_{-044} $C_{15}H_{12}N_2O$ 236.27 CAD

Carbamazepine is an anticonvulsant and mood stabilizing drug, used primarily in the treatment of epilepsy and bipolar disorder. It is also used to treat ADD, ADHD, schizophrenia and trigeminal neuralgia. Also known as CBZ and 5H-dibenz[b,f]azepine-5-carboxamide. **CAS** 298-46-4.

...world leader in patch testing

Art. No.	Formula	FW	Series
CARVONE			
C-035	$\mathrm{C}_{10}\mathrm{H}_{14}\mathrm{NO}$	150.10	DMP

Found in several essential oils and is used for flavouring liqueurs, soaps, dental materials and perfumes. Also known as 2-Cyclohexen-1-one, 2-methyl-5-(1-methylethenyl)-, (5R)-(9Cl) and (R)- Carvone. **CAS** 6485-40-1

Cefalexin

C-048 $C_{16}H_{17}N_3O_4S$ 347.39 CAD

First-generation cephalosporin antibiotic and it is an orally-administered agent with a similar antimicrobial spectrum to the intravenous agents cefalotin and cefazolin. It is used to treat urinary tract infections, respiratory tract infections (including sinusitis, otitis media, pharyngitis, tonsillitis and pneumonia), skin and soft tissue infections. Although it is not generally considered first-line therapy for any indication, it is a useful alternative to penicillins in patients with penicillin hypersensitivity. There is, however, cross-reactivity in 10% of patients with hypersensitivity to penicillins and carbapenems.

CAS 15686-71-2.

Cefotaxim sodium salt

 $C_{16}H_{16}N_{5}NaO_{7}S_{2}$ 477.04 CAD

A cephalosporin that belongs to a group of broad-spectrum antibiotic derived from species of fungi of the genus Cephalosporium and are related to the penicillins in both structure and mode of action but relatively penicillinase-resistant antibiotics. Third-generation cephalosporins are more active against gram-negative organisms but less active against gram-positive organisms than second-generation agents; examples are cefoperazone, cefotaxime, ceftriaxone, ceftazidime, ceftizoxime, and moxalactam. **CAS** 64485-93-4

Cefradine

C-047 $C_{16}H_{19}N_3O_4S$ 349.40 CAD

Cefradine or cephradine is a first generation cephalosporin antibiotic. Effective against a wide range of gram-positive and a limited range of gram-negative bacteria. **CAS** 38821-53-3.



Art. No.	Formula	FW	Series		
CETYL ALCOHOL					
C-003	$C_{16}H_{34}O$	242.45	C		

Used as emulsifier and emollient in cosmetics and pharmaceutical preparations. **UCU. CAS** 36653-82-4.

CETEARYL ALCOHOL

C-033 LU

A combination of cetyl (C16) and stearyl (C18) alcohols 50/50 used as emulsifier and emollient in cosmetic lotions, creams, ointments and pharmaceutical preparations. Also known as Lanette O. **UCU. CAS** 67762-27-0

Cetrimide

Change of name as of March 2013; please refer to CETRIMONIUM BROMIDE (Art. No. C-050).

CETRIMONIUM BROMIDE

C-050 C₁₀H₄₂BrN 364.45

One of the components of the topical antiseptic cetrimide. The cetrimonium (or hexadecyltrimethylammmonium) cation is an effective antiseptic agent against bacteria and fungi. It is a cationic surfactant. Its uses include providing a buffer solution for the extraction of DNA. It is also widely used in hair conditioning products. Also known as Cetrimide. **CAS** 57-09-0.

CHAMOMILLA RECUTITA EXTRACT

C-051 PL

Chamomilla Recutita; Matricaria recutita or German chamomile, also spelled camomile, is an annual plant of the composite family Asteraceae. Chamomilla chamomilla, Chamomilla recutita (accepted name according to the Flora Europaea), Matricaria chamomilla, and Matricaria suaveolens. It usually grows near populated areas all over Europe and temperate Asia. It is widely introduced in temperate North America and Australia. As the seeds need open

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

...for the diagnosis of contact allergy

Art. No. Formula FW Series

soil to survive, it often grows near roads, around landfills and in cultivated fields as a weed

Chamomilla Romana (Anthemis nobilis)

Change of name as of January 2011; please refer to ANTHEMIS NOBILIS EXTRACT (Art. No. C-029).

Chloramphenicol

C-032

 $C_{11}H_{12}Cl_2N_2O_5$

323.14

ME, LU

An antibiotic substance produced by Streptomyces venezuelae. Present in eye drops, ointments and for systemic use. Used as bactericide against the rot of potatoes and other root vegetables. **Cross: Azidamfenicol. ICU**. **CAS** 56-75-7.

CHLORHEXIDINE DIACETATE

C-004

C₂₆H₃₈Cl₂N₁₀O₄

625.56

V

An antimicrobial agent used in cosmetic and disinfection solutions, eye drops, uterine antiseptics, toothpaste, mouthwash, hand and wound cleansers. **PA. ICU. CAS** 56-95-1

CHLORHEXIDINE DIGLUCONATE

C-005

 $\mathrm{C_{34}H_{54}Cl_{2}N_{10}O_{14}}$

897.88

C, LU

An antimicrobial agent used in cosmetic and pharmaceutical creams, surgical soaps, anticaries solutions, toothpaste, mouthwash, hand and wound cleansers etc. **PA. ICU. CAS** 18472-51-0.

CHLOROACETAMIDE

C-006

C₂H₄ClNO

93.51

C, H, O, LU

A preservative in cosmetic and pharmaceutical creams, shampoos, bath lotions, etc. Also as preservative in glues and cooling fluids. Also known as 2-Chloroacetamide. **May cause airborne contact dermatitis. CAS** 79-07-2.



Art. No. Formula FW Series

1-(3-Chloroallyl)-3,5,7-triaza-1-azonia-adamantane-chloride

Change of name as of January 2011; please refer to QUATERNIUM-15. (Art. No. C-007).

p-CHLORO-m-CRESOL

C - 008

C₇H₇ClO

142.59

C, H, O, LU

A fungicide found in creams, topical antiseptics, pharmaceutical products, protein shampoos, baby cosmetics, and cooling fluids (PCMC). Also known as 4-Chloro-3-cresol. **Cross: 4-chloro-3-xylenol. ICU. CAS** 59-50-7.

5-Chloro-2-methyl-4-isothiazolin-3-one

Change of name as of January 2011; please refer to METHYLISOTHIAZOLINONE + METHYLCHLOROISOTHIAZOLINONE (Art. No. C-009).

CHLOROXYLENOL (PCMX)

C-010

C₈H₉ClO

156.61

С, Н, О

A preservative found in cooling fluids, creams, topical and urinary antiseptics. Can also be found in pharmaceutical products, hair conditioners, toilet and deodorants, soaps, electrocardiogram paste, etc. Also known as 4-Chloro-3,5-xylenol. Cross: 4-chloro-3-cresol. CAS 88-04-0.

Chlorpromazine hydrochloride

C-011

C17H20Cl2N2S

355.35

EPE

An antiemetic and antipsychotic agent found in pills, injections, and suppositories. Cross: diethazine HCl, promethazine HCl, thiazinamium, ethopropazine HCl. May cause airborne contact dermatitis. PA, PT (systemic). CAS 69-09-0.

...the trusted name in patch testing

Art. No.	Formula	FW	Series	
Chlorquinaldol				
C-012	$C_{10}H_7Cl_2NO$	228.08	V	

A fungicide and antibacterial agent found in topical pharmaceutical preparations. Also known as 5,7-dichloro-2-methyl-8-quinolinol and Sterosan. **Cross; clioquinol. CAS** 72-80-0.

Chrysanthemum Cinerariaefolium

C-031 PL

A compositae plant that grows on rocky ground in Europe, Australia, Japan and N.America. Pyrethrum is the main source of the pyrethrum insecticide. Principal hapten is pyrethrosin. **ICU**.

CINNAMAL

C-014 C_9H_8O 132.16 ICB, B, F

A common ingredient in perfumes for household products like deodorizers, detergents, and soap. Flavor in toothpaste, sweets, ice cream, soft drinks, chewing gums, and cakes. Also present in MYROXYLON BALSAMUM RESIN and MYROXYLON PEREIRAE RESIN, hyacinth plant, spices, cinnamon, Ceylon and cassia oil. Also known as Cinnamic aldehyde. Cross: CINNAMYL ALCOHOL, cinnamon oil. May cause depigmentation. PA. NICU. CAS 104-55-2.

CINNAMYL ALCOHOL

C-013 $C_9H_{10}O$ 134.18 B, F

A component found in perfumed cosmetic products and deodorants. **Cross: MYROXYLON PEREIRAE RESIN, PROPOLIS.** Also known as Cinnamic alcohol. **May cause pigmentation of the face. CAS** 104-54-1.

Ciprofloxacin hydrochloride

C-043 C₁₇H₂₁CIFN₃O₄ 385.82 CAD

A quinolone, which is an antibiotic drug used mainly to treat the respiratory infections (pneumoniae, pseudomonas, influenzae), urinary tract infections, the gastrointestinal surgery, typhoid fever, gonorrhoea (enterotoxigenic



Art. No. Formula FW Series

strains of Escherichia coli), and septicaemia. Ciprofloxacin act by inhibiting the bacterial enzymes DNA gyrase. Other quinolones include cinoxacin; levofloxacin; nalidixic acid; norfloxacin; ofloxacin. **CAS** 86393-32-0

CITRAL

C-036 $C_{10}H_{16}O$ 152.24 F

Fragrance for use in various perfumes. Examples of usage: in citrus notes and floral fragrance blends and as an intermediate to form other compounds. Also known as Geranial; Geranialdehyde; 3,7-Dimethyl-2,6-octadienal. **CAS** 5392-40-5

CITRONELLOL

C-037 $C_{10}H_{20}O$ 156.27 F

A fragrance used in various perfumed products. Citronella oil is a yellowish essential oil distilled from the leaves of either of two grasses, Cymbopogon nardus or C. winterianus. This aromatic oil is inexpensive, and widely used in cheap perfumes and as a fragrance in soaps. It is also best known as an insect repellent. Citronellol, derived form citronella oil, is a chief constituent of geranium oil, another is GERANIOL. Both are used in the production of perfumes. (smells sweet, rose, lilac, geranium). Also known as 3,7-dimethyl-6-Octen-1-ol. **CAS** 106-22-9.

Clarithromycin

C-041 $C_{38}H_{60}NO_{13}$ 747.96 CAD

Clarithromycin, belonging to the macrolide group, has a close structural and biological similarity with erythromycin. It is effective against a broad spectrum of gram-positive and gram-negative bacteria. It is used to treat respiratory tract infections and soft tissue infections. It is used to treat duodenal ulcer associated with Helicobacter pylori infections in combination with omeprazole. Also known as 6-0-methylerythromycin. **CAS** 81103-11-9

Clindamycin phosphate

C-046 $C_{18}H_{34}CIN_2O_8PS$ 504.96 CAD

Clindamycin (phosphate) is a lincosamide antibiotic used in the treatment of infections caused by susceptible microorganisms. Such infections might include

...world leader in patch testing

Art. No. Formula FW Series

infections of the respiratory tract, septicemia and peritonitis. In patients with hypersensitivity to penicillins, clindamycin (phosphate) may be used to treat infections caused by susceptible aerobic bacteria as well. It is also used to treat bone infections caused by Staphylococcus aureus. Topical application of clindamycin phosphate can be used to treat moderate to severe acne. **CAS** 24729-96-2.

Clioquinol

C-015 C_9H_5CIINO 305.50 S, C

An antiinfective and antiamebic agent used in topical pharmaceutical preparations. Also known as 5-chloro-7-iodo-8-quinolinol, Chinoform and Vioform. May cause brown discoloration of the nails and erythema multiforme like eruptions. UCU. CAS 130-26-7.

Clobetasol-17-propionate

C-028 C₂₅H₃₂CIFO₅ 466.73 ICB, CS

A topical corticosteroid belonging to the group D (Hydrocortisone-17-butyrate) type of steroids. **UCU. CAS** 25122-46-7.

Coal tar

C-016 V

A by-product in the distillation of coal. Topical antieczematic agent. **PA. PT. PL. May cause postinflammatory hyperpigmentation. CAS** 8007-45-2.

Cobalt(II)chloride hexahydrate

C-017 CoCl₂·6H₂O 237.93 S, ICB, DS, H, DMP

A component used in coloring of glass and porcelain. Works as a siccative in paints. Used in various alloys (dental, etc.). May produce erythema multiforme like eruptions. May cause airborne contact dermatitis. NICU. CAS 7791-13-1



Art. No. Formula FW Series

COCAMIDE DEA

C-019 ICB, O

Mixture of ethanolamides of coconut acid. Found in bath, shower and body cosmetics and in cooling fluids. Also known as Coconut diethanolamide. **CAS** 68603-42-9.

COCAMIDOPROPYL BETAINE

C-018 C_4H_8NO ICB, C, H

A surfactant found in liquid soaps, shampoos, hair colorants, shower & bath formulations. Also known as Tegobetaine. **Cross: cocobetaine. CAS** 61789-40-0

COLOPHONIUM

S, ICB, DS, C-020 SH, IS, DMP

A yellow resin used in the production of varnishes, printing inks, paper, soldering fluxes, cutting fluids, glue tackifiers, adhesives, surface coatings, polish, waxes, cosmetics (mascara, rouge, eye shadow), topical medicaments, violin bow rosin, athletic grip aid, pine oil cleansers. Component in dental impression materials and periodontal packings. (rosin). Also known as Colophony

Cross: MYROXYLON PEREIRAE RESIN, dihydroabietyl alcohol. wood tars. May cause airborne contact dermatitis. ICU. CAS 8050-09-7.

Copper(I)oxide

C-021 Cu₂O 143.08 MET

Used as fungicide and as pigment to make glass red. Found in antifouling paints Also known as Cuprous oxide. **CAS** 1317-39-1

Copper(II)sulfate pentahydrate

C-022 CuSO₄ . 5H₂O 249.68 DS, MET

Works as a fungicide. Used as pigment in paints and reagent toner in photography. Copper metal is used in, e.g., dental alloys. Also known as Cupric sulfate. **ICU. CAS** 7758-99-8.

...for the diagnosis of contact allergy

Art. No.	Formula	FW	Series
Costunolide			
Mx-18			S, ICB, IS, PL

Sesquiterpene lactone isolated from the Compositae plant Saussurea lappa. The oil which is extracted from Saussurea lappa is used in perfumery and in the Orient for all kinds of diseases. Costunolide is present in the plant together with dehydrocostus lactone. May cause airborne contact dermatitis. Only available in mix (MX-18). **CAS** 553-21-9.

Cotrimoxazole

C-042
$$C_{14}H_{18}N_4O_3$$
. 543.19 CAD $C_{10}H_{11}N_3O_3S$

Cotrimoxazole is an antibiotic combination of trimethoprim and sulfamethoxazole, in the ratio of 1 to 5, used in the treatment of a variety of bacterial infections. The name cotrimoxazole is the British Approved Name, and has been marketed worldwide under many trade names. Other sources list this antibiotic as bacteriostatic. **CAS** 8064-90-2

COUMARIN

C-038	$C_9H_6O_2$	146.15	F	
-------	-------------	--------	---	--

A fragrance used in various perfumed products. Coumarin (anhydride of o-coumaric acid) is white, crystalline lactone, obtainable naturally from several plants, such as tonka bean, lavender, sweet clover grass, strawberries, and cinnamon, or produced synthetically from an amino acid, phenylalanine. Coumarin has the characteristic odour like that of vanilla beans. It is used for the preparation of perfumes, soaps, flavourings. Also known as 2H-1-Benzopyran-2-one. **CAS** 91-64-5.

Cyclohexanone resin

C-027 PG

Formed by the condensation of cyclohexanone. Used to enhance the adhesive properties of products like alkyd-, nitro-, and chlorocaoutchouc lacquers. Most often used in floor paints. **May cause airborne contact dermatitis.**



Art. No. Formula FW Series

N-Cyclohexyl-2-benzothiazolesulfenamide

C-023

 $C_{13}H_{16}N_2S_2$

264.41

K

An accelerator in natural and styrene-butadienethiazyl sulfenamide rubber Also known as CBS, CAS 95-33-0

N-Cyclohexyl-N-phenyl-4-phenylenediamine

C-024

 $C_{18}H_{22}N_2$

266.42

R

Used as antidegradant in natural rubber, styrene-butadiene and chloroprene rubber. Also known as CPPD. **CAS** 101-87-1.

N-(Cyclohexylthio) phthalimide

C-034

 $C_{14}H_{15}NO_2S$

261.34

R

A vulcanization retarder widely used in various rubber products. Brand name include Santogard PVI. **CAS** 17796-82-6.



DECYL GLUCOSIDE

D-065

 $C_{16}H_{32}O_6$

320.43

ICB, C, EP, EPE

Decyl glucoside is a mild non-ionic surfactant used in cosmetic formulations including baby shampoo and in products for individuals with a sensitive skin. Many natural personal care companies use this cleanser because it is plant-derived, biodegradable, and gentle for all hair types. **CAS** 54549-25-6

Dehydrocostus lactone

Mx-18

S, ICB, IS, PL

Sesquiterpene lactone isolated from the Compositae plant Saussurea lappa. The oil which is extracted from Saussurea lappa is used in perfumery and in the Orient for all kinds of diseases. Dehydrocostus lactone is present in the plant together with costunolide. **May cause airborne contact dermatitis.** (Only available in mix).

...the trusted name in patch testing

Art. No. Formula FW Series

Dermatophagoides Pteronyssinus/Pharinae

Mx-21 SA

House dust mite aerohapten causing atopic dermatitis. . Mix of 2 species for "Atopic" patch testing. **May cause airborne contact dermatitis.**

Desoximetasone

D-057

 $C_{22}H_{29}FO_4$

376.46

ICB, CS

Like other topical corticosteroids, desoximetasone has anti-inflammatory, antipruritic, and vasoconstrictive properties. Once absorbed through the skin, topical corticosteroids are handled through pharmacokinetic pathways similar to systemically administered corticosteroids. **CAS** 382-67-2

Dexamethasone-21-phosphate disodium salt

D-046

 $C_{22}H_{28}FNa_2O_8P$

516.40

CS

Corticosteroid of the group C (betamethasone) type. Used in eye and ear preparations and in systemic preparations. **CAS** 2392-39-4.

Dexketoprofen

D-067

 $C_{16}H_{15}O_3$

254.28

EPE

A NASID that is used to treat moderate pain, including dysmenorrhea. It acts by inhibiting the body's production of prostaglandin. Also know as (S)-(+)-Ketoprofen, (S)-(+)-3-Benzoyl-\u03c4-methylbenzeneacetic acid and (S)-2-(3-Benzoylphenyl)propionic acid. **CAS** 22161-81-5.

Diallyl disulfide

D-048

 $C_6H_{10}S_2$

146.28

PL

One of the three principal low molecular weight haptens of garlic. Allylpropyl disulfide and allicin are the other haptens in garlic. **CAS** 2179-57-9.



Art. No. Formula FW Series

4,4'-Diaminodiphenylmethane (MDA)

D-001 C₁₂H₁₄N₂ 198.27 E, I, R

A curing agent for epoxy resins and urethane elastomers. Used as corrosion inhibitor and rubber additive (accelerator, antidegradant, retarder) in tires and heavy rubber products. Also used in adhesives and glues, laminates, paints and inks, PVC products, handbags, eyeglass frames, plastic jewelry, electric encapsulators, surface coatings, spandex clothing, hairnets, eyelash curlers, earphones, balls, shoe soles, face masks. Crossreacts with other p-amino substituted benzene compounds such as benzocaine and PABA. May produce erythema multiforme like eruptions, CAS 101-77-9.

2,5-Diaminotoluene sulfate

Change of name as of January 2011; please refer to TOLUENE-2,5-DIAMINE SULFATE (Art. No. D-002).

DIAZOLIDINYL UREA

 $D\text{-}044 \qquad \qquad C_8 H_{14} N_4 O_7 \qquad \qquad 278.22 \qquad \qquad ICB, \, C, \, IS, \, H, \, LU$

A preservative used in cosmetic creams, lotions, shampoos, hair gels, etc. (Germall II). Also known as 2,5-Diazolidinylurea. Cross: IMIDAZOLIDINYL UREA, FORMALDEHYDE. CAS 78491-02-8.

Dibenzothiazyl disulfide (MBTS)

D-003 $C_{14}H_8N_2S_4$ 332.50 R

An accelerator for natural rubber, nitrile-butadiene, butyl and styrene-butadiene rubber. Also used as retarder for chloroprene rubber. **CAS** 120-78-5.

1,2-Dibromo-2,4-dicyanobutane

Change of name as of January 2011; please refer to METHYLDIBROMO GLUTARONITRILE (Art. No. D-049).

...world leader in patch testing

Art. No.	Formula	FW	Series	
Dibucaine hydrochloride				
D-005	$\mathrm{C}_{20}\mathrm{H}_{30}\mathrm{ClN}_3\mathrm{O}_2$	379.92	ICB, V	

Used as local anesthetic agent. Also known as Cinchocaine HCl, Nupercaine HCl, Percaine and Cincaine. **Cross: Lidocaine. PA. CAS** 61-12-1.

2,6-Di-tert-butyl-4-cresol

Change of name as of January 2011; please refer to BHT (Art. No. D-006).

Dibutyl phthalate

 $D\text{-}007 \hspace{1.5cm} C_{16}H_{22}O_{4} \hspace{1.5cm} 278.35 \hspace{1.5cm} PG$

Used as emollient in aerosol antiperspirants, insect repeller and as plasticizer in various plastic materials. **CAS** 84-74-2.

N,N'-Dibutylthiourea

D-038 (C₄H₀NH)₂CS 188.33 SH, R

An accelerator for mercaptan-modified chloroprene rubber. Used as activator for ethylene-propylene-diene terpolymers and natural rubber. An antidegradant for natural rubber-latex and thermoplastic styrene-butadiene rubber. **CAS** 109-46-6.

DICHLOROPHENE

D-008 $C_{13}H_{10}Cl_2O_2$ 269.13 O

Used as bactericide, fungicide, and algicide in soaps, cosmetics, shampoos, dentifrices, toothpaste, mouthwashes, deodorants, foot powders, papers, adhesives and bandages, and cooling fluids. **Cross: hexachlorophene. CAS** 97-23-4.

Diclofenac sodium salt

D-061 $C_{14}H_{10}Cl_2NNaO_2$ 318.13 CAD, EPE

Diclofenac (marketed as Voltaren, Voltarol, Diclon, Dicloflex Difen, Difene, Cataflam, Pennsaid, Rhumalgan, Modifenac, Abitren, Arthrotec and Zolterol,



Art. No. Formula FW Series

with various drug dose combinations) is a NSAID taken to reduce inflammation and an analgesic reducing pain in conditions such as in arthritis or acute injury. It can also be used to reduce dysmenorrhea. The name is derived from its chemical name: 2-(2,6-dichloranilino) phenylacetic acid. **CAS** 15307-79-6.

Dicloxacillin sodium salt hydrate

Dicloxacillin is a narrow spectrum β -lactam antibiotic of the penicillin class. It is used to treat infections caused by susceptible Gram-positive bacteria. Notably, it is active against β -lactamase-producing organisms such as Staphylococcus aureus, which would otherwise be resistant to most penicillins. It is very similar to flucloxacillin and these two agents are considered interchangeable. Dicloxacillin is available under a variety of trade names. **CAS** 13412-64-1.

N,N-Dibeta-naphtyl-4-phenylenediamine

D-017 $C_{26}H_{20}N_2$ 360.46 R

Change of name as of March 2013; please refer to N,N-Di-2-naphtyl-4-phenylenediamine (Art. No. D-017).

2-(4-Diethylamino-2-hydroxy-benzoyl)-benzoic acid hexylester

 $D\text{-}062 \hspace{1cm} C_{24} H_{31} NO_{4} \hspace{1cm} 366.24 \hspace{1cm} \text{SU, EP, EPE}$

The UV-A sun filter 2-(4-Diethylamino-2-hydroxybenzoyl)-benzoic acid hexylester provides efficient protection in the long-wave UVA-I range with an absorption spectrum of up to 400 nm it provides high absorption specifically in the deep-acting wavelengths. Uvinul A+. Diethylamino Hydroxybenzoyl Hexyl Benzoate. **CAS** 302776-68-7.

Di(ethylene glycol) diacrylate

D-009 $C_{10}H_{14}O_5$ 214.21 MP

A cross-linking acrylate monomer for use in coatings, adhesives, and printing plates of prepolymer type. Also known as DEGDA. **CAS** 4074-88-8.

...for the diagnosis of contact allergy

Art. No.	Formula	FW	Series	
Diethylenetriamine				
D -010	$C_4H_{13}N_3$	103.17	E	

Used as hardener for epoxy resins. Also known as DETA. Cross: ethylenediamine dihydrochloride. CAS 111-40-0.

DIETHYLHEXYL BUTAMIDO TRIAZONE

D-063 $C_{44}H_{59}N_{7}O_{5}$ 765.50 SU, EP, EPE

A sun filter for use in sunscreen products. Also known as Dioctyl butamido triazone and Uvasorb HEB. **CAS** 154702-15-5.

N,N-Diethyl-2-methyl-1,4-phenylene-diamine-HCl

Change of name as of January 2011; please refer to N,N-DIETHYLTOLUENE-2,5-DIAMINE HCL (Art. No. D-011).

N, N-DIETHYL-p-PHENYLENEDIAMINE SULFATE

A-007 C₁₀H₁₆N₂.H₂SO₄ 262.33 P

Used as color developer and high speed black and aniline sulfate white film developer in photography (TSS, Agfa). Also known as 4-Amino-N,N-diethylaniline sulfate. **May cause lichen planus. CAS** 6283-63-2.

N,N'-Diethylthiourea

D-039 $(C_2H_5NH)_2CS$ 132.25 R, SH

An accelerator for mercaptanmodified chloroprene rubber. Used as antidegradant for natural, nitrile-butadiene, styrene-butadiene, and chloroprene rubbers. **CAS** 105-55-5.

N, N-DIETHYLTOLUENE-2,5-DIAMINE HCL

D-011 $C_{11}H_{19}CIN_2$ 214.74 P

A color developer for Eastman print and Gevacolor color development baths. Also known as N,N-Diethyl-2-methyl-1,4-phenylene-diamine-HCl and CD-2. CAS 2051-79-8



Art. No.	Formula	FW	Series	
Diltiazem hydrochloride				
D-060	$\mathrm{C}_{22}\mathrm{H}_{26}\mathrm{N}_2\mathrm{O}_4\mathrm{S:HCl}$	450.98	CAD	

Diltiazem HCl is a member of the group of drugs known as benzothiazepines, which are a class of calcium channel blockers, used in the treatment of hypertension, angina pectoris, and some types of arrhythmia. It is a class 3 anti-anginal drug, and a class IV antidysrhythmic. It incites very minimal reflex sympathetic changes. **CAS** 33286-22-5.

DIMETHYLAMINOETHYL METHACRYLATE

D-045 $C_8H_{15}NO_2$ 157.21 DS, MA, DMP

Used as amine activator in visible light-cured dental acrylic composite materials. Also known as N,N-Dimethylaminoethyl methacrylate. **CAS** 2867-47-2.

3-(Dimethylamino)-1-propylamine

D-053 $C_5H_{14}N_2$ 102.18 C_5E

This is an intermediate substance in the synthesis of alkylamidopropyldimethylamines/alkylamidobetaines and found as an impurity in cosmetic surfactants present in e.g. shampoos. 3-(Dimethylamino) propylamine is also used as a hardener of epoxy resins, as an additive in fuel, dyes, pesticides and binding agents. It is also used in the production of ion-exchangers. Also known as DMPA. **CAS** 109-55-7.

Dimethyl dihydroxy ethylene urea

D-052

A non-Formaldehyde type of textile resin for "wash and wear" colored and white fabrics and shirtings, draperies and sheeting. Chlorine resistant. (Fixapret NF).

Dimethyl fumarate

 $C_6H_8O_4$ 144.12 V

This compound is used as an antifungal substance in products such as sofas, helmets, clothes etc. It is packed normally in pads where the substance sublimates and might penetrate leather etc. **CAS** 624-49-7

...the trusted name in patch testing

Art. No.	Formula	FW	Series	
Dimethylol dihydroxy ethylene urea				
D-012	$C_5H_{10}N_2O_5$	178.14	ICB, TF	

A formaldehyde type of textile resin (Fixapret CPN, 74% active component).

Dimethylol dihydroxy ethylene urea, modified

D-050 TF

A low-Formaldehyde type of textile resin for "wash and wear" colored and white fabrics and shirtings, Viscose and mixtures with synthetic materials. (Fixapret ECO).

4,4-Dimethyl-oxazolidine

Comp. in D-015 C₅H₁₁NO 101.15 O

Used as a preservative for latex paints, emulsions and for cooling fluids (component in Bioban CS 1135 by 74.7%). D-015: **Bioban CS 1135** also contains 3,4,4-Trimethyloxazolidine. Neither of the substances can be ordered separately. Also known as DIMETHYL OXAZOLIDINE. **CAS** 51200-87-4.

N,N-Dimethyl-4-toluidine

D-016 $C_9H_{13}N$ 135.21 DS

An amine accelerator for the polymerization of e.g. dental methacrylic restorative materials. **CAS** 99-97-8.

N,N-Di-2-naphtyl-4-phenylenediamine

D-017 $C_{26}H_{20}N_2$ 360.46 R

An antidegradant for latex, nitrile rubber, styrene-butadiene, and nitrile-butadiene rubber Also known as DBNPD. **CAS** 93-46-9.

Dioctyl phtalate

D-018 $C_{24}H_{38}O_4$ 390.57 PG

Used as plasticizer in various plastic materials. Also known as Diethylhexyl phthalate, DEHP and DOP. **CAS** 117-81-7.



Art. No.	Formula	FW	Series	
Dipentamethylenethiuram disulfide				
D-019	$(C_5H_{10}NCS_2)_2$	320.60	S, IS, R	

Used as accelerator and vulcanizing agent for latex (gloves) and butyl rubber Also known as PTD. **CAS** 94-37-1.

DIPENTENE (oxidized)

Deleted as of January 2014; please refer to replacement product Hydroperoxides of Limonene (Art. No. H-032).

Diphenhydramine hydrochloride

D-021 $C_{17}H_{22}CINO$ 291.82 V

An antihistaminic drug which blocks the effect of histamine at H1 receptor sites, which results in an increase in vascular smooth muscle contraction. It has also been shown to have inhibitive tumor promotion properties. **PA**. **CAS** 147-24-0.

1,3-Diphenylguanidine

D-022 $C_{13}H_{13}N_3$ 211.27 R, SH

A medium accelerator for use with thiazoles and sulfenamides in various rubber products. **C**AS 102-06-7.

Diphenylmethane-4,4'-diisocyanate

D-023 $C_{15}H_{10}N_2O_2$ 250.26 I

A disocyanate in the production of polyurethane lacquers, foam plastics, rubber, and glues. Also known as MDI. CAS 101-68-8.

N,N´-Diphenyl-p-phenylenediamine

 $C_{18}H_{16}N_2$ 260.34 R

Used as antidegradant for nitrile-butadiene rubber, natural, styrene-butadiene, isoprene, butadiene, and chloroprene rubbers. Also known as DPPD. **CAS** 74-31-7.

...world leader in patch testing

Art. No.	Formula	FW	Series
N,N´-Diphenylthiourea			
D-025	$C_{13}H_{12}N_2S$	228.32	PG, R, SH

An accelerator and activator for neoprene rubber and ethylene-propylenediene terpolymers used for rubber products such as wet suits, goggles, knee brace and gloves. In sulfur dyes and as heat stabilizer in PVC adhesive tape backing. Also known as Thiocarbanilide and DPTU. **CAS** 102-08-9.

Direct Orange 34

D-051 TF

An azo dye (stilbene) belonging to the direct dye class for coloring cellulosic textiles

Disodium phenyl dibenzimidazole tetrasulfonate

D-064

C₂₀H₁₂N₄Na₂O₁₂S₄ 674.59

SU, EPE

A sun filter used in sunscreen products. Also known as: Neo Heliopan AP, Bisimidazylate and 2,2'-(1,4-Phenylene)bis-(1-H-benzimidazole-4,6-disulfonic acid, monosodium salt). **CAS** 180898-37-7.

DISPERSE BLUE 3

D-026

 ${\rm C_{17}H_{16}N_2O_3}$

296.33

TF

A textile dye of antraquinone type. Used as dye for nylon, acrylic, polyester and acetate. Also used as stocking dye. **CAS** 2475-46-9.

Disperse Blue 35

D-027

296.27

ΤF

Textile dye of antraquinone type. Dye in nylon, acrylic, polyester, and acetate. **PT. CAS** 12222-75-2.

Disperse Blue 85

D-028

TF

A textile dye of azo type.



Art. No.	Formula	FW	Series
Disperse Blue 106			
D-040			TF

A monoazo dye used for secondary cellulose fabrics (polyester blouses, garment linings, etc.) **CAS** 68516-81-4.

Disperse Blue 124

D-041 $C_{15}H_{21}N_5O_4S$ 367.47 TF

Am azo dye used for secondary cellulose acetate fabrics (stockings, garment linings, etc.). CAS 61951-51-7.

Disperse Blue 153

D-029 TF

A textile dye of antraquinone type.

Disperse Brown 1

 $D\text{-}030 \qquad \qquad C_{16} H_{15} C l_{3} N_{4} O_{4} \qquad 433.68 \qquad \qquad TF$

A textile dye of azo type.

Disperse Orange 1

 $D\text{-}031 \qquad \qquad C_{18} H_{14} N_4 O_2 \qquad \qquad 318.34 \qquad \qquad TF$

A textile dye of azo type. Dye in terylene. CAS 2581-69-3.

DISPERSE ORANGE 3

D-032 $C_{12}H_{10}N_4O_2$ 242.24 ICB, SH, TF

A textile dye of azo type. **CAS** 730-40-5.

Disperse Red 1

D-034 $C_{16}H_{18}N_4O_3$ 314.35 TF

A textile dye of azo type. Used to dye nylon and polyester. Also used as stocking dye. **CAS** 2872-52-8.

...for the diagnosis of contact allergy

Art. No.	Formula	FW	Series	
DISPERSE RED 17				
D-035	$C_{17}H_{20}N_4O_4$	344.37	TF	

A textile dye of azo type. Used to dye acetate, silk, wool, and cotton. Also used as stocking dye. **CAS** 3179-89-3.

Disperse Yellow 3

A textile dye of azo type. Used to dye acetate and nylon. Also used as stocking dye. **CAS** 2832-40-8.

Disperse Yellow 9

D-037 $C_{12}H_{10}N_4O_4$ 274.24 TF

A textile dye of nitro type. Used to dye in terylene. **CAS** 6373-73-5.

4,4'-Dithiodimorpholine

D-054 $C_8H_{16}N_2O_2S_2$ 236.35 SH

A vulcanizing agent and promoter of natural and synthetic rubber, it can release the sulphur in the vulcanizing temperature. It can be used in the butyl rubber to produce tyre, butyl inner tube of tire, rubber belt and anti-heat rubber products, it also can be used as pitch stabilizer in the expressway. Also known as DTDM. **CAS** 103-34-4.

DMDM HYDANTOIN

D-047 $C_7H_{12}N_2O_4$ 188.07 ICB, C

Functions as a formaldehyde donor and is used as a preservative in cosmetic products and is active against fungi, yeasts, and bacteria. Products preserved are of the type shampoos, skin-care products, hair conditioners, makeup, hair rinses, and cleanliness products. Also used in herbicides, polymers, color photography, latex paints, floor waxes, cutting oils, adhesives, copying paper, inks. CAS 6440-58-0.



Art. No.	Formula	FW	Series	
DODECYL GALLATE				
D-042	$C_{19}H_{30}O_5$	338.45	В, С	

An antioxidant in cosmetic and pharmaceutical creams and emulsions, various fats, oils, waxes, and foods such as margarine. Also known as Lauryl gallate. **CAS** 1166-52-5.

Dodecyl mercaptan

D-043 $C_{12}H_{26}S$ 202.41 R, SH

A polymerization inhibitor added to polyurethane resins and Neoprene glues for use, e.g., in the shoe industry. **CAS** 112-55-0.

Doxycycline monohydrate

D-059 $C_{22}H_{24}N_2O_8H_2O$ 462.45 CAD

A semisynthetic broad-spectrum antibiotic or antibacterial which belongs to the tetracycline family. It is used to treat urinary tract infections, gum disease, and bacterial infections such as gonorrhea, chlamydia and Bacillus anthracis. It is also used to treat acne. **CAS** 17086-28-1.

DROMETRIZOLE

H-016 $C_{13}H_{11}N_3O$ 225.25 C, DS, PG, DMP

An UV-adsorber used in plastics, cosmetics, dental materials, acrylic materials, dyes, etc. Also known as 2(2-Hydroxy-5-methylphenyl)benzotriazol, Tinuvin P. **CAS** 2440-22-4.

DROMETRIZOLE TRISILOXANE

D-055 $C_{24}H_{39}N_3O_3Si_3$ 562.70 SU, EP, EPE

An UV-B adsorbing agent in sunscreen cosmetics of the type creams, lotions, lipsticks, sun oils, etc. Trade name is Silatrizole & Mexoryl XL. Also known as 2-(2H-Benzotriazole-2-yl)-4-methyl-6-[2-methyl-3-[1,3,3'-tetramethyl-1-[(trimethylsilyl)oxy]disiloxanyl]propyl]phenol. **CAS** 155633-54-8.

...the trusted name in patch testing

Art. No. Formula FW Series

E

Econazole nitrate

E-021 $C_{18}H_{16}CIN_3O_4$ 373.65 ME

An antifungal agent of the imidazole type used in topical and vaginal preparations to prevent growth of dermatophytes, yeast, and mold. **Cross:** miconazole, nilconazole. May produce erythema multiforme like eruptions. CAS 24169-02-6.

Eosin

E-022 $C_{20}H_{9}Br_{4}O_{5}$ 647.90 LU

Red dye belonging to the xanthene group. Used as coloring agent in nail polish, wool, silk, and paper. It is now approved by the FDA for use in inks, drugs, and cosmetics except for eye cosmetics, and as topical low concentrated antiseptics. Also known as 2',4',5',7'-Tetrabromofluorescein. **CAS** 15086-94-9.

Epoxy acrylate

E-001 MP

An acrylate oligomer for use in UV-reactive inks and varnishes.

Epoxy resin, Bisphenol A

E-002 S, ICB, SH, IS, DMP

A resin, based on epichlorhydrin and bisphenol A, used in adhesives, surface coatings, electrical insulation, plasticizers, polymer stabilizers, laminates, surface coatings, paints and inks, product finishers, PVC products, vinyl gloves, etc. Also found in the building industry, electron microscopy, and sculptures. Oligomers may vary in molecular weight from 340 and higher. The higher the molecular weight, the less sensitizing the compound. May produce erythema multiforme like eruptions. May cause airborne contact dermatitis. UCU.



Art. No. Formula FW Series

Epoxy resin, Bisphenol F
B-035 E

A resin, based on Epichlorhydrin and Bisphenol F, used in adhesives, casting and tooling, epoxy coatings, coil coatings, marine and protective coatings, potting and encapsulation. Typical uses include compositions for the building and civil engineering industries, e.g. flooring compounds, adhesives, mortars and grouts. Often used in combination with Bisphenol A liquid epoxy resin. Also known as EPIKOTE Resin 862. **CAS** 28064-14-4.

Epoxy resin, cycloaliphatic

E-020 E

A resin based on diglycidyl ester of hexahydrophthalic acid. Its main use is for the manufacture of electrical insulating components (bushings, apparatus parts, insulators).

Erythromycin base

E-024 $C_{37}H_{67}NO_{13}$ 733.94 CAD

A macrolide antibiotic that has an antimicrobial spectrum similar to or slightly wider than that of penicillin, and is often used for people that have an allergy to penicillins. For respiratory tract infections, it has better coverage of atypical organisms, including mycoplasma and Legionellosis. It is also used to treat outbreaks of chlamydia, syphilis, acne, and gonorrhea. Erythromycin is produced from a strain of the actinomycete Saccharopolyspora erythraea, formerly known as Streptomyces erythraeus. **CAS** 114-07-8.

Etofenamate

E-025 $C_{18}H_{18}F_3NO_4$ 369.33 EP, EPE

A NASID used for the treatment of joint and muscular pain. It acts by inhibiting the body's production of prostaglandin. **CAS** 30544-47-9.

7-ETHYLBICYCLOOXAZOLIDINE

A-017 $C_7H_{13}NO_2$ 143.18 O

A preservative in cooling fluids. Trade name, Bioban CS 1246. CAS 7747-35-5.

...world leader in patch testing

Art. No.	Formula	FW	Series	
Ethyl acrylate				
E-004	$C_5H_8O_2$	100.12	ICB, MN, MP	

An acrylic monomer used in the production of textile and paper coatings, leather finish resins, and adhesives. Also known as EA. CAS 140-88-5.

ETHYL CYANOACRYLATE

E-023 $C_6H_7NO_2$ 125.10 MA

A acrylate compound used in instant glues to mend broken nails and to adhere glue-impregnated silk or linen to the nail plate, which is then filed to shape the nail. Instant glues are also used in medicine to glue tissues and skin cracks. The glue is also used to attach hair and to glue shoes, plastics, and many other materials. Also known as Rite-Lok, Super Glue, Krazy Glue. **May cause airborne contact dermatitis. CAS** 7085-85-0.

Ethylenediamine dihydrochloride

E-005 $C_2H_{10}Cl_2N_2$ 133.02 ICB, C, E, P, O

A stabilizer in steroid creams and rubber latex. Used as inhibitor in antifreeze solutions and cooling fluids and an epoxy curing agent. May also be present in floor-polish removers. Found as component in nystatin cream and aminophylline. Used as accelerator in color development baths in photography. Used also in veterinary preparations, electroplating and electrophoretic gels, dyes,

fungicides, insecticides, synthetic waxes, textile lubricants, eye and nose drops, and as solvent for casein, albumin, shellac. Also known as EDA. Cross: EDTA, antazoline, aminophylline, promethazine HCl, piperazine. May produce erythema multiforme like eruptions. UCU. CAS 333-18-6

Ethylenediamine tetraacetic acid disodiumsalt dihydrate

E-006 $C_{10}H_{14}N_2$ 372.24 V $Na_2O_8^22H_2O$

Used as a chelating agent for metals and as pharmaceutic aid (chelating agent). Also used as preservative in cosmetic products and anticoagulant. **CAS** 6381-92-6.



Art. No.	Formula	FW	Series	
Ethylene glycol dimethacrylate				
E-007	$C_{10}H_{14}O_4$	198.22	DS, MA, MN, MP, DMP, DMS	

A cross-linking methacrylic monomer in dental composites, sealants, prostheses, adhesives, artificial nails, printing inks, etc. Also known as EGDMA. May cause airborne contact dermatitis. CAS 97-90-5.

Ethylene urea

C₃H₆N₂O E-008 86.10 V

A finishing agent for textiles and leather. Also used to formulate lacquers, plasticizers and adhesives. Can also be used as an insecticide. CAS 120-93-4.

2-Ethylhexyl acrylate

E-009 $C_{11}H_{20}O_{2}$ 184.28 MP

An acrylic monomer for use in UV-curable coatings and inks. Ingredient in some acrylic-based adhesive tapes. Also known as EHA. CAS 103-11-7.

ETHYLHEXYL DIMETHYL PABA

 $C_{17}H_{27}NO_{2}$ 277.41 E-018 SU

An UV-B absorbing agent in sunscreens and cosmetic creams, lotions, lipsticks, sun oils, moisturizers, nail polish, etc. Also known as Eusolex 6007, Escalol 507, Octyldimethyl-PABA and 2-Ethylhexyl-4-dimethylaminobenzoate. CAS 21245-02-3.

ETHYLHEXYL METHOXYCINNAMATE

E-019 $C_{18}H_{26}O_{3}$ 290.18 SU, EP, EPE

An UV-B absorbing agent in sunscreens and cosmetic creams, lotions, lipsticks, sun oils, etc. Also known as Parsol MCX and Escalol 557. CAS 5466-77-3.

ETHYLHEXYL SALICYLATE

O - 007 $C_{15}H_{22}O_{3}$ 250.34 ICB, SU, EPE

An UV-B adsorbing agent in sunscreen cosmetics of the type creams, lotions,

...for the diagnosis of contact allergy

Art. No. Formula FW Series

lipsticks, sun oils, etc. Also known as Octyl salicylate, 2-Ethylhexyl salicylat and trade name is Escalol 587. **CAS** 118-60-5.

ETHYLHEXYL TRIAZONE

O-010 SU, EP, EPE

An UV-B adsorbing agent in sunscreen cosmetics of the type creams, lotions, lipsticks, sun oils, etc. Also known as 2,4,6-trianilino-p-(carbo-2-ethylhexyl-1-oxi)-1,3,5-triazine. Trade name is Uvinyl T 150. **CAS** 88122-99-0.

ETHYLPARABEN

E-010 $C_9H_{10}O_3$ 166.17

A preservative used in foods (salad dressings, mayonnaise, spiced sauces, mustard, frozen dairy products, baked products), cosmetics, and pharmaceutical preparations. Also known as Ethyl-4-hydroxybenzoate. **CAS** 120-47-8.

N-Ethyl-N-(2-hydroxyethyl)-2-methyl-1,4-phenylene-diamine sulfate salt

E-011 $C_{11}H_{20}N_2O_5SH_2O$ 310.37 P

A color developer for Kodacolor II film identical to Flexicolor or C-41 process Also known as CD-4. **CAS** 25646-77-9.

ETHYL METHACRYLATE

E-012 $C_6H_{10}O_2$ 114.15 MN, MP

A methacrylic monomer for use in, e.g., artificial nail products, dentures, hearing aids, printing plates, and bone cement. Also known as Ethyl methacrylate and EMA. **CAS** 97-63-2.

N-Ethyl-N-(2-methane-sulfonamidoethyl)-2-methyl-1,4-PPD-sesquisulfate, hydrate, (CD-3)

E-013 $C_{12}H_{21}N_3$ 418.5 P $O_2S:1,5H_2SO_4$

A colour developer for Eastman color negativ film and Ektachrome reversal film. Also known as CD-3. **CAS** 25646-71-3.

Art. No. Formula FW Series 4,4-(2-Ethyl-2-nitro-trimethylene)dimorpholine

Comp. in E-014

 $C_{13}H_{25}N_3O_4$

287.36

Ο

A preservative used in cooling fluids, crude oil, diesel fuel, heating oil, etc. 4,4-(2-Ethyl-2-nitro-trimethylene)dimorpholine is present in Bioban P 1487 (trade name) by 20 %. Bioban P 1487 also contains 4-(2-Nitrobutyl) morpholine. Neither of the substances can be ordered separately. **CAS** 37304-88-4.

N-Ethyl-p-toluenesulfonamide

E-015

 $C_9H_{13}NO_2S$

199.27

DS, DMP

A resin carrier found in dental materials used for isolating cavities below restorations. Plasticizer in PVA lacquers, polyamides, cellulose acetate etc. **CAS** 80-39-7.

EUGENOL

E-016 C₁₀H₁₂O₂

164.21

B, DS, F, DMP, DMS

Used as fragrance in perfumery as substitute for oil of Cloves. Dental analgesic in impression materials and periodontal packings. Used in the production of Vanillin. Also used as insect attractant. May elicit contact urticaria. Cross: MYROXYLON PEREIRAE RESIN, isoeugenol, benzoin, propanidid. CAS 97-53-0.

Evernia furfuracea

E-026

F

This is a chemical extract of the treemoss plant Evernia Furfuracea and oak moss. Used in perfumes, cosmetics, moisturizers, fragrance for men, body powder, sunscreen products, lipsticks, shampoos and soaps among others. **CAS** 94994-93-1.

Evernic acid

E-017

 $C_{17}H_{16}O_{7}$

332.32

PL

An acid present in different lichens. One of the three most common lichen haptens. **Cross: oak moss. PA. CAS** 537-09-7.

...the trusted name in patch testing

 FARNESOL
 F-004
 C₁₅H₂₆O
 222.37
 F

A fragrance used in various perfumed products. FARNESOL is a nature identical ingredient originally found in orange blossoms, rose, jasmin or linden flowers. It inhibits the bacterial activity responsible for unpleasant odors, acne and the athlete's foot, while at the same time not affecting the natural skin flora. Also used as a pesticide. Also known as 3,7,11-trimethyl-2,6,10-Dodecatrien-1-ol-, CAS 4602-84-0.

Fenofibrate

F-006 $C_{20}H_{21}ClO_4$ 360.83 EPE

A drug of the fibrate class, mainly used to reduce cholesterol levels in patients at risk of cardiovascular disease. Like other fibrates, it reduces both low-density lipoprotein (LDL) and very low density lipoprotein (VLDL) levels, as well as increasing high-density lipoprotein (HDL) levels and reducing triglycerides level. **CAS** 49562-28-9.

FERRIC CHLORIDE

I-016 Cl₃Fe 162.2 MET

Also generally known as Iron(III)chloride, is an industrial scale commodity chemical compound. In industrial application used in sewage treatment and drinking water production. It is necessary for the etching of photogravure plates for printing photographic and fine art images in intaglio and for etching rotogravure cylinders used in the printing industry. Also used in veterinary practice. **CAS** 7705-08-0.



Art. No.	Formula	FW	Series		
FORMALDEHYDE					
F-002	CH ₂ O	30.03	S, ICB, DS, H, O, SH, IS		

Used in the production of urea, phenolic melamine and acetale resins. Found in textile products. Used as astringent, disinfectant, preservative in cosmetics, metalworking fluids, shampoos, etc. Other exposure areas include antiperspirant in cosmetics, anticracking agent in dental plastics, anhidrotics, chipboard production, cleaning products, disinfectants and deodorizers, dry-cleaning materials, glues, mineral wool production, paints and coatings, paper industry, phenolic resins and urea plastics in adhesives and footwear, photographic paper and solutions, polishes, printing materials, tanning agents, wart remedies, embalming solutions, fertilizers, wood composites, insulation. Formaldehyde releasers: Bakzid P, Biocide DS 5249, Bronopol, Dantoin MDMH, DMDM HYDANTOIN, Dowicil 200, Germall 115, Germall II, Grotan BK, Hexamethylenetetramine, KM 103, Paraformaldehyde, Parmetol K50, Polyoxymethylene urea, Preventol D1, -D2, -D3. Cross: arylsulfonamide resin, chloroallyl-hexaminium chloride. May produce erythema multiforme like eruptions. PA. PT. May cause airborne contact dermatitis, NICU, CAS 50-00-0.

Framycetin sulphate

F-005 $C_{23}H_{46}N_6O_{13}H_2SO_4$ 712.72 LU, ME

A broad spectrum aminoglycoside antibiotic, is usually bactericidal in action. For local use in the treatment of infections caused by pyogenic organisms, in particular S. aureus, the proteus group of bacteria, coliforms and P. aeruginosa. Cross sensitization may occur among the group of Streptomyces derived antibiotics (neomycin, paromomycin, kanamycin) of which framycetin is a member, but this is not invariable. Also known as Neomycin B, Framycetin, Soframycin. ICU. **CAS** 4146-30-9.

Fusidic acid sodium salt

 $\mbox{F-003} \qquad \qquad \mbox{C}_{31}\mbox{H}_{47}\mbox{NaO}_{6} \qquad \qquad \mbox{538.70} \qquad \qquad \mbox{ICB, ME, LU}$

An antibiotic agent used in the treatment or prevention of cutaneous infections, mainly Staphylococcus aureus. Contact dermatitis often associated with treatment of leg ulcers or atopic dermatitis. **CAS** 751-94-0.

...world leader in patch testing

Art. No. Formula FW Series

G

Gentamicin sulfate

 $\begin{array}{cc} \text{G-006} & \text{C}_{19\text{-}21}\text{H}_{39\text{-}43} \\ & \text{N}_5\text{O}_7\text{-}2.5\text{H}_2\text{SO}_4 \end{array}$

ME

A topical and systemic broad-spectrum antibiotic with bactericidal action. Also used in ophthalmic drugs. **Cross: neomycin sulfate. CAS** 1405-41-0.

GERANIOL

G-001

 $C_{10}H_{18}O$

154.25

F

As fragrance in perfumery. As insect attractant. CAS 106-24-1.

Geranium oil Bourbon

G-002

F

A fragrance used in various perfumes. Used as odorant for tooth and dusting powders, ointments, etc. ${\bf CAS}$ 8000-46-2.

GLUTARAL

G-003

 $C_5H_8O_2$

100.12

ICB, P, SH, DMS

Used in the sterilization of endoscopic instruments, dental and barber equipment. Used as embalming fluid, in electron microscopy. A tanning agent for leather. A hardener for photographic gelatin. A pharmacological agent used for hyperhidrosis and antifungal purposes and for treatment of warts and some bullous diseases as well as herpes infections. Also known as Glutaraldehyde. May cause airborne contact dermatitis. CAS 111-30-8.

GLYCERYL THIOGLYCOLATE

G-004

 $C_5H_{10}SO_4$

166.22

ICB, H

A component in "acid" permanent waving formulations, mainly for use in hairdressing salons. **CAS** 30618-84-9.



Art. No.	Formula	FW	Series		
Gold(I)sodium thiosulfate dihydrate					
G-005	AuNa ₃ (S ₂ O ₃)2.2H ₂ O	526.27	ICB, DS, MET, DMP		

A gold derivative used for screening of contact allergy to dental gold materials. CAS 10233-88-2.



Hexachlorophene

H-001 $C_{13}H_6Cl_6O_2$ 406.91 *

A topical antiseptic in germicidal soaps, creams, deodorants, cleansers, shampoos, after-shave creams, pHisoHex surgical cleanser. **Cross: bithionol, halogenated salicylanilides. PA. CAS**70-30-4.

Hexahydro-1,3,5-tris-(2-hydroxyethyl)triazine

H-002 $C_9H_{21}N_3O_3$ 219.29 C, O

A bactericide used in cooling fluids and various cosmetic products, acting as formaldehyde liberator. Active component in **Grotan BK. CAS** 4719-04-4.

Hexamethylene diisocyanate

 ${\rm H\text{-}022} \qquad \qquad {\rm C_8H_{12}N_2O_2} \qquad \qquad {\rm 168.20} \qquad \qquad {\rm I}$

An isocyanate monomer in polyurethane paints and lacquers. Also known as HDI. **CAS** 822-06-0.

Hexamethylene tetramine

Change of name as of January 2011; please refer to METHENAMINE (Art. No. H-003).

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

...for the diagnosis of contact allergy

Art. No.	Formula	FW	Series	
1,6-Hexanediol diacrylate				
H-004	$C_{12}H_{18}O_4$	226.28	DS, MA, MN, MP, DMP	

A common acrylic monomer in UV-cured inks, adhesives, coatings, photoresists, castings, artificial nails, etc. Also known as HDDA. A monomer in dental composite materials. **CAS** 13048-33-4.

1,6-Hexanediol diglycidylether

H-026 $C_{12}H_{22}O_4$ 230.90 E

Used as a general purpose diluent to reduce viscosity of epoxy resins, favoring improved filler loading and substrate wetting and resulting in faster curing time. End applications include coating, adhesive, casting, laminating, encapsulation or foam. It is also used as a stabilizer for chlorinated vinyl resins and rubber. Also known as 2,2'-(1,6-hexanediylbis(oxymethylene))bis-oxirane. **CAS** 16096-31-4.

Hexyl cinnamic aldehyde

H-025 $C_{15}H_{20}O$ 216.35 F

A fragrance used in various perfumed products. Odor profile: floral, jasmin, waxy. Olfactory description: Similar to α -amyl cinnamic aldehyde but with a finer, more floral and delicate character. Found in acid cleaner liquid, detergent TAED, alcoholic lotion, fabric softener, anti perspirant, bath foam, bleach, hard surface cleaner, deo-stick shampoo, detergent perborate and soap. Also known as α -Hexylcinnamaldehyde. **CAS** 101-86-0.

HOMOSALATE

H-024 $C_{16}H_{22}O_3$ 262.35 SU, EPE

An UV adsorbing agent found in sunscreen cosmetics of the type creams, lotions, lipsticks, sun oils, etc. Found in e.g. Coppertone products. Also known as 3,3,5-trimethylcyclohexyl salicylate. **CAS** 118-56-9.

Hydantoin

H-027 $C_3H_4N_2O_2$ 100.08 CAD

Hydantoin, also known as glycolyurea, is an imidazole analogue. Hydantoin and



Art. No. Formula FW Series

its derivatives are used in the preparation of textile softeners, lubricants, resins, and agrochemicals. They have antibacterial, antifungal, antiprotozoal, and anthelmintic activity. They are used in manufacturing pharmaceuticals especially anticonvulsant drugs such as phenytoin, ethotoin, and methyphenytoin. **CAS** 461-72-3.

Hydrazine sulfate

H-005 $H_6N_2O_4S$ 130.12 O

Used as flux for soldering brass, copper, aluminium, and other metals. Also used as pressure stabilizer in cutting oils. **May cause airborne contact dermatitis. CAS** 10034-93-2.

HYDROABIETYL ALCOHOL

A-002 $C_{20}H_{34}O$ 290.54 C, PG

An organic alcohol derived from wood rosin. Used in adhesives, mascara, inks, sealants, etc. Also used as plasticizer in plastic materials. Also known as Abitol. **CAS** 26266-77-3.

Hydrochlorothiazide

H-029 $C_7H_8CIN_3O_4S_2$ 297.73 CAD

Hydrochlorothiazide, sometimes abbreviated HCT, HCTZ, or HZT is a popular diuretic drug that acts by inhibiting the kidneys' ability to retain water. This reduces the volume of the blood, decreasing blood return to the heart and thus cardiac output and, by other mechanisms, is believed to lower peripheral vascular resistance. Hydrochlorothiazide is sold both as a generic drug and under a large number of brand names, including: Apo-Hydro, Aquazide H, Dichlotride, Hydrodiuril, HydroSaluric, Microzide, Oretic. **CAS** 58-93-5.

Hydrocortisone-17-butyrate

H-021 $C_{25}H_{36}O_6$ 432.62 ICB, IS, CS

Used as a topical corticosteroid with anti inflammatory properties. Marker for topical corticosteroid allergy. **CAS** 13609-67-1

...the trusted name in patch testing

Art. No.	Formula	FW	Series	
HYDROGEN PEROXIDE				
H-006	H_2O_2	34.02	Н	

A component in hair bleaches and a topical antiseptic agent. CAS 7722-84-1.

Hydroperoxides of Limonene

H-032 ICB, F, O

Limonene is found in cosmetics, fine fragrances and hygiene products as well as in household and industrial products. Limonene is one of the most commonly found fragrance ingredients in consumer products presently available. Limonene is a naturally occurring terpene, present in large amounts in various citrus fruits. Limonene autoxidize on air exposure at room temperature forming hydroperoxides. Compared to pure unoxidized limonene the hydroperoxides of oxidized limonene have shown to be far more allergenic. NOTE: The preparation contains oxidized d-limonene. The concentration of the active haptens in the preparation is measured from the total amount of the hydroperoxides of d-limonene.

Hydroperoxides of Linalool

H-031 ICB, F

Linalool is found in fine fragrances, cosmetics, and hygiene products as well as in household and industrial products. Linalool is among the most commonly found fragrance ingredients in consumer products presently available. Linalool is a naturally occurring terpene, present in large amounts in various plants, for example in lavender, rosewood, bergamot and jasmine. Linalool autoxidize on air exposure at room temperature forming hydroperoxides. Compared to pure unoxidized linalool the hydroperoxides of oxidized linalool have shown to be far more allergenic. **NOTE:** The preparation contains oxidized linalool. The concentration of the active haptens in the preparation is measured from the total amount of the hydroperoxides of linalool.

HYDROQUINONE

H-007 $C_6H_6O_2$ 110.11 H, P, PG

A inhibitor in acrylic monomers, used as antioxidant e.g. in animal feed. Also used as photographic reducer and developer. Also known as HQ. Cross: resorcinol. May cause depigmentation. CAS 123-31-9.



Art. No.	Formula	FW	Series		
Hydroquinone monobenzylether					
H-019 $C_{13}H_{12}O_2$ 200.23 SH					

A antidegradant added to rubber products. Used as inhibitor in acrylic resins. **May cause depigmentation. CAS** 103-16-2.

HYDROXYCITRONELLAL

H-008 $C_{10}H_{20}O_2$ 170.25 F

A fragrance used in various perfumes, antiseptics, insecticides and household products. Also known as Hydroxycitronellal. **Cross: citronellal, geranial, methoxycitronellal. May produce hyperpigmentation. CAS** 107-75-5.

2-Hydroxyethyl acrylate

H-009 $C_5H_8O_3$ 116.12 MN, MP

An acrylic monomer used in UV-inks, adhesives, lacquers, artificial nails etc. Also known as HEA. **CAS** 818-61-1.

2-Hydroxyethyl methacrylate

 $C_6H_{10}O_3$

ICB, DS, MA, DMS, DMP, MN, MP

A methacrylic monomer used in UV-inks, adhesives, lacquers, dental materials, artificial nails etc. Also known as HEMA. **CAS** 868-77-9.

130.15

HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE

L-003 C₁₃H₂₂O₂ 210.00 S, ICB, F, IS

A fragrance known for it's soft delicate floral, lily, cyclamen note reminiscent of hydroxycitronellal. Used in producs such as Alcoholic Lotion, Anti Perspirant, Deo Stick, Detergent Perborate, Detergent TAED, Fabric Softener, Hard Surface Cleaner, Shampoo and soap. Stabilized with 0.1% BHT. Also known as 3-cyclohexene-1-carboxaldehyde, 4-(4-hydroxy-4-methylpentyl)-3-cyclohexene-1-carboxaldehyde and Lyral. **CAS** 31906-04-4.

H-010

...world leader in patch testing

Art. No.	Formula	FW	Series	
HYDROXYLAMINE HCL				
H-011	ClH ₄ NO	69.49	P	

A reducing agent used in photography, textiles, chemistry, etc. Found in floor lacquers and as antioxidant for fatty acids and soaps. Also known as Hydroxylammonium chloride. **CAS** 5470-11-1.

HYDROXYLAMINE SULFATE

H-012	$H_8N_2O_6S$	164.15	р
11-012	118112065	104.13	1

Used as reducing agent in photography, textiles, chemistry, etc. Also known as Hydroxylammoniumsulfate. **CAS** 10039-54-0.

2,2-bis(4-(2-Hydroxy-3-methacryloxy-propoxy) phenyl)propane

Change of name as of January 2011; please refer to Bisphenol A glycerolate dimethacrylate (BIS-GMA) (Art. No. H-013).

2-Hydroxy-4-methoxybenzophenone

Change of name as of January 2011; please refer to BENZOPHENONE-3 (Art. No. H-014).

2-Hydroxy-4-methoxy-benzophenone-5-sulfonic acid

Change of name as of January 2011; please refer to BENZOPHENONE-4 (Art. No. H-023).

2-Hydroxy-4-methoxy-4'-methylbenzophenone

Change of name as of January 2011; please refer to BENZOPHENONE-10 (Art. No. H-020).



Art. No. Formula FW Series

2-Hydroxymethyl-2-nitro-1,3-propanediol

Change of name as of January 2011; please refer to TRIS(HYDROXY-METHYL)NITROMETHANE (Art. No. H-015).

2(2-Hydroxy-5-methyl-phenyl)benzotriazol

Change of name as of January 2011; please refer to DROMETRIZOLE. (Art. No. H-016)

Hydroxypropyl acrylate

H-017 C.H.

 $C_6H_{10}O_3$

130.15

MP

An acrylic monomer used in UV inks, lacquers, adhesives, etc Also known as 2-Hydroxy-1-propylacrylate. **CAS** 25584-83-2.

Hydroxypropyl methacrylate

H-018

 $C_7H_{12}O_3$

144.17

MA, MN, MP

A monofunctional methacrylic monomer found in dental composites and sealants, UV-curable resins for inks etc. Also known as HPMA. **CAS** 27813-02-1.

Hydroxyzine hydrochloride

H-028

C₂₁H₂₇ClN₂O₂·2HCl 447.83

CAD

Hydroxyzine is a first-generation antihistamine, of the piperazine class that is an H1 receptor antagonist. It is used primarily as an antihistamine for the treatment of itches and irritations, an antiemetic for the reduction of nausea, as a weak analgesic by itself and as an opioid potentiator, and as an anxiolytic for the treatment of anxiety. The drug is available in two formulations, the pamoate and the dihydrochloride or hydrochloride salts. Vistaril[®], Equipose[®], Masmoran[®], Paxistil[®], and Vistaril Pamoate[®] are preparations of the pamoate salt whilst Atarax[®], Alamon[®], Aterax[®], Durrax[®], Tran-Q[®], Orgatrax[®], Quiess[®], Vistaril Parenteral[®], and Tranquizine[®] are hydroxyzine hydrochloride. **CAS** 2192-20-3.

...for the diagnosis of contact allergy

Art. No. Formula FW Series

| Ibuprofen | I-010 | C₁₃H₁₈O₂ | 206.3 | CAD, EPE

A NSAID originally marketed as Nurofen and since under various trademarks, including Act-3, Advil, Brufen, Dorival, Herron Blue, Panafen, Motrin, Nuprin and Burana, Ipren or Ibumetin, Ibuprom, IbuHEXAL, Ibusal, Fenpaed, Moment, Ibux, Íbúfen, Ibalgin, Bupuren, Neofen, Eve and Advil. It is used for relief of symptoms of arthritis, primary dysmenorrhoea, fever, and as an analgesic, especially where there is an inflammatory component. Ibuprofen has no antiplatelet (blood-thinning) effect. **CAS** 15687-27-1.

IMIDAZOLIDINYL UREA

I-001 $C_{11}H_{16}N_8O_8$ 388.31 ICB, C, H, IS, LU

A preservative used in lotions, creams, hair conditioners, shampoos, deodorants and topical drugs. Works as a formaldehyde releaser. Also known as Germall 115, Imidurea NF, Sept 115, Unicide U-13, Tristat IU and Biopure 100. **CAS** 39236-46-9.

Indium

I-015 In 114.82 MET

Indium is a rare, soft, malleable and easily fusible poor metal. Its current primary application is to form transparent electrodes from indium tin oxide in liquid crystal displays. It is widely used in thin-films to form lubricated layers, it is also used for making particularly low melting point alloys, and is a component in some lead-free solders. It is sometimes present in dental alloys. **CAS** 7440-74-6.

Indium chloride

I-011 Cl_3In 221.18 MET

Indium(III)chloride is a colorless salt and also the most available soluble derivative of indium. Indiclor Indium In-111 Chloride is a diagnostic radiopharmaceutical intended for radiolabeling ProstaScint (capromab



Art. No. Formula FW Series

pendetide) used for in vivo diagnostic imaging procedures and for radiolabeling Zevalin (ibritumomab tiuxetan) in preparations used for radioimmunotherapy procedures. **CAS** 10025-82-8.

Indium(III)sulfate

I-013 $In_2(SO_4)_3$ 517.83 MET

Indium sulfate is readily soluble in water for uses such as in water treatment. Indium sulfate is being marketed as a miracle dietary supplement and is falsely advertised as a dietary aid as an enhancer of food and mineral absorption, an anti-aging supplement, a blood pressure lowering supplement. **CAS** 13464-82-9.

IODOPROPYNYL BUTYLCARBAMATE

I-008 $C_8H_{12}INO_2$ 281.09 ICB, C, O

A compound used as fungicide and bactericide for wood and paint preservation and in cooling fluids. Now also permitted and used as a cosmetics preservative in products such as shampoos, lotions, creams, powders and baby products. Also known as Troysan KK-108a. Trade name is GlycasilTM. **CAS** 55406-53-6.

Iridium

I-014 Ir 192.22 MET

Iridium is a dense, very hard, brittle, silvery-white transition metal of the platinum family. Iridium is notable for being the most corrosion-resistant element known. It is used in high-temperature apparatus, electrical contacts, but the principal use of iridium is as a hardening agent in platinum alloys. Other uses: Crucibles and devices that require high temperatures. Electrical contacts (notable example: Pt-Ir spark plugs). Used in high-dose-radiation therapy for the treatment of prostate and other forms of cancer.

CAS 7439-88-5.

Iridium(III)chloride trihydrate

I-012 Cl₃Ir3H₂O 352.62 MET

Iridium(III)chloride trihydrate is the principal starting material for most

...the trusted name in patch testing

Art. No. Formula FW Series

iridium chemistry. Among other uses it is used in the production of hydrogen peroxide. **CAS** 13569-57-8.

Iron chloride

Change of name as of January 2011; please refer to FERRIC CHLORIDE (Art. No. I-016).

ISOAMYL p-METHOXYCINNAMATE

I-009

 $C_{15}H_{20}O_3$

248.40

ICB, SU, EP, EPE

A UV-B adsorbing agent in sunscreen cosmetics of the type creams, lotions, lipsticks, sun oils, waterproof sunscreens products etc. Trade name is Neo Heliopan E1000. **CAS** 71617-10-2.

ISOEUGENOL

I-002

 $C_{10}H_{12}O_2$

164.21

B, F

A fragrance used in perfumery, over-the-counter medicines, dental materials and foods. Also used in the production of Vanillin flavor. Found in oils of nutmeg, ylang-ylang etc. **Cross: EUGENOL. CAS** 97-54-1.

α-Isomethyl ionone

I-017

 $\mathrm{C}_{14}\mathrm{H}_{22}\mathrm{O}$

206.32

F

α-Isomethyl ionone is used in many floral fragrances, particularly violet. Blends with and supports woody, leathery and oriental accords. **CAS** 127-51-5.

Isophorone diamine

I-006

 $C_{10}H_{22}N_{2}$

170.29

E, I

A common hardener for epoxy resins. Also a degradation product from Isophorone diisocyanate. Also known as IPD. **CAS** 2855-13-2.



Art. No.	Formula	FW	Series		
Isophorone diisocyanate					
I-007	${\rm C_{12}H_{18}N_2O_2}$	170.29	I		

Used in the manufacture of polyurethane plastics and lacquers. Also known as IPDI. **Cross: Isophorone diamine. CAS** 4098-71-9.

ISOPROPYL MYRISTATE

I-003	$C_{17}H_{34}O_2$	270.44	ICB, C
-------	-------------------	--------	--------

An emollient found in cosmetic and pharmaceutical bases. Has solvent properties. **CAS** 110-27-0.

N-Isopropyl-N-phenyl-4-phenylenediamine

 $\text{I-004} \qquad \qquad \text{C}_{15} \text{H}_{18} \text{N}_2 \qquad \qquad \text{226.32} \qquad \qquad \text{S, ICB, IS, R, SH}$

An antidegradant in natural rubber, styrene-butadiene, nitrile-butadiene, butadiene and chloroprene rubber. Also known as IPPD. **CAS** 101-72-4

J

Jasmine synthetic

J-001 F

Synthetic jasmine for use as fragrance in perfumery. Cross: benzylsalicylate.

Jasmine absolute

J-002 F

Natural jasmine for use as fragrance in perfumery. **Cross: benzylsalicylate. May produce hyperpigmentation.**

Juniper tar

Change of name as of January 2011; please refer to JUNIPERUS OXYCEDRUS EXTRACT (Art. No. J-003).

...world leader in patch testing

Art. No. Formula FW Series

JUNIPERUS OXYCEDRUS EXTRACT

I-003 V

Tar obtained from distillation of Juniperus oxycedrus for use in, e.g., eczema and psoriatic medications and perfumes. Also known as Juniper tar. **CAS** 90046-02-9.



Kanamycin sulfate

K-001 $C_{18}H_{36-37}N_{4-5}O_{10-11}\cdot H_2SO_4$ ME

An antibacterial agent similar to neomycin. Cross: neomycin, streptomycin, gentamicin sulfate, dihydrostreptomycin. CAS 70560-51-9.

Ketoprofen

K-002B $C_{16}H_{14}O_3$ 254.28 CAD, EP, EPE

Ketoprofen, (RS)2-(3-benzoylphenyl)-propionic acid, is one of the propionic acid NSAIDs with analgesic and antipyretic effects. **CAS** 22071-15-4.

LANOLIN ALCOHOL

W-001 S, IS

Different types of alcohols (aliphatic, steroid, triterpenoid) present in wool fat (lanolin). Used as ointment base in cosmetic and pharmaceutical products. Also known as Wool alcohols. **Cross: eucerin, lanette wax. CAS** 8027-33-6.

Lauryl glycoside

Change of name as of January 2012; please refer to LAURYL POLYGLUCOSE (Art. No. L-004).



Art. No. Formula FW Series

LAURYL POLYGLUCOSE

L-004 C, H

A C_{10} – C_{16} non-ionic surfactant with good dermatological compatibility and viscosity enhancing effects. Therefore it is suitable for use as an additive or a cosurfactant in cosmetic surfactant cleansing preparations in e.g. shampoos. Also known as Lauryl glycoside, PLANTACARE 1200 and D-Glucopyranoside. **CAS** 110615-47-9.

LAVANDULA ANGUSTIFOLIA OIL

L-001 F

A fragrance used in various perfumes. Also used as flavor and carminative. Also known as Lavender absolute. **Cross: Geranial. CAS** 110615-47-9.

Lavender absolute

Change of name as of January 2015; please refer to LAVANDULA ANGUSTIFOLIA OIL (Art. No. L-001).

Lead(II)acetate trihydrate

L-007 Pb(C₂H₃O₂)₂·3H₂O 379.33 MET

A white crystalline substance used as a reagent to make other lead compounds and as a fixative for some dyes. In low concentrations, it is the principal active ingredient in progressive types of hair coloring dyes. Lead(II)acetate is also used as a mordant in textile printing and dyeing, as a drier in paints and varnishes. CAS 6080-56-4.

Lead(II)chloride

L-008 PbCl₂ 278.10 MET

Occurs naturally in the form of the mineral cotunnite. It is used in production of infrared transmitting glass and of ornamental glass called aurene glass. A basic chloride of lead, PbCl₂Pb(OH)₂ is known as Patteson's white lead and is used as pigment in white paint. **CAS** 7758-95-4.

...for the diagnosis of contact allergy

Art. No.	Formula	FW	Series
Lidocaine			
L-002	$C_{14}H_{22}N_2O$	234.33	ICB, ME, V

Used as a local anesthetic and as antiarrhythmic agent. CAS 137-58-6.

d-Limonene

L-006	СН	136.24	F
L-000	$C_{10}H_{16}$	130.24	1.

Limonene is a hydrocarbon, classified as a cyclic terpene. It is a colourless liquid at room temperatures with an extremely strong smell of oranges. It takes its name from the lemon, as the rind of the lemon, like other citrus fruits, contains considerable amounts of this chemical compound, which is responsible for much of their smell. Limonene is a chiral molecule, and as is common with such forms, biological sources produce one enantiomer: the principal industrial source, citrus fruit, contains d-limonene ((+)-limonene), which is the R-enantiomer. Racemic limonene is known as dipentene. CAS 5989-27-5.

LINALOOL

L-005	$C_{10}H_{18}O$	154.25	F	
-------	-----------------	--------	---	--

Linalool is a naturally-occurring terpene alcohol chemical found in many flowers and spice plants with many commercial applications, the majority of which are based on its pleasant scent (floral, with a touch of spiciness). It is a main constituent of oils of rosewood, Ho, lavender, lavandin, clary sage, bergamot, petitgrain; minor of neroli, tangerine and jasmine. It has other names such as Linalool synthetic, β-linalool, linalyl alcohol, linaloyl oxide, p-linalool, allo-ocimenol, 2,6-dimethyl-2,7-octadien-6-ol and linalool synthetic. **CAS** 78-70-6.

Lyral

Change of name as of January 2015; please refer to HYDROXYISOHEXYL 3-CYCLOHEXENE CARBOXALDEHYDE (Art. No. L-003).



Art. No. Formula FW Series

M

Majanthole

M-033 $C_{12}H_{18}O$ 178.27 F

Majantol has a fresh and intensely floral note. The recommended use level of this colorless liquid-to-crystalline product is 5–20%. This ingredient can be used in lily of valley and fruity floral fragrances for detergent powder, fabric softener and soap applications. Also known as 2,2-dimethyl-3-(3-pethylphenyl) propan-1-ol. **CAS** 103694-68-4.

MANGANESE CHLORIDE

M-031 Cl₂Mn 125.84 MET

MANGANESE CHLORIDE describes a series of compounds with the formula MnCl₂(H₂O)x, where the value of x can be 0, 2, or 4. Many Mn(II) salts are pink. MANGANESE CHLORIDE is used as a catalyst in the chlorination of organic compounds, in animal feed, and in dry-cell batteries. Metallic manganese is used primarily in steel production to improve hardness, stiffness, and strength. It is also used in carbon steel, stainless steel, and high-temperature steel, along with cast iron and superalloys. **CAS** 7773-01-5.

Melamine formaldehyde

M-001 $C_6H_{12}N_6O_3$ 216.20 TF

A textile resin of formaldehyde releasing type for the treatment of draperies, collars, apparel, etc. Also known as Kaurit M70.

MENTHA PIPERITA OIL

P-036 $C_6H_{12}N_6O_3$ 216.20 TF

True peppermint oil is steam distilled from the partially dried herb of Mentha Piperita which is a hybrid from three other species of Mentha, all natives of southern Europe. Uses include antiemetic agent, Autonomic agent,

...the trusted name in patch testing

Art. No. Formula FW Series

central nervous system agent, gastrointestinal agent, parasympatholytic agent, Pharmaceutic aid, Flavor and Fragrance agent, Essential Oil. Also known as Mentha piperita oil, Mentha x piperita L, Peppermint oil, Peppermint terpenes and Pfefferming oel. **CAS** 8006-90-4

MENTHOL

M-002 $C_{10}H_{20}O$ 156.26 B

Found in confectionery, perfumery, cough drops, cigarettes, liqueurs, etc. Also used as a topical antipruritic, local anesthetic, gastric sedative. Also known as menthol. ICU. CAS 89-78-1.

2-Mercaptobenzothiazole

S, ICB, O, R, SH, M-003 $C_7H_5NS_2$ 167.25 IS

An accelerator, retarder, and peptizer for natural and other rubber products such as shoes, gloves, rubber in undergarments and clothing, condoms and diaphragms, medical devices, toys, tires and tubes, renal dialysis equipment, swimwear. Can also be uesed as a fungicide and works as a corrosion inhibitor in soluble cutting oils and antifreeze mixtures. Also used in greases, adhesives, photographic film emulsions, detergents, veterinary products such as tick and flea powders and sprays. Also known as MBT. **CAS** 149-30-4.

Mercury(II)chloride

M-004 $HgCl_2$ 271.50 MET

Used in tanning leather and an intensifier in photography. Can also be used a topical antiseptic and disinfectant. **Cross: other mercurials. CAS** 7487-94-7.

Mercury

			DS, DMP, DMS,
M-005	Hg	200.59	MET

Is a chemical reagent and can be found in thermometers and dental amalgams. But also in pharmaceuticals, antifouling paints, agricultural chemicals. **May cause airborne contact dermatitis. CAS** 7439-97-6.

DC DAID DAG



Art. No.	Formula	FW	Series
Mercury(II)an	nidochloride		
M-022	${\rm Cl_4H_8HgN_2}$	378.52	MET

Inorganic mercurial compound used in creams as a topical antiinfective agent (formerly used in the treatment of psoriasis and in skin-lightening formulations). May cause pigmentation and depigmentation. CAS 10124-48-8.

Mercury ammonium chloride

Change of name as of January 2014; please refer to Mercury(II)amidochloride (Art. No. M-022).

2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)propane

M-006 $C_{27}H_{32}O_6$ 452.55 MP, DMP

A methacrylic monomer based on bisphenol A. Used in dental restorative composite materials and as a reactive monomer in adhesive products. Also known as BIS-EMA, **CAS** 24448-20-2.

2,2-bis(4-Methacryloxy)phenylpropane

Change of name as of January 2011; please refer to Bisphenol A dimethacrylate (BIS-MA) (Art. No. M-007)

METHENAMINE

H-003 $C_6H_{12}N_4$ 140.19 C, E, R

Used as an urinary antiseptic agent but also as a rubber accelerator and formaldehyde liberator. Used in the production of phenol-formaldehyde resins and can be found as a preservative in cosmetic products. Other uses inclue epoxy curing agent and corrosion inhibitor for steel. Also known as Hexamine and Hexamethylenetetramine. **May cause airborne contact dermatitis. CAS** 100-97-0.

2-Methoxy-6-n-pentyl-4-benzoquinone

M-008 $C_{12}H_{16}O_3$ 208.26 S

The primary hapten of the plant Primula Obconica found in glandular hairs on

...world leader in patch testing

Art. No. Formula FW Series

the leaves and the stem. Also known as Primin. May cause airborne contact dermatitis from contact with Primula, CAS 15121-94-5.

p-METHYLAMINOPHENOL SULFATE

M-009

C₁₄H₂₀N₂O₆S

344.39

Р

A black & white photographic developer and pigment in hair dyes. Also known as Metol. May induce lichen planus. Cross: Para group of compounds. CAS 55-55-0.

METHYL ANTHRANILATE

M-028

151.16

F

Used in a wide variety of fragrances and flavors. Used as perfume in ointments and in the manufacture of synthetic perfumes; flavorings. Odor Description: orange-flower, fruity, grape-like odor. Some perfumery uses: cherry, banana, strawberry, blueberry, grape. Natural occurrences: grape, concord. Also known as Methyl anthranilate. **CAS** 134-20-3.

4-METHYLBENZYLIDENE CAMPHOR

M-024

 $\mathrm{C_{18}H_{22}O}$

254.37

SU, EP, EPE

A UV-B absorbing agent in sunscreen cosmetics of the type creams, lotions, lipsticks, sun oils, etc. Also known as Eusolex 6300. **CAS** 36861-47-9.

6-METHYL COUMARIN

M-010

 $\mathrm{C_{10}H_8O_2}$

160.17

V

A Synthetic fragrance found in cosmetics, toiletries and soaps. Cross (photo): 7-methylcoumarin, COUMARIN, 7-methoxycoumarin. PA. CAS 92-48-8.

METHYLDIBROMO GLUTARONITRILE

D-049

 $C_6H_6Br_2N_2$

265.94

S, ICB, C, O, IS

A preservative for metalworking fluids, cosmetics, adhesives, latex emulsions and paints, dispersed pigments and detergents. Active ingredient in Euxyl K 400 and Tektamer 38. Also known as 1,2-Dibromo-2,4-dicyanobutane and MDBGN. **CAS** 35691-65-7.



Art. No.	Formula	FW	Series		
N,N-Methylene-bisacrylamide					
M-023	$C_7H_{10}N_2O_2$	154.17	MP		

An acrylamide compound cross-reacting with unidentified primary sensitizers in NAPP and Nyloprint UV-cured printing plates. **CAS** 110-26-9.

Methylene bis-benzotriazolyl tetramethylbutylphenol (containing DECYL GLUCOSIDE)

M-032 $C_{41}H_{50}N_6O_2$ 658.86 V

An UV absorbing agent added to sunscreens as a UV-A and UV-B filter. Hapten produced from Tinosorb M, a product made by BASF. Contains DECYL GLUCOSIDE. It is a sunscreen that combine the benefits of an organic and an inorganic filter. Methylene bis-benzotriazolyl tetramethylbutylphenol can be incorporated in sunscreens, but also in day care products as well as skin lightening products. **CAS** 103597-45-1.

Methylene bis-benzotriazolyl tetramethylbutylphenol

M-037 $C_{44}H_{50}N_6O_2$ 658.86 SU, EP, EPE

UV absorbing agent present in sunscreens as a UV-A and UV-B filter. Main component in Tinosorb M (see M-032). This hapten does not contain DECYL GLUCOSIDE. **CAS** 103597-45-1

α-Methylene-γ-butyrolactone

M-026 $C_5H_6O_2$ 98.10 PL

Tulipaline A, hapten in the Liliaceae family of plants to which species such as Tulip, Alstromeria Erythronium dens canis & americanum belong. **CAS** 547-65-9.

Methylhydroquinone

M-025 $C_7H_8O_2$ 124.14 DS

A stabilizer and antioxidant in acrylic monomers to prevent polymerization. **CAS** 95-71-6.

...for the diagnosis of contact allergy

Art. No.	Formula	FW	Series
METHYLISO [*]	THIAZOLINONE		
M-035	C ₄ H ₅ NOS	115.15	S, ICB, C, IS, V

A component in Kathon CG which is used as preservative for use in cosmetics, shampoos, cooling fluids, detergents etc. Also present as a component in Art. No. C-009 (see this compound for further information). **CAS** 2682-20-4.

METHYLISOTHIAZOLINONE + METHYLCHLOROISOTHIAZOLINONE

C-009 C_4H_4CINOS 149.60 S, ICB, C, H, O, SH, IS

Methylchloro isothiazolinone, component in biocides, for use as a preservative in oil and cooling fluids, soaps, latex emulsions, slime control in paper mills, jet fuels, milk sampling, radiography, printing inks, moist toilet paper, detergents, shampoos, hair conditioners, hair & body gels, bubble baths, skin creams & lotions, mascaras, etc. The following biocides contain METHYLISOTHIAZOLINONE + METHYLCHLOROISOTHIAZOLINONE: Acticide, Algucid CH 50, Amerstat 250, Euxyl K 100, Fennosan IT 21, GR 856 Izolin, Grotan TK2, Kathon CG, Kathon 886MW, Kathon LX, Kathon WT, Mergal K7, Metatin GT, Mitco CC 31 L, Mitco CC 32 L, Special Mx 323, Parmetol DF 35, -DF 12, -A23,-K50,-K40,-DF 18, P3 Multan D, Piror P109. May cause airborne contact dermatitis. Also known as ProClin 150. METHYLISOTHIAZOLINONE is also available separately as Art. No. M-035. CAS 55965-84-9.

Methyl methacrylate

			ICB, DS, MA, MP,
M-013	$C_5H_8O_2$	100.12	DMP, DMS,

A methacrylic monomer in plastics for dentures, bone cement, artificial nails, hearing aids etc. Also known as MMA. **CAS** 80-62-6.

Methyl-2-octynoate

M-034	$C_9H_{14}O_2$	154.21	F	
-------	----------------	--------	---	--

Methyl-2-octynoate is one of many ingredients in fragrances. It's end applications include soap, detergents, beauty care products, household products. **CAS** 111-12-6.



Art. No.	Formula	FW	Series		
N-Methylolchloroacetamide					
M-014	$C_3H_6CINO_2$	123.54	О		

A preservative in cooling fluids and cosmetics. Also known as Grotan HD II and Parmetol K 50. May cause airborne contact dermatitis.

METHYLPARABEN

M-012 $C_8H_8O_3$ 152.15 V

A preservative in foods (salad dressings, mayonnaise, spiced sauces, mustard, frozen dairy products, baked products), cosmetics and pharmaceutical preparations. Also known as Methyl-4-hydroxybenzoate and Nipagin. Cross: other parabens, hydroquinonemonobenzylether, para group of compounds. ICU. NICU. CAS 99-76-3.

Methylprednisolone aceponate

M-036 $C_{27}H_{36}O_{7}$ 472.58 *

A topical corticosteroid used for treating eczema and psoriasis, it suppresses inflammatory and allergic skin reactions and thus relaxes symptoms originating from the skin problem like redness (erythema), thickening of the skin, coarseness of the skin surface, fluid build-up (edema), itchiness, and other complaints (burning sensation or pain. Due to its high lipophilicity and the fact that it is bioactivated in the skin, enables single daily application without any loss of efficacy. Also known as Advantan. **CAS** 86401-95-8

Miconazole

M-027 $C_{18}H_{14}Cl_4N_2O$ 416.12 ME

An antifungal agent of the imidazole type which is used in topical and vaginal preparations to prevent growth of dermatophytes, yeast and molds. **Cross:** econazole, enilconazole. **CAS** 22916-47-8.

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

...the trusted name in patch testing

Art. No.	Formula	FW	Series			
Minocycline hydrochloride						
M-029	$\mathrm{C}_{23}\mathrm{H}_{27}\mathrm{N}_3\mathrm{O}_7\mathrm{:}\mathrm{HCl}$	493.94	CAD			

Minocycline hydrochloride, also known as minocycline, is a member of the broad spectrum tetracycline antibiotics, and has a broader spectrum than the other members. It is a bacteriostatic antibiotic. **CAS** 13614-98-7.

Molybdenum

M-030	Mo	95.94	MET

Has the sixth highest melting point of any element, and for this reason it is often used in high-strength steel alloys. Molybdenum is found in trace amounts in plants and animals, although excess molybdenum can be toxic in some animals. The ability of molybdenum to withstand extreme temperatures without significantly expanding or softening make it useful in applications that involve intense heat, including aircraft parts, electrical contacts, industrial motors, and filaments. Molybdenum is also used in alloys, such as dental alloys for its high corrosion resistance and weldability. Most high-strength steel alloys are 0.25% to 8% molybdenum. **CAS** 7439-98-7.

2-Monomethylol phenol

M-015	$C_7H_8O_2$	124.14	PG	
-------	-------------	--------	----	--

An intermediate in the production of phenol formaldehyde resins which may remain after condensation of the resin. Sensitizer in phenol formaldehyde resins. Also used in local anesthetic. Also known as Saligenin. **CAS** 90-01-7.

2-(4-Morpholinylmercapto)benzothiazol (MOR)

M-016 $C_{11}H_{12}N_2OS_2$ 252.47 R

An accelerator for natural rubber, isoprene butadiene, styrene-butadiene, nitrilebutadiene rubber products. **CAS** 102-77-2.

MUSK KETONE

M-018	$C_{14}H_{18}N_2O_5$	294.30	F	
-------	----------------------	--------	---	--

A synthetic nitro musk compound used as fragrance and fixative in after shave lotions, perfumes etc. **CAS** 81-14-1.



Art. No.	Formula	FW	Series		
Musk moskene					
M-019	$C_{14}H_{18}N_2O_4$	280.33	F		

A synthetic nitro musk compound used as fragrance and fixative in after shave lotions, perfumes etc. **CAS** 116-66-5.

Musk xylene

M-021	$C_{12}H_{15}N_3O_6$	297.45	F
101 021	012111511306	277.13	-

A synthetic nitro musk compound used as fragrance and fixative in after shave lotions, perfumes etc. The musk compound of choice for soap and detergent fragrances. **Cross (photo): musk ambrette. PA. CAS** 81-15-2.

MYROXYLON BALSAMUM RESIN

B-025 V

Resinous material from Myroxylon samum used as perfume fixative, in soap perfumery. Used as vehicle for cough mixtures, expectorant, antiseptic. Also known as Balsam Tolu. Cross: MYROXYLON PEREIRAE RESIN, benzylbenzoate. CAS 9000-64-0.

MYROXYLON PEREIRAE RESIN

S, ICB, DMP, H, B-001 IS

Found as flavor in tobacco, drinks, pastries, cakes, wines, liquors, spices etc. Used as a fixative and fragrance in perfumery. Alos used in topical medicaments, dentistry, etc. Consists of esters of cinnamic and BENZOIC ACID, Vanillin, styracine. Also known as Balsam Peru, Indian balsam, China oil, Black balsam, Honduras balsam and Surinam balsam. Cross: COLOPHONIUM, MYROXYLON BALSAMUM RESIN, cinnamates, benzoates, styrax, benzoin, tiger balm, beeswax, benzaldehyde, benzylsalicylate, coniferyl alcohol, COUMARIN, EUGENOL, Isoeugenol, FARNESOL, propanidid, PROPOLIS, diethylstilbestrol. May produce erythemamultiforme like eruptions. PT. NICU.

...world leader in patch testing

Art. No. Formula FW Series

N

Narcissus Poeticus

N-006 F

A fragrance used in various perfumed products. Also known as Narcissus absolute. CAS 90064-26-9.

Neomycin sulfate

N-001 $C_{23}H_{46}N_6O_{13}\cdot H_2SO_4$ 712.72 S, ICB, IS

A broad-spectrum antibiotic found in topical creams, powders, ointments, eye and ear drops. Also used as systemic antibiotic and growth promotor in veterinary use. Cross: streptomycin, gentamycin, framycetin, dihydrostreptomycin, kanamycin, spectinomycin, tobramycin, paromomycin, butirosin, bacitracin. UCU. CAS 1405-10-3.

Nickel(II)sulfate hexahydrate

S, ICB, IS, DS, N-002 NiO₄S·6H₂O 262.86 H, SH,DMP

Nickel metal: a common hapten present in various alloys, electroplated metal, earrings, watches, buttons, zippers, rings, utensils, tools, instruments, batteries, machinery parts, working solutions of metal cutting fluids, nickel plating for alloys, coins, pigments, dentures, orthopedic plates, keys, scissors, razors, spectacle frames, kitchenware etc. May produce erythema multiforme like eruptions. May cause airborne contact dermatitis. ICU. CAS 10101-97-0.

4-(2-Nitrobutyl)morpholine

Comp. in E-014 $C_8H_{16}N_2O_3$ 188.23 O

A preservative used in cooling fluids, crude oil, diesel fuel, heating oil etc. 4-(2-Nitrobutyl)morpholine is present in Bioban P 1487 by 70%. Bioban P 1487 also contains 4,4-(2-Ethyl-2-nitrotrimethylene)dimorpholine. Neither of the substances can be ordered separately. **CAS** 2224-44-4.



Art. No.	Formula	FW	Series	
Nitrofurazone				
N-005	$\mathrm{C_6H_6N_4O_4}$	198.14	ME, LU	

A topical antibiotic used in human and veterinary medicine and is sometimes also added to animal feeds. Also known as Furacin. **May cause airborne contact dermatitis, CAS** 59-87-0.

2-NITRO-p-PHENYLENE-DIAMINE

N-004 $C_6H_7N_3O_2$ 153.14 H

A dye present in different hair dyeing preparations. These are of the semipermanent type and do not require the use of HYDROGEN PEROXIDE. Also known as 2-Nitro-4-phenylenediamine. **CAS** 5307-14-2.

Norfloxacin

N-007 $C_{16}H_{18}FN_3O_3$ 319.33 CAD

An oral broad-spectrum fluoroquinolone antibacterial agent used in the treatment of urinary tract infections. The mechanism of action of norfloxacin involves inhibition of the A subunit of bacterial DNA gyrase, an enzyme which is essential for DNA replication. Also known as 1-ethyl-6-fluoro-4-oxo-7-piperazin-1-yl-1H-quinoline-3-carboxylic acid. **CAS** 70458-96-7.



Oakmoss absolute

O-001 F

An extract of oak moss for use as fragrance in many perfume mixtures, after-shave lotions etc. Extract made mainly from Evernia prunastri (oak moss) and Pseudevernia furfuracea. Also known as tree moss. Contains atranorin, evernic acid and usnic acid. **NOTE:** The preparation is based on the raw material of oakmoss absolute that has not been subject to chemical reduction of atranol and chloroatranol. PA. CAS 90028-68-5.

...for the diagnosis of contact allergy

Art. No.	Formula	FW	Series	
OCTOCRYLENE				
O-009	$C_{24}H_{27}NO_2$	361.48	SU, SF, EP, EPE	

An UV-B adsorbing agent in sunscreen cosmetics of the type creams, lotions, lipsticks, sun oils, etc. Also known as 2-ethylhexyl 2-cyano-3,3-diphenylacrylate. Trade name is Eusolex OCR. **CAS** 6197-30-4.

Octyltriazone

Change of name as of January 2011; please refer to ETHYLHEXYL TRIAZONE (Art. No. O-010).

Octyl gallate

O-002 $C_{15}H_{22}O_5$ 282.34 B, C

An antioxidant for use in cosmetic and pharmaceutical products and in food products such as margarine and peanut butter. **May cause airborne contact dermatitis. CAS** 1034-01-1.

Octyl salicylate

Change of name as of March 2013; please refer to ETHYLHEXYL SALICYLATE (Art. No. O-007).

2-n-Octyl-4-isothiazolin-3-one

 $C_{11}H_{19}NOS$ 213.34 ICB, O, PG, SH

A fungicide used in paints, cutting oils, wallpaper adhesives, etc. Also used for the preservation of leather. Also known as Skane M-8, Kathon 893. **CAS** 26530-20-1.

Olaquindox

O-008 $C_{12}H_{13}N_3O_4$ 263.25 V, EPE

A widespread growth promotor in pig breeding acting as a chemotherapeutic agent prophylactically used to lower the frequency of bacterial enteritis in pigs. Also known as N-(2-Hydroxyethyl)-3-methyl-2-quinoxalinecarboxamide-1,4-



Art. No. Formula FW Series

dioxide and Bayo-n-ox. May casue airborne photodermatitis. PA. PL. PT. CAS 23696-28-8.

OLEAMIDOPROPYL DIMETHYLAMINE

O-005

C23H46N2O

366.25

C, O

A cationic emulsifier used in cosmetics such as body lotions, creams, shampoos, hair rinse preparations, etc. **CAS** 109-28-4.

Oligotriacrylate (OTA 480)

O - 003

480

MP

A multifunctional acrylic monomer used in lithographic inks, overprinting varnishes, coatings on wood, paper, etc. cured by UV-light. **CAS** 52408-84-1.

OLEA EUROPAEA OIL

O - 006

V

Used as food in salads, with sardines, etc. Used as emollient and for treatment of leg ulcers. Also used in the manufacturing of soaps, textile lubricants, cosmetics, and pharmaceutical products. Also known as olive oil. **CAS** 8001-25-0.



PARA

A-006

C₇H₇NO₂

137.14

SU, EP, EPE

A sun screening agent in cosmetics, moisturizers, shampoos, hair care products, nail polish, lipstick, lip balms, oral vitamin supplements. Used in the production of local anesthetics, folic acid and azo dyes. Also known as 4-Aminobenzoic acid. Cross: para group of compounds. PA. CAS 150-13-0.

...the trusted name in patch testing

Art. No.	Formula	FW	Series	
Palladium(II)chloride				
P-001	PdCl_2	177.31	DS, DMP, MET	

A chemical catalyst. Can be found in jewelry, dental alloys and electroplating parts of clocks and watches. **CAS** 7647-10-1.

Parthenolide

P-029 $C_{15}H_{20}O_3$ 248.32 PL

Sesquiterpene lactone found in Feverfew (Chrysanthemum Parthenium) which is a Compositae plant growing throughout Europe and in southern USA near homes, on roadsides and in uncultivated places. It is also found in several other Compositae plants and Magnoliaceae. **CAS** 20554-84-1.

Penicillin G, potassium salt

P-031 $C_{16}H_{17}N_2O_4KS$ 372.48 CAD

Is the gold standard of penicillin and is typically given by a parenteral route of administration (not orally) because it is unstable in the hydrochloric acid of the stomach. Because the drug is given parenterally, higher tissue concentrations of penicillin G can be achieved than is possible with phenoxymethylpenicillin. These higher concentrations translate to increased antibacterial activity. **CAS** 113-98-4

Pentaerythritol triacrylate

 $C_{14}H_{18}O_{7}$ 298.30 MP

A trifunctional cross-linking acrylic monomer for use in adhesives, coatings, inks, photoresists, castings, etc. cured by UV radiation. **CAS** 3524-68-3.

Peppermint oil

Change of name as of March 2013; please refer to MENTHA PIPERITA OIL (Art. No. P-036).



A white petrolatum which is a purified mixture of semisolid hydrocarbons. As ointment base in cosmetics. Leather grease and shoe polish component. Supplier of Chemotechniques petrolatum is Penreco. **May cause hyperpigmentation. CAS** 8009-03-8.

Phenidone

Change of name as of January 2011; please refer to 1-Phenyl-3-pyrazolidinone (Art. No. P-004).

Phenol formaldehyde resin (PFR2)

P-005 PG

A resin based on phenol and formaldehyde which contain methylol phenols. Used in binders, adhesives, laminates, impregnation products, surface coatings, casting sand, etc. Simultaneous contact allergic reactions to MYROXYLON PEREIRAE RESIN and COLOPHONIUM over represented. May cause airborne contact dermatitis.

PHENOXYETHANOL

P-025 $C_8H_{10}O_2$ 138.16 C

A fixative for perfumes, used as bactericide in conjunction with METHYLDIBROMO GLUTARONITRILE (Euxyl K 400) as well as quaternary ammonium compounds. Also used as insect repellent and topical antiseptic. **CAS** 122-99-6.

1-Phenyl-3-pyrazolidinone

P-004 $C_9H_{10}N_2O$ 162.19 P

A black & white developer in photography. Also known as Phenidone. **CAS** 92-43-3

...world leader in patch testing

Art. No. Formula FW Series PHENYLBENZIMIDAZOLE SULFONIC ACID P-024 $C_{13}H_{10}N_2O_3S$ 274.30 SU, EPE

A sun-screening agent for use in various sunscreen products. Trade names: Eusolex 232 and Novantisol. Also known as 2-Phenylbenzimidazol-5-sulfonic acid. **CAS** 27503-81-7.

p-PHENYLENEDIAMINE (PPD)

P-006 $C_6H_8N_2$ 108.14 S, ICB, IS, H, SH

The primary intermediate in permanent hair dyes and fur dyes (valid for p-PHENYLENEDIAMINE (PPD)). Also used in photographic developers, lithography, photocopying, oils, greases, gasoline and as antioxidant/accelerator in the rubber and plastic industry. The hydrochloride is used as blood reagent. Cross: parabens, PABA, para compounds. May produce erythema multiforme like eruptions. May cause airborne contact dermatitis. PA. UCU. CAS 106-50-3.

p-PHENYLENEDIAMINE HCI

P-028 $C_6H_4(NH_2)_2$:2HCl 181.07 V

The hydrochloride is used as blood reagent. The chemical is a known photosensitizer (allergic). Also known as 4-Phenylenediamine dihydrochloride. May elicit contact urticaria. Cross: parabens, PABA, para compounds. May produce erythema multiforme like eruptions. May cause airborne contact dermatitis. PA. UCU. CAS 624-18-0.

2-Phenyl glycidyl ether

P-023 $C_0H_{10}O_2$ 150.18 E

A reactive diluent in epoxy resin systems. Forms chemical bonds with the resin during cure and accelerates the curing process. **CAS** 122-60-1.

2-Phenylindole

P-007 $C_{14}H_{11}N$ 193.25 PG

A stabilizer in PVC-plastic products. Also known as α -phenylindole. **CAS** 948-65-2.



FW

Series

PHENYL MERCURIC ACETATE
P-008 C_oH_oHgO₂ 336.74 C, LU, MET

Used as herbicide and fungicide. As preservative in antibiotic eye drops, eye cosmetics, shampoos, etc. Also known as Advacide PMA 18, Cosan PMA, Mergal A25, Metasol 30, Nildew AC 30, Nuodex PMA 18 and Nylmerate. Cross: p-chloromercuriphenol. ICU. CAS 62-38-4.

N-Phenyl-2-naphtylamine

Formula

 $C_{16}H_{13}N$ 219.29 R

An antidegradant for various rubber products such as natural rubber, styrenebutadiene, nitrile, butadiene and chloroprene. Also known as phenyl-betanaphtylamine and PBN. **CAS** 135-88-6.

o-PHENYLPHENOL

Art. No.

P-010 $C_{12}H_{10}O$ 170.20 O

A preservative used in cosmetics, cooling fluids, detergents and as agricultural fungicide for citrus fruits, etc. Also known as 2-phenylphenol and Dowicide 1. **Photosensitizer. May cause depigmentation. CAS** 90-43-7.

PHENYL SALICYLATE

P-011 $C_{13}H_{10}O_3$ 214.22 C, PG

Used as UV-light adsorber in plastics, suntan oils, and creams. Also found in waxes, adhesives, polishes etc. Used as analgesic, antipyretic, and anti-rheumatic agent. Can also be found in veterinary use as external disinfectant and intestinal antiseptic agent. Also known as Salol. **CAS** 118-55-8.

Phosphorus sesquisulfide

P-030

Deleted as of January 2014.

Pine tar

Change of name as of January 2012; please refer to PINUS PALUSTRIS TAR (Art. No. P-012).

...for the diagnosis of contact allergy

Art. No. Formula FW Series

Pine wood

Mx-09

Deleted as of January 2014.

PINUS PALUSTRIS TAR

P-012 V

A product obtained by dry-distillation of wood from pine. Consists of turpentine, various phenols, xylene, etc. Topical antieczematic and rubefacient. Also known as Pine tar. **CAS** 8011-48-1.

Piroxicam

P-033 $C_{15}H_{13}N_3O_4S$ 331.35 CAD, EP, EPE

Piroxicam (marketed in the U.S. under the trade name Feldene) is a NSAID used to relieve the symptoms of rheumatoid and osteoarthritis, primary dysmenorrhoea, postoperative pain; and act as an analgesic, especially where there is an inflammatory component. It is also used in veterinary medicine to treat certain neoplasias expressing cyclooxygenase (COX) receptors, such as bladder, colon, and prostate cancers. Other brand names for Piroxicam include Brexin, Erazon, Felden, Feldoral, Hotemin, Pirox von ct, Proponol, Reumador, Veral, and Vurdon. **CAS** 36322-90-4.

Polymeric diphenylmethane diisocyanate (PMDI)

P-038

Diphenylmethane diisocyanate (MDI), see D-023, is the generic name of a product used in industrial settings. Polymeric MDI (PMDI), the primary technical/commercial form of MDI, is actually a mixture that contains 25–80% monomeric 4,4'-MDI as well as oligomers containing 3–6 rings and other minor isomers, such as the 2,2'-isomer. The exact composition of PMDI varies with the manufacturer. PMDI is used to make rigid and flexible foam, foundry resin sand binders, and heat insulating material.



Art. No.	Formula	FW	Series	
Polysilicone-15				
P-035		> 6000	EPE	

Is an organic compound used in hair products like shampoos, conditioners, hair sprays, pomades and color treatment products to absorb UVB radiation. In the EU, it is also approved for use in sunscreens and cosmetics. Also known as Parsol SLX. **CAS** 207574-74-1

Polyethylene glycol 400 (PEG 400)

P-034 H(OCH₂CH₂)nOH approx. 400

Polyethylene glycol PEG400 refers to a polymer of ethylene oxide with a molecular mass below 20,000 g/mol, in this case 400. This chemical has many industrial, foods, cosmetic and medical applications. It is added to skin lotions, creams, jellies, soaps and toothpastes. It is the basis for many laxatives and bowel irrigation preparations. It is also used as a lubricant in tire manufacturing; plasticizer for sponges and synthetic leather; a paper softener; anti-curl agent; and an intermediate in resin manufacturing. **CAS** 25322-68-3

POLYSORBATE 80

P-013 ICB, C

An emulsifier and dispersing agent for medicinal products for internal use. Used as emulsifier in cosmetics, pharmaceuticals & food. Also known as Polyoxyethylenesorbitan monooleate and Tween 80. **CAS** 9005-65-6.

Potassium dichromate

			S, ICB, DS, P,
P-014	$Cr_2K_2O_7$	294.21	SH, IS, DMP

The hexavalent form of chromium, which is used in cement, tanning of leather, textile dyes, wood preservatives, alloys in metallurgy, safety matches, photography, electroplating, anticorrosives, engraving and lithography, ceramics, automobile industry, TV manufacturing, photocopy paper, tattoos, mascara/eye shadow pigments (chromium oxide), milk testing, welding, floor waxes, shoe polishes, paints, glues, pigments, detergents, etc. **May cause** airborne contact dermatitis. **CAS** 7778-50-9

^{*} Present in national series. Please visit www.chemotechnique.se for further information.

...the trusted name in patch testing

Art. No.	Formula	FW	Series		
Potassium dicyanoaurate(I)					
P-015	C_2 AuK N_2	288.13	MET		

Gold salt used in the electroplating industry. **CAS** 13967-50-5.

Prilocaine hydrochloride

P-027 $C_{13}H_{21}CIN_2O$ 256.8 V

Used as a local anesthetic agent. Also known as Citanest, Xylonest. **CAS** 1786-81-8.

Pristinamycin

P-032 CAD

Pristinamycin is an antibiotic used primarily in the treatment of staphylococcal infections, and to a lesser extent streptococcal infections. It is a streptogramin group antibiotic, similar to virginiamycin, derived from the bacterium Streptomyces pristina spiralis. It is marketed in Europe by Sanofi-Aventis under the trade name Pyostacine. Pristinamycin is a mixture of two components that have a synergistic antibacterial action. Pristinamycin I is a macrolide, and results in pristinamycin having a similar spectrum of action to erythromycin. Pristinamycin II is a depsipeptide. **CAS** 11006-76-1.

Procaine hydrochloride

P-016 $C_{13}H_{21}CIN_2O_2$ 272.77 V

A local anesthetic agent also known as Novocaine, Ethocaine, Allocaine, Topocaine, Neocaine and Syncaine etc. Cross: para group of compounds, parabens, butethamine, PABA. CAS 51-05-8.

Promethazine hydrochloride

P-017 $C_{17}H_{21}CIN_2S$ 320.87 EP, EPE

An antihistaminic, antiemetic, CNS depressant used in pills, syrup, injections and suppositories Also known as Phenergan, Lergigan, Atosil, Fenazil etc. Cross: phenothiazines, ethylenediamine-HCl, para compounds, chlorpromazine HCl, tripelennamine. May produce erythema multiforme like eruptions. PA. UCU. PL. CAS 58-33-3.



Art. No.	Formula	FW	Series	
PROPIONIC ACID				
P-018	$C_3H_6O_2$	74.08	В	

Used as food additive for the preservation against moulds in, e.g., cheese products. Also in the production of fruit flavors and perfume bases. **CAS** 79-09-4.

PROPOLIS

P-022 ICB, PL, LU

A resinous substance found in beehives (beeglue). Collected by bees from treebuds. Found in biocosmetics, face creams, ointments, lotions, solutions, varnish, toothpaste, mouthwashes, tablets, chewing gum, etc. Also found in wax for violins. Contains flavonoid aglycones and the main hapten is 1,1-dimethylallyl caffeic acid ester (LB-1). Cross: MYROXYLON PEREIRAE RESIN. May cause airborne contact dermatitis. CAS 85665-41-4

PROPYLENE GLYCOL

1 017 0311809 10.07 10.05, 0, 0, 120	P-019	$C_3H_8O_2$	76.09	ICB, C, O, LU
--------------------------------------	-------	-------------	-------	---------------

Used as vehicle in pharmaceutical and cosmetic bases. In food it is used as solvent for colors and flavors and to prevent growth of moulds. Works as humectant and can also be found in cooling fluids. **UCU. CAS** 57-55-6.

PROPYL GALLATE

P-021	$C_{10}H_{12}O_5$	212.20	В, С	
-------	-------------------	--------	------	--

An antioxidant in cosmetic and pharmaceutic creams, emulsions, various fats, oils and waxes. Can also be found in foods like margarine, peanut butter, etc. **CAS** 121-79-9.

PROPYLPARABEN

P-020	$C_{10}H_{12}O_3$	180.20	V

A preservative in foods (salad dressings, mayonnaise, spiced sauces, mustard, frozen dairy products, baked products), cosmetics and pharmaceutical preparations. Also known as Propyl-4-hydroxybenzoate. **Cross: hydroquinone monobenzyl ether, other parabens, para compounds. CAS** 94-13-3.

...world leader in patch testing

Art. No. Formula FW Series

Q

OUATERNIUM-15

C-007 $C_0H_{16}Cl_2N_4$ 251.20 ICB, S, IS, C, H

A formaldehyde-releasing preservative in hand creams, lotions, face creams, shampoos, latex paints, topical medicaments, polishes, metal working fluids, adhesives, inks, etc. Also known as Dowicil 200 and 1-(3-Chloroallyl)-3,5,7-triaza-1-azoniaadamantane chloride. **CAS** 51229-78-8.

Ouinine sulfate

Q-001 $(C_{20}H_{24}N_2O_2)_2$ 746.93 ME $\cdot H_2SO_4\cdot 2H_2O$

An antimalarial agent also used as antipyreticum and in liquids (tonic etc.). **PA**. **CAS** 6119-70-6.

R

Reactive Black 5

R-004 $C_{26}H_{21}N_5Na_4O_{19}S_6$ 991.79 TF

An azo dye belonging to the reactive dye class used for coloring cotton, wool, silk and polyamide textiles. **May cause allergic conjunctivitis, allergic rhinitis and occupational asthma. CAS** 17095-24-8.

Reactive Blue 21

R-005

A phthalocyanine-copper complex dye belonging to the reactive dye class used for coloring cotton, wool, silk and polyamide textiles. **May cause allergic conjunctivitis, allergic rhinitis and occupational asthma. CAS** 12236-86-1.



Art. No.	Formula	FW	Series		
Reactive Blue 238					
R-006			TF		

A diazo dye belonging to the reactive dye class used for coloring cotton, wool, silk and polyamide textiles. **May cause allergic conjunctivitis, allergic rhinitis and occupational asthma. CAS** 116889-78-2.

Reactive Orange 107

R-007 TF

An azo dye belonging to the reactive dye class used for coloring cotton, wool, silk and polyamide textiles. May cause allergic conjunctivitis, allergic rhinitis and occupational asthma. CAS 94158-82-4.

Reactive Red 123

R-008 TF

An azo dye belonging to the reactive dye class used for coloring cotton, wool, silkand polyamide textiles. **May cause allergic conjunctivitis, allergic rhinitis and occupational asthma**.

Reactive Red 228

R-010 TF

An monoazo dye belonging to the reactive dye class used for coloring cotton, wool, silk and polyamide textiles. **May cause allergic conjunctivitis, allergic rhinitis and occupational asthma.**

Reactive Red 238

R-009 TF

An azo dye belonging to the reactive dye class used for coloring cotton, wool, silk and polyamide textiles. May cause allergic conjunctivitis, allergic rhinitis and occupational asthma.

Art. No.	Formula	FW	Series		
Reactive Violet 5					
R-011			TF		

An dye belonging to the reactive dye class used for coloring cotton, wool, silk and polyamide textiles. May cause allergic conjunctivitis, allergic rhinitis and occupational asthma. CAS 12226-38-9.

RESORCINOL

R-001 $C_6H_6O_2$ 110.11 H

A keratolytic agent found in acne medications. Used in hair dyes, resins, tanning, cosmetics, Castellanis paint, eye drops, suppositories, photocopying and photographic solutions, explosives, etc. Also used a topical antipruritic and antiseptic agent. Cross: phenol. May cause orange-brown discoloration of lacquered nails and may darken fair hair. CAS 108-46-3.

Resorcinol monobenzoate

R-002 $C_{13}H_{10}O_3$ 214.22 PG

An UV-light absorber added mainly to out door plastics. Has caused dermatitis as additive in spectacle frames. **Cross: MYROXYLON PEREIRAE RESIN. CAS** 136-36-7.

ROSA DAMASCENA EXTRACT

R-003 F

A fragrance used in various perfumes and for flavoring lozenges, ointments, toilet preparations, etc. Also known as Rose oil.

Rose oil

Change of name as of March 2013; please refer to ROSA DAMASCENA EXTRACT (Art. No. R-003).



Art. No. Formula FW Series

S

SANTALUM ALBUM OIL

S-009 F

A fragrance used in various perfumed products like soap, after-shave lotions, colognes and cosmetics. Also known as Sandalwood oil. **PA. PT. PL. CAS** 8006-87-9

SHELLAC

S-015 C

Shellac is a resin secreted by the female lac bug, on trees in the forests of India and Thailand. It is processed and sold as dry flakes, which are dissolved in denatured alcohol to make liquid shellac, which is used as a brush-on colorant, food glaze and wood finish. Shellac is edible and it is used as a glazing agent on pills and candies in the form of pharmaceutical glaze. When used for this purpose, it has the food additive E number E904. **CAS** 9000-59-3.

SILVER NITRATE

S-007 AgNO₃ 169.89 MET

Used in photography, silver plating, coloring porcelain, manufacturing of mirrors, etching ivory, analytical reagent. Can also be used as astringent and antiseptic agent. May cause gray-brown discoloration of the conjunctivae and black discoloration of the fingernails. CAS 7761-88-8.

SODIUM BENZOATE

 $C_7H_5NaO_2$ 144.11 B

A preservative especially used for food products (drinks, jams, jellies, pickles, syrups, etc.) Also commonly found in cosmetic and pharmaceutical products. **NICU. CAS** 532-32-1.

...the trusted name in patch testing

Art. No.	Formula	FW	Series			
SODIUM LAURYL SULFATE						
S-018	CH ₃ (CH ₂) ₁₁ OSO ₃ Na	ı 288.38	V			

Described in the literature as a substance used as an irritant control in patch testing and works well in terms of reproducibility and a high number of patients are reacting to it. The chemical is an anionic surfactant used in many cleaning and hygiene products. The salt is an organosulfate consisting of a 12-carbon tail attached to a sulfate group, giving the material the amphiphilic properties required of a detergent. Being derived from inexpensive coconut and palm oils, it is a common component of many domestic cleaning products. **CAS** 151-21-3.

SODIUM METABISULFITE

 $Na_2S_2O_5$ 190.1 *

Used as a food additive, mainly as a preservative and is sometimes identified as E223. As an additive, it may cause allergic reactions, particularly skin irritation e.g. excema; gastric irritation and asthma. It is present in many dilutable squashes. It is commonly used in homebrewing preparations to sanitize equipment. It is used as a cleaning agent for potable water reverse osmosis membranes in desalination systems. It is also used to remove chloramine from drinking water after treatment. In the brand Stump-Out, it is used in almost a pure form (98%) to cause degradation of lignin, creating pores for fuel adsorption, and consequently, ignition. **CAS** 7681-57-4.

Sodium-2-pyridinethiol-1-oxide

S-002 C_5H_4NOSNa 149.14 C, O

A bactericide used in cooling fluids and short term -in can- preservation of vinyl acetate latex, paints and synthetic fiber lubricants. Can also be found as a preservative for cosmetic rinse-off products. Also known as Sodium omadine. **CAS** 3811-73-2.

Sodium tetrachloropalladate(II) hydrate

S-017 $\text{Cl}_4\text{Na}_2\text{Pd}\cdot\text{3H}_2\text{O}$ 348.20 DS, DMP, MET

It is an inorganic compound used in among other things in chemical synthesis as a catalyst. It is present in many alloys containing palladium. **CAS** 13820-53-6.



Art. No.	Formula	FW	Series	
Softisan 649				
S-016			V	

SOFTISAN 649 is a partial ester of diglycerin with medium chain fatty acids, isostearic acid, stearic acid, 12-hydroxystearic acid and adipic acid. Used in cosmetics in skin care, baby creams, decorative cosmetics and hair care products as lanolin substitute and as a cream base. **CAS** 130905-60-1.

SOLVENT BLACK 5

N-003

Deleted as of January 2015

SORBIC ACID

S-003

 $C_6H_8O_2$

112.13

B, C, LU

A preservative (antifungal) found in foods like cheese syrup etc. and in cosmetic and pharmaceutical products. Also used in alkyd coatings and drying oils, adhesives, glues, inks, paints, varnishes, tanning agents, metalworking fluids. Cross: potassium sorbate. ICU, NICU. CAS 110-44-1.

SORBITAN OLEATE

S-004 C, LU

Monoester of oleic acid and hexitol anhydrides derived from sorbitol. An emulsifier in cosmetic and pharmaceutical ointments and creams. Also known as Sorbitan monooleate and Span 80. Cross: SORBITAN SESQUIOLEATE. CAS 1338-43-8.

SORBITAN SESQUIOLEATE

S-005 C, LU

Mixed ester of oleic acid and hexitol anhydrides derived from sorbitol. Used as emulsifier in cosmetic and pharmaceutical ointments and creams. **CAS** 8007-43-0.

...world leader in patch testing

Art. No.	Formula	FW	Series	
Spiramycin base				
S-012	$C_{43}H_{74}N_2O_{14}$	842.51	CAD	

Spiramycin is a macrolide antibiotic which is used to treat toxoplasmosis. Although routinely used in Europe, spiramycin is still considered an experimental drug in the United States. Used in Europe since 2000 year as "Rovamycine", produced by Rhone-Poulenc Rorer, France and Eczacibasi Ilae, Turkey.

CAS 8025-81-8.

Spruce wood

Mx-09

Deleted January 2014.

STANNOUS CHLORIDE

S-013 SnCl₂ 189.60 MET

A solution of tin(II)chloride containing a little hydrochloric acid is used for the tin-plating of steel, in order to make tin cans. SnCl₂ also reduces quinones to hydroquinones. STANNOUS CHLORIDE is also added as a food additive with E number E512 to some canned and bottled foods, where it serves as a color-retention agent and antioxidant. It is used in production of ornamental glass called aurene glass. **CAS** 7772-99-8.

Stannous oxalate

Change of name as of January 2014; please refer to Tin(II)oxalate (Art. No. S-014).

STEARYL ALCOHOL

S-006 $C_{18}H_{38}O$ 270.48 C

A lubricant and antifoam agent in cosmetic and pharmaceutical creams and in textile oils and finishes. **UCU. CAS** 112-92-5.



Art. No.	Formula	FW	Series
Styrax			
S-008			V

Balsam obtained from the trunk of trees. Contains cinnamates, styrene, etc. Used in perfumery. Cross: MYROXYLON PEREIRAE RESIN, tincture of benzoin, dieythylstilbestrol. CAS 8046-19-3.

Sulfanilamide

S-010 $C_6H_8N_2O_2S$ 172.21 ME

A topical and vaginal antibiotic of sulfonamide type. Cross (photo): para group of compounds. May produce erythema multiforme like eruptions. PA. PL. CAS 63-74-1.

T

TANACETUM VULGARE EXTRACT

T-033 PL

A strongly aromatic weed growing in uncultivated areas, along roadsides, rivers etc. Grows all over Europe and in North America. Used as a herbal remedy, for seasoning and for making a tea. The oil is used as a vermifuge and in perfumery. Contains the sesquiterpene lactones arbusculin-A and tanacetin. Also known as Tanacetum Vulgare and Tansy. Cross: Other plants within the Compositae family.

TARAXACUM OFFICINALE EXTRACT

T-032 PL

Taraxacum Officinale (Dandelion) is a weed that grows in open fields, on prairies, in garbage dumps, etc. and spread all over the world. It is a popular folk medicine plant (laxative, diuretic, tonic, etc.). Haptenic substance is taraxin acid glucoside. Also known as Taraxacum Officinale. Cross: Other plants within the Compositae family. May cause airborne contact dermatitis.

Art. No.	Formula	FW	Series		
Tea Tree Oil oxidized					
T-035			ICB, C		

Oil from distilled leaves of Melaleuca Alternifolia. Pale yellowish green oil of a warm spicy aromatic terpenic odor. The oil has served as an antiseptic for many decades but is now also sold as a remedy for various skin and nail conditions. Also present in household products like cleansers, laundry agents and fabric softeners. Some Perfumery Uses: Herbal; Nutmeg; Mint; Pine. Common haptens present are d-limonene, α-terpinene and aromadendrene. **May cause airborne contact dermatitis. CAS** 68647-73-4.

Teak wood

Mx-09

Deleted January 2014.

Tetracaine hydrochloride

T-025

 $\mathrm{C_{15}H_{25}ClN_2O_2}$

300.83

V

Used as topical and local anesthetic. Amethocaine. Cross: Amylocaine hydrochloride. CAS 136-47-0.

3,3',4',5-Tetrachlorosalicylanilide

T-001

 $C_{13}H_7Cl_4NO_2$

351.02

V

A bacteriostat found in shampoos, surgical and laundry soaps, polishes, rinses, deodorants etc. Also used in cooling fluids, textile finishes. Also known as Irgasan BS 200 and TCS. Cross (photo): other halogenated salicylanilides, hexachlorophene. PA. PT. PL. CAS 1154-59-2.

Tetraethylene glycol dimethacrylate

T-029

C₁₆H₂₆O₇

330.37

MA

A methacrylate present in adhesives and constitutes the main component in polyethylene glycol dimethacrylate in Loctite anaerobic sealants. **CAS** 109-17-1.



Art. No.	Formula	FW	Series		
Tetraethylthiuram disulfide					
T-002	$C_{10}H_{20}N_2S_4$	296.54	R		

An accelerator, activator, stabilizer and vulcanizing agent for various rubber products. Also used as a fungicide, seed disinfectant, and alcohol deterrent. Also known as disulfiram, antabuse and TETD. **CAS** 97-77-8.

Tetrahydrofurfurylmethacrylate

			DS, MA, MN,
T-027	$C_9H_{15}O_3$	171.21	DMP, DMS

A methacrylic component used in dental materials such as crown and bridge products. Also used as a component in artificial nails. **CAS** 2455-24-5.

3,3',5,5'-Tetramethylbenzidine

T-004

Deleted January 2014.

Tetramethylthiuram disulfide

A rubber accelerator and vulcanizer. Works as a fungicide, disinfectant for seed, bacteriostat in soap, animal repellent, etc. Also known as Thiram and TMTD. Cross: Tetraethylthiuram monosulfide, Tetraethylthiuram disulfide. CAS 137-26-8.

Tetramethylthiuram monosulfide

T-006 $C_6H_{12}N_2S_3$ 208.37 R

An accelerator and activator for natural rubber nitrile-butadiene and butyl rubber. Also known as TMTM. **CAS** 97-74-5.

THIMEROSAL

T-007 $C_9H_9HgNaO_2S$ 404.84 ICB, C, O, LU

A preservative used in vaccines, antitoxins, skin testing antigens, antiseptics,

...the trusted name in patch testing

Art. No. Formula FW Series

eyedrop solutions, contact lens solutions, and cosmetic products like eye makeup. Also known as Merthiolate. CAS 54-64-8.

2,2'-THIOBIS(4-CHLOROPHENOL)

F-001

C₁₂H₈Cl₂O₂S

287.18

*

A fungicide especially used against Monosporium apiospermum. Used as a topical antifungal and antibacterial agent in hairdressings, antifungal creams, and ointments, also used as thermoplastic resin. Cross (photo): Bithionol, hexachlorophene. PA. PT. PL. CAS 97-24-5.

Thiourea

T-026

 CH_4N_2S

76.12

R

A photographic fixing agent and stain remover. Can be used as a rubber accelerator and used in the manufacture of resins. Also used as an antioxidant in photocopy paper to prevent discoloration. **May cause airborne contact dermatitis. PA. CAS** 62-56-6.

Tin

T-008

Sn

118.69

DS, MET

A metal used in tin plating, soldering and dental alloys, collapsible tubes. Used in the production of tin salts. **CAS** 7440-31-5.

Tin(II)oxalate

S-014

C₂O₄Sn

206.71

MET

Tin(II) oxalate is used as a catalyst (Esterification reactions) and in dyeing and printing textiles etc. **CAS** 814-94-8.

Tioconazole

T-034

 $C_{16}H_{13}Cl_3N_2OS$

387.71

ME

Tioconazole is an antifungal medication of the Imidazole class used to treat infections caused by a fungus or yeast. Tioconazole ointments serve to treat

^{*} Present in national series. Please visit www.chemotechnique.se for further information.



Art. No. Formula FW Series

women's vaginal yeast infections. Tioconazole topical (skin) preparations are also available for ringworm, jock itch, athlete's foot, and tinea versicolor or "sun fungus". **CAS** 65899-73-2.

Titanium

T-042 Ti 47.88 MET

A light, strong, lustrous, corrosion-resistant (including resistance to sea water and chlorine) transition metal with a grayish color. Can be alloyed with other elements such as iron, aluminium, Vanadium, molybdenum and others, to produce strong lightweight alloys for aerospace, military, industrial process (chemicals and petro-chemicals, desalination plants, pulp and paper), automotive, agri-food, medical (prostheses, orthopaedic implants, dental implants), sporting goods, and other applications. **CAS** 7440-32-6.

TITANIUM DIOXIDE

T-040 O₂Ti 79.87 MET

Is the naturally occurring oxide of Titanium. When used as a pigment, it is called Titanium white or Pigment White 6. It is noteworthy for its wide range of applications, from paint to sunscreen to food colouring. Used as a white food colouring, it has E number E171. In cosmetic and skin care products, TITANIUM DIOXIDE is used both as a pigment and a thickener. It is also used as a tattoo pigment and styptic pencils. This pigment is used extensively in plastics and other applications for its UV resistant properties where it acts as a UV absorber, efficiently transforming destructive UV light energy into heat. **CAS** 13463-67-7.

Titanium(III)nitride

T-039 TiN 61.89 MET

Titanium nitride (sometimes known as Tinite) is an extremely hard, ceramic material, often used as a coating on Titanium alloy, steel, carbide, and aluminium components to improve the substrate's surface properties. Far and away the most common use for TiN coating is for edge retention and corrosion resistance on machine tooling, such as drill bits and milling cutters. Because of TiN's metallic gold color, it is used to coat costume jewelry and automotive trim for decorative purposes. TiN is also widely used as a top-layer coating, usually with nickel (Ni) or chromium (Cr) plated substrates, on

...world leader in patch testing

Art. No. Formula FW Series

consumer plumbing fixtures and door hardware. TiN is non-toxic, meets FDA guidelines and has seen use in medical devices and bio-implants, as well as aerospace and military applications. Coatings of TiN have also been used in implanted prostheses and in dental alloys. **CAS** 25583-20-4.

Titanium oxalate

Change of name as of January 2012; please refer to Titanium(III)oxalate decahydrate (Art. No. T-041).

Titanium(III)oxalate decahydrate

T-041 $Ti_2(C_2O_4)_3$:10H₂O 540.01 MET

Titanium oxalate could be used as a source for Titanium in a process for preparing zinc-alloy-electroplated steel sheets excellent in corrosion resistance comprising electroplating steel sheets. Used in the preparation of a welding flux binder and welding flux comprising the reaction product of a hydrolyzed and polymerized organometallic compound such as metal esters and metal oxalates. A metal salt for testing of allergy to Titanium in dental alloys. **CAS** 14677-00-0.

Tixocortol-21-pivalate

T-031 $C_{26}H_{38}O_5S$ 462.35 S, ICB, IS, CS, LU

A topical corticosteroid belonging to the group A (hydrocortisone) type of steroids used in nasal sprays for the treatment of rhinitis. Good marker for group A corticosteroid contact allergy. **May cause airborne contact dermatitis. CAS** 55560-96-8.

TOCOPHEROL

 $C_{20}H_{50}O_2$ 430.71 ICB, C

DL-Alpha-tocopherol is the form of vitamin E that is preferentially absorbed and accumulated in humans. In general, food sources with the highest concentrations of vitamin E are vegetable oils, followed by nuts and seeds including whole grains. Although originally extracted from wheat germ oil, most natural vitamin E supplements are now derived from vegetable oils, usually soybean oil. Vitamin E is widely used as an inexpensive antioxidant in



Art. No. Formula FW Series

cosmetics and foods. Vitamin E containing products are commonly used in the belief that vitamin E is good for the skin; many cosmetics include it, often labeled as tocopherol acetate, tocopheryl linoleate or tocopheryl nicotinate. Some individuals experience allergic reactions to some tocopheryl esters or develop a rash and hives that may spread over the entire body from the use of topical products with alpha tocopheryl esters. **CAS** 10191-41-0.

TOCOPHERYL ACETATE

T-037 $C_{31}H_{52}O_3$ 472.75 C

Tocopheryl acetate, also known as vitamin E acetate, is a common vitamin supplement it is the ester of acetic acid and tocopherol (vitamin E). It is often used in dermatological products such as skin creams. Tocopheryl acetate is used as an alternative to tocopherol itself because the phenolic hydroxyl group is blocked, providing a less acidic product. It is believed that the acetate is slowly hydrolyzed once it is absorbed into the skin, regenerating tocopherol and providing protection against the sun's ultraviolet rays. **CAS** 7695-91-2.

TOLUENE-2,5-DIAMINE SULFATE

D-002 $C_7H_{10}N_2 \cdot H_2SO_4$ 220.25 H

The primary intermediate in various permanent hair dyes Also known as 4-Toluenediamine, 2,5-Diaminotoluene sulfate and PTD. **CAS** 615-50-9.

Toluene-2,4-diisocyanate

 $C_9H_6N_2O_2$ 174.15 I

Used in the production of polyurethane foams, elastomers, adhesives, printing plates, etc. Also known as TDI. May cause allergic asthma. CAS 584-84-9.

Toluenesulfonamide formaldehyde resin

T-010 ICB, IS, PG

A modifier and adhesion promotor used for film forming natural and synthetic resins. Occurs in vinyl lacquers, nitrocellulose compositions (e.g., nail lacquers), PVA adhesives, acrylics. **CAS** 1338-51-8.

Art. No.	Formula	FW	Series	
4-Tolyldiethanolamine				
T-011	$\mathrm{C_{11}H_{17}NO_2}$	195.26	DS	

An amine accelerator for the polymerization of e.g. dental acrylic composite restorative materials. **CAS** 3077-12-1.

Triamcinolone acetonide

 $C_{24}H_{31}FO_6$ 434.49 CS

A topical and systemic corticosteroid belonging to the group B (triamcinolone acetonide) type of steroids. **CAS** 76-25-5.

3,4,5-Tribromosalicylanilide (TBS)

 $C_{13}H_8Br_3NO_2$ 449.96

A bacteriostatic agent found in detergents and soaps, disinfectants, pet flea powders. Also known as Tribromsalan. Cross (photo): Bithionol and other halogenated salicylanilides, TRICLOCARBAN, hexachlorophene, fentichlor. PA, PT. CAS 87-10-5.

TRICLOCARBAN

T-013 $C_{13}H_9Cl_3N_2O$ 315.59 O, EPE

a bacteriostat and antiseptic agent found in soaps and other cleansing compositions. Used as a disinfectant. Also known as 3,4,4-Trichlorocarbanilide and TCC. Cross (photo): bithionol and other halogenated salicylanilides. PA. PT. May cause pigmentation of the face. CAS 101-20-2.

3,4,4-Trichlorocarbanilide

Change of name as of January 2011; please refer to TRICLOCARBAN (Art. No. T-013)

^{*} Present in national series. Please visit www.chemotechnique.se for further information.



Art. No.	Formula	FW	Series
TRICLOSAN			
T-014	$C_{12}H_7Cl_3O_2$	289.53	ICB, C, O, EPE

A preservative found in cosmetic products, soaps, detergents, shampoos, bath additives, deodorants, foot powders and sprays, disposable paper products, antiodor insoles and hose, laundry products. Also used in the treatment of textiles and as antifungal agent in PVC wetroom carpets. Also known as Irgasan DP 300. **PA. CAS** 3380-34-5.

Tricresyl phosphate

T-015	$C_{21}H_{21}O_4P$	368.36	P, PG

A plasticizer found in vinyl plastics, spectacle frames. Used as a flame retardant and additive to extreme pressure lubricants. Can also be used as solvent for nitrocellulose, etc. **CAS** 1330-78-5.

TRIETHANOLAMINE

T-016 $C_6H_{15}NO_3$ 149.19 ICB, C, O, LU

A surface-active agent found in soaps, shampoos, creams, waxes, cutting oils etc. Used in making emulsions with mineral and vegetable oils. **CAS** 102-71-6.

Triethylene glycol diacrylate

 $C_{12}H_{18}O_6$ 258.28 MN, MP

A cross-linking acrylate monomer used in coatings, adhesives, and in printing plates of photoprepolymer type. Also known as TEGDA. **CAS** 1680-21-3.

Triethylene glycol dimethacrylate

A methacrylic monomer used as cross-linking agent for adhesives and dental restorative materials. Also know as TEGDMA and TREGDMA. **CAS** 109-16-0

...the trusted name in patch testing

Art. No.	Formula	FW	Series	
Triethylenetetramine				
T-019	$\mathrm{C_6H_{18}N_4}$	146.23	E	

Used as epoxy curing agent, lubricating oil additive, chelating and analytical agent. Also known as TETA. **CAS** 112-24-3.

Triglycidyl isocyanurate

 $C_{12}H_{15}N_3O_6$ 297.27 PG

Trifunctional epoxy compound used as cross-linker in heat-cured polyester paints used for laminated sheetings, printed circuits, tools, inks, adhesives, lining materials etc. Also known as TGIC. **May cause airborne contact dermatitis**, **CAS** 2451-62-9.

2,2,4-Trimethyl-1,2-dihydroquinoline

T-020 $(C_{12}H_{15}N)_n$ R

An antioxidant used in rubber and plastic materials. Also used in hydraulic fluids and greases. Also known as Flectol H and Agerite resin D.

Trimethylolpropane triacrylate

 $C_{15}H_{20}O_6$ 296.31 MN, MP

A triacrylate used in UV-curable lithographic inks, varnishes, artificial nails, wood finish solder, and etch resists in the electronics industry. Also known as TMPTA. **CAS** 15625-89-5.

Trimethylolpropane triglycidyl ether

 $C_{15}H_{25}O_6$ 301.16 E

A trifunctional glycidyl ether of trimethylolpropane. It is used as a general purpose diluent to reduce the viscosity of epoxy resins and provides excellent crosslinking with good reactivity used in adhesives and coatings. **CAS** 30499-70-8.

Art. No.	Formula	FW	Series		
3,4,4-Trimethyl-oxazolidine					
Comp. in D-015	$C_6H_{15}NO$	115.18	O		

Component in Bioban CS 1135, a preservative (2.5%) used in latex paints, resin emulsions, and cooling fluids. D-015: **Bioban CS 1135:** also contains 4,4-Dimethyloxazolidine. Neither of the substances can be ordered separately.

TRIS(HYDROXYMETHYL)NITROMETHANE

H-015 $C_4H_9NO_5$ 151.12 O

A bactericide and slimicide used in cooling fluids, paper and pulp industry. Also used as curing agent for certain adhesives. Also known as Tris Nitro and 2-Hydroxymethyl-2-nitro-1,3-propanediol. **CAS** 126-11-4.

Triphenyl phosphate

 $C_{18}H_{15}O_4P$ 326.28 PG

A plasticizer in plastics (e.g., cellulose acetate) lacquers, varnishes, etc. Also used in impregnating roofing paper. **CAS** 115-86-6.

Tri(propylene glycol) diacrylate

 $C_{15}H_{24}O_{6} = 300.36$ MP

A diacrylate monomer for use in UV-curable flexographic and silk screen inks, wood-finish varnishes, coatings on plastics, etc. Also known as TPGDA. **CAS** 42978-66-5.

Tungsten

T-043 W 183.84 MET

Tungsten, also known as Wolfram, is a metal with a wide range of uses, the largest of which is as Tungsten carbide (W2C, WC) in cemented carbides. Cemented carbides (also called hardmetals) are wear-resistant materials used by the metalworking, mining, petroleum and construction industries. Tungsten is widely used in light bulb and vacuum tube filaments, as well as electrodes, because it can be drawn into very thin wire with a high melting point. Tungsten is used in material for implanted electrodes and in orthopaedic and dental implants as well as in coils to treat intracranial aneurysms. **CAS** 7440-33-7

...world leader in patch testing

Art. No.	Formula	FW	Series	
Turpentine peroxides				
T-024			С	

Mixture of hydroperoxides of terpenes found in oil of turpentine. Main hapten is the hydroperoxide of δ -3-carene. Used in solvents or lacquers for printing, etching and art painting. Found in sealing wax, coolants, tapes, polish, metal cleaners, deodorizers, paints, cosmetics like soaps and bath oils. Cross: Chrysanthemum, pyrethrin. May cause airborne contact dermatitis.



Urea formaldehyde resin

U-001	$C_3H_8N_2O_3$	120.11	TF
-------	----------------	--------	----

A textile finish resin of formaldehyde type for treatment of, e.g., cotton and rayon materials. Also used in wood glue industry. **CAS** 9011-05-6.

Urethane diacrylate, aliphatic

U-002 1500 MP

An UV-reactive prepolymer based on an acrylated aliphatic isocyanate. Used in curable coatings, inks, and varnishes.

Urethane diacrylate, aromatic

U-003 1000 MP

An UV-reactive prepolymer based on an acrylated aromatic isocyanate. Used in curable coatings, inks and varnishes. Also known as Ebecryl 220. Contains also pentaerythritoltriacrylate and pentaerythritoltetraacrylate.

Urethane dimethacrylate

 $C_{23}H_{38}N_2O_8$ 470.56 DS, MA

A methacrylate based on a methacrylated aliphatic isocyanate. Used in dental bonding agents, resin veneering, and restorative materials Also known as UDMA. **CAS** 72869-86-4.



Art. No.	Formula	FW	Series
(+)-Usnic acid	d		
U-005	$C_{18}H_{16}O_{7}$	344.31	PL

An antibacterial substance found in many lichens. Occurs in oak moss absolute which is used as fragrance. Used as a preservative in deodorants, antiacne formulations, and as antibiotic for topical application. Also available in Mx-15. Cross: oak moss. May cause airborne contact dermatitis. CAS 7562-61-0

V

Vanadium

V-002 V	50.94	MET
---------	-------	-----

Vanadium is soft and ductile element, which occurs naturally in certain minerals and is used mainly to produce certain alloys. Approximately 80% of Vanadium produced is used as ferrovanadium or as a steel additive. Other uses: In such alloys as specialty stainless steel, e.g. for use in surgical instruments and tools. Such tools are rust resistant and high speed tool steels. Mixed with aluminium in Titanium alloys used in jet engines and high-speed airframes. Used in dental alloys. Vanadium steel alloys are used in axles, crankshafts, gears, and other critical components. It is an important carbide stabilizer in making steels. Vanadium foil is used in cladding Titanium to steel. **CAS** 7440-62-2.

Vanadium(III)chloride

V-003	VCl_3	157.30	MET	
-------	---------	--------	-----	--

Used as a catalyst in the polymerization of olefins, epoxy, phenolic and silicone resins. **CAS** 7718-98-1.

VANILLIN

V-001	$C_8H_8O_3$	152.14	В, F	
-------	-------------	--------	------	--

A flavoring agent found in beverages, confectionery, foods, galenicals. Used in perfumery, pharmaceuticals and also as chemical reagent. Also known as Vanillin. **Cross: COUMARIN, PROPOLIS, ICU, CAS** 121-33-5.

Art. No. Formula FW Series

W

Wool alcohols

Change of name as of January 2011; please refer to LANOLIN ALCOHOL. (Art. No. W-001).



m-Xylylenediamine

X-001 $C_6H_{12}N_2$ 136.19 E

The chemical is an intermediate in the production of epoxy curing agents, polyamides and polyurethanes. Due to the chemical binding processes that occur during curing, finished products do not contain the chemical. The substance is also not present in the industrial intermediates used in the production of polyamides and polyurethanes, but a few percent is present in the epoxy curing agent. The great majority of the epoxy curing agent is assumed to be used by industrial or professional users. Greater than 99.9% of the substance is used in three categories: polyamide (major), epoxy curing agent, and polyurethane production. Also known as 1,3-bis(aminomethyl) benzene. **CAS** 1477-55-0.



Ylang-Ylang oil

Change of name as of January 2011; please refer to CANANGA ODORATA OIL (Art. No. Y-001).



Art. No. Formula FW Series

Zinc

Z-001 Zn 65.38 MET

A metal used for galvanizing sheet iron. Found as an ingredient in alloys (bronze, brass, etc.), protective coatings for other metals, household utensils, etc. **CAS** 7440-66-6.

ZINC CHLORIDE

Z-007 Cl_2Zn 136.28 MET

Used as a deodorant and can also be used as a wood preservative. Zinc metal is included in most single tablet over-the-counter daily vitamin and mineral supplements. Zinc is the fourth most common metal in use, trailing only iron, aluminium, and copper in annual production. Zinc is used to galvanize steel to prevent corrosion. Zinc is used to Parkerize steel to prevent rust and corrosion and used in alloys such as brass, nickel silver, dental alloys, typewriter metal and various soldering formulas. Zinc is the primary metal used in making some coins and used in die casting notably in the automobile industry. Zinc is used as part of the containers of batteries. The most widespread such use is as the anode in alkaline batteries. **CAS** 7646-85-7.

ZINC DIBUTYLDITHIOCARBAMATE

Z-002 $C_{19}H_{36}N_{2}S_{4}Zn$ 474.14 R

An activator, antidegradant and accelerator for natural rubber, butadiene, styrene-butadiene, nitrile-butadiene, butyl rubber, and ethylene-propylene-diene terpolymers. Also known as ZBC. **CAS** 136-23-2.

Zinc diethyldithiocarbamate

Z-003 $C_{10}H_{20}N_2S_4Zn$ 361.91 R

An activator and accelerator for natural rubber, styrene-butadiene, nitrile-butadiene, and butyl rubber. Also known as ZDC. ICU. CAS 14324-55-1.

...world leader in patch testing

Zinc dimethyldithiocarbamate

Z-004

 $C_6H_{12}N_2S_4Zn$

305.82

R

An activator and accelerator for natural rubber, styrene-butadiene, and butyl rubber. An agricultural fungicide used for seeds, plants, and fruit. Also known as Ziram. **CAS** 137-30-4.

Zinc ethylenebis-(dithiocarbamate) (Zineb)

Z-005

 $C_4H_6N_2S_4Zn$

275.75

Ο

A fungicide used in cooling fluids and as pesticide for seeds, plants, and fruit. Also known as Zineb. **CAS** 12122-67-7.

ZINC PYRITHIONE

Z-006

 $\mathrm{C}_{10}\mathrm{H_8N_2S_2O_2Zn}$

317.70

Н

An antifungal, antibacterial and antiseborrheic agent used in many shampoos and hair creams. Also known as Zinc omadine. Reactions may lead to photosensitive eczema and actinic reticuloid syndrome. CAS 13463-41-7.

Zirconium(IV)chloride

Z-008

 Cl_4Zr

233.03

MET

Zirconium(IV) chloride is a white high-melting solid which hydrolyzes rapidly in humid air. It is used to make water-repellent textiles. **CAS** 10026-11-6



Catalogue amendments Dec 1996

Test Series	Amendment	Date
Plant Series	Parthenolide (P029) was added as no 13	Jan 1997
Various Haptens	Musk mix (Mx-10):	Jan 1997
	Musk Ambrette removed	
Supplemental	Dermatophagoides Mix hapten	1997
Haptens	(atopy patch test) 20%, 30%, 40% added	
Fragrance series	Musk ambrette (M017) replaced by	Jan 1998
	Narcissus absolute (N006)	
Cosmetic Series	METHYLDIBROMO GLUTARO-	March 1998
	NITRILE (D049) added, no45	
Oil & Cooling	METHYLDIBROMO GLUTARO-	March 1998
fluids	NITRILE (D049) added, no34	
Other Change	Labels changed into a "multi-label"	1997
	showing the name of the hapten, the	
	INCI name in most cases, as well as the	
	different series where the hapten is present.	

Catalogue amendments May 1999

Test Series	Amendment
Leg Ulcer Series	New Series comprising 27 haptens.
International Standard	New Series comprising 20 haptens.
Cosmetic Series	No 17 Parabens changed to 16% pet. No 25
	2 Hydroxy 4-methoxy-benzophenone changed to 10.0% pet. No 43 Euxyl K 400 changed to 1.5% pet. No 46 Tea Tree Oil 100% added. No 47 Iodopropynyl butylcarba mate 0.1% pet added. No 48 Dimethylaminopropyl amine 1.0% aq added.
Dental Screening	No 7 2-Hydroxy-4-methoxy-benzophenone changed
J	to 10.0% pet. No14 Goldsodium thiosulphate changed to 2.0% pet.
Epoxy Series	No 9 Dimethylaminopropylamine 1.0% aq added.
European	No 8 Quinoline mix replaced by Clioquinol 5.0% pet.
Standard	No 10 Parabens changed to 16% pet.

Fragrance Series No 11 Musk Tibetine (no longer available) replaced by Methyl anthranilate 5.0% pet. Methacrylate No 15 Ethyl cyanoacrylate 10.0% pet added. Series (MA-1000) Medicament series No 13 Fusidic acid sodium salt 2.0% pet added. Oil & Cooling No 32 Euxyl K 400 changed to 1.5% pet. No 35 Fluid Series Iodopropynyl butylcarbamate 0.1% pet added. Rubber Series No 25 N-(Cyclohexylthio) phthalimide 1.0% pet added. Scandinavian No 3 4-Aminobenzoic acid changed to 10.0% pet. Photopatch series No 6 2-Hydroxy-4-methoxy-benzophenone changed to 10.0% pet. No 3 Eusolex 8020 (no longer available) replaced by Sunscreen series Homosalate 5.0% pet. The remaining substances changed to 10.0% concentration. Textile Colours No 9 Fixapret PH replaced by Dimethyl dihydroxy & Finish ethylene urea 4.5% aq. No 10 Fixapret 140 replaced by Dimethylol dihydroxy ethylene urea 5% ag (Fixapret ECO). No 17 Disperse Orange 13 replaced by Acid Yellow 61 5.0% pet. No's 22-32 added by reactive and acid dyes (Black 5, Blue 21, Blue 238, Orange 107, Red 123, Red 238, Red 228, Violet 5, Acid Red 118, Direct Orange 34, Acid Red 359). No 8 Musk Mix; Musk Tibetine omitted (no longer avail Various Haptens able) and conc. changed to 3.0%. No 18 Clioquinol de leted from this list. No 35 Wood tar mix deleted from this list. No 37 Cobalt chloride deleted from list. No 46 BENZALKONIUM CHLORIDE deleted from this list. No 54 Gold sodium thiosulfate 0.5% pet added. No 55 Phosphorus sesquisulfide 0.5% pet added. No 56 Olaqui ndox 1.0% pet added. No 57 Quinoline mix 6.0% pet added. Supplemental No 1 Dermatophagoides mix 40.0% deleted. Haptens Other Products The modified Application Device (AP) for I Chambers (lighter and slimmer). UV-lamp, hand-sized (introduced

1998). Works perfectly together with the Chemo Skin



Marker- UV. The Patch Test Manual (PTM), January 1998.

Catalogue amendments March 2000

Test Series	Amendment
Corticosteroid	
Series*	No 1. Budesonide changed to 0.01% pet
	No 4. Tixocortol-21-pivalate changed to 0.1 pet
Cosmetic Series	No 46. Tea Tree Oil changed to 5% pet
Leg Ulcer Series*	No 17. Budesonide changed to 0.01% pet
	No 21. Tixocortol-21-pivalate changed to 0.1 pet

^{*)}According to ESCD & EECDRG Studies. Test reading also on day 7 is recommended

Catalogue amendments January 2001

Test Series	Amendment
European	
Standard*	No 24. Budesonide 0.01% pet added
	No 25 Tixocortol-21-pivalate 0.1% pet added
International	
Standard*	No 15. Budesonide changed to 0.01 % pet
	No 19 Tixocortol-21-pivalate changed to 0.1 % pet
Plastics &	
Glues Series	No 8. 4-tert-Butylcatechol (PTBC) changed to 0.25 %
Textile Series	No 22. Reactive Black 5 changed to 1.0 % pet
	No 23. Reactive Blue 21 changed to 1.0 % pet
	No 24. Reactive Blue 238 changed to 1.0 % pet
	No 25. Reactive Orange 107 changed to 1.0 % pet
	No 26. Reactive Red 123 changed to 1.0 % pet
	No 27. Reactive Red 238 changed to 1.0 % pet
	No 28. Reactive Red 228 changed to 1.0 % pet
	No 29. Reactive Violet 5 changed to 1.0 % pet

^{*)}According to ESCD & EECDRG Studies. Test reading also on day 7 is recommended

Catalogue amendments June 2001

Test Series Amendment

Various Haptens No 58. Compositae mix 5.0% pet (Mx-22) added.

No 59. Mixed dialkyl thiourea 1.0% pet (Mx-24) added.

Supplemental

Haptens No 4. Corticosteroid mix 2.1% pet (Mx-23) added.

No catalogue amendments have been made February 2002 - December 2004

Catalogue amendments January 2005

Test Series Amendment

Fragrance Series No 25. Lyral 5.0% pet (L-003) added.

Sunscreen No 11. DROMETRIZOLE TRISILOXANE 10.0% pet

Series(D-055) added.

No 12. Octocrylene (Uvinul N 539 T) 10.0% pet (O-009)

added.

No 13. Octyl salicylate 5.0% pet (O-007) added No 14. ETHYLHEXYL TRIAZONE 10.0% pet

(O-010) added

No 15. ISOAMYL p-METHOXYCINNAMATE 10.0%

pet (I-009) added.

Dental Materials Patients New Series, DMP-1000

No. 20. CARVONE 5.0% pet (C-035) added.

Dental Materials Staff New Series, DMS-1000

Catalogue amendments January 2006

Test Series Amendment
S-1000 No.26 METHYLDIBROMO GLUTARONITRILE



	0.5% pet (D-049E) added.
F-1000	No.26 CITRAL 2.0% pet. (C-036) added.
F-1000	No 27. FARNESOL 5.0% pet. (F-004) added.
F-1000	No 28. CITRONELLOL 1.0% (C-037) added.
F-1000	No.29 Hexyl cinnamic aldehyde 10.0% pet (H-025) added.
F-1000	No.30 COUMARIN 5.0% pet. (C-038) added.
F-1000	No.31 Fragrance mix II 14,0% pet. (Mx-25) added.
TF-1000	No.33 Disperse Blue mix 106/124 1.0% pet. (MX-26)
	added.
C-1000	No.45 Methyldibromoglutaronitrile 0.3% pet changed to
	0.5% pet
O-1000	No.34 Methyldibromoglutaronitrile 0.3% pet changed to
	0.5% pet

Catalogue amendments January 2007

Test Series	Amendment
C-1000	No.49 LAURYL POLYGLUCOSE 3.0% pet (L-004)
	added.
E-1000	No. 10 Epoxy resin, Bisphenol F 0.25% pet (B-035) added.
E-1000	No.11 1,6-Hexanediol diglycidylether 0.25% pet(H-026) added.
E-1000	No.12 1,4-Butanediol diglycidylether 0.25% pet(B-036) added.
E-1000	No.13 m-Xylylenediamine 0.1% pet (X-001) added.
E-1000	No.14 Trimethylolpropane triglycidyl ether 0.25%
	pet (T-038) added.
H-1000	No. 27 LAURYL POLYGLUCOSE 3.0% pet (vt) added.
LU-1000	No. 19 Polymyxin B replaced with Framycetin sulphate
	20.0% pet (F-005).
ME-1000	No. 8 Polymyxin B replaced with Framycetin sulphate
	20.0% pet (F-005).
SA-1000	No 2. Dermatophagoides mix 20% pet (Mx-21B) deleted.
SA-1000	No 3. Dermatophagoides mix 30% (Mx-21C) added.

...world leader in patch testing

Catalogue amendments January 2008

Cutaneous Adverse Drug Reaction series - new series.

Amendment

Test Series

CAD-1000

CAD-1000	Cutaneous Adverse Drug Reaction series – new series.
ME-1000	No 14. Tioconazole 1.0% pet (T-034) added
MET-1000	Metal series – new series.
S-1000	European standard name changed to European baseline
	series.
S-1000	No 27. Fragrance mix II 14.0% pet (Mx-25) added
S-1000	No.28 Lyral 5.0% pet (L-003) added.
SH-1000	No 23. 4,4'-Dithiodimorpholine 1.0% pet (D-054) added.
SU-1000	No 10. BENZOPHENONE-4 10.0% pet (H-023B)
	changed to 2.0% pet (H-023C).
SU-1000	No 16. Bis-Ethylhexyloxyphenol Methoxyphenyl
	Triazine (Tinosorb S) 10.0% pet (B-037) added.
SU-1000	No 17. Methylene bis-benzotriazolyl tetramethylbutyl-
	phenol 10.0% pet (M-032) added.
SU-1000	No 18. 2-(4-Diethylamino-2-hydroxybenzoyl)-benzoic
	acid hexylester (Uvinul A+) 10.0% pet (D-062) added.
SU-1000	No 19. DIETHYLHEXYL BUTAMIDO TRIAZONE
	(Uvasorb HEB) 10.0% pet (D-063) added.
SU-1000	No 20. Disodium phenyl dibenzimidazole tetrasulfonate
	(Neo Heliopan AP) 10.0% pet (D-064) added.
V-1000	No 2. Ammonium tetrachloroplatinate(II) 0.25% aq
	(A-013) deleted, see MET-42.
V-1000	No 3. Ammonium hexachloroplatinate 0.1% aq (A-010)
	deleted, see MET-41.
V-1000	No 9. Cadmium chloride 1.0% aq (C-001) deleted, see
	MET-33.
V-1000	No 13. Zinc 2.5% pet (Z-001) deleted, see MET-1.
V-1000	No 14. Copper(I)oxide 5.0% pet (C-021) deleted, see
	MET-11.
V-1000	No 15. Mercury(II)chloride 0.1% pet (M-004) deleted, see
	MET-3.
V-1000	No 41. SILVER NITRATE 1.0% aq (S-007) deleted, see
	MET-32.



V-1000	No 47. Mercury(II)amidochloride 1.0% pet (M-022)
	deleted, see MET-5
V-1000	No 49. Potassium dicyanoaurate(I) 0.1% aq (P-015)
	deleted, see MET-31.
V-1000	No 50. Aluminium 100% (A-021) deleted, see MET-6.
V-1000	No 54. Gold(I)sodium thiosulfate dihydrate 0.5% pet
	(G-005A) deleted, see MET-10.

Catalogue amendments February 2009

Test Series	Amendment
F-1000	No 15 Benzyl salicylate 2.0 % pet (B-010) changed to
	10.0% pet (B-010B).
F-1000	No 16 BENZYL ALCOHOL 1.0% pet (B-008) changed
	to 10.0% sof.
F-1000	No 32 Amyl cinnamyl alcohol 5.0% pet (A-036) added.
F-1000	No 33 Anise alcohol 10.0% sof (A-037) added.
F-1000	No 34 BENZYL BENZOATE 10.0% pet (B-038) added.
F-1000	No 35 BENZYL CINNAMATE 10.0% pet (B-039)
	added.
F-1000	No 36 BUTYLPHENYL METHYLPROPIONAL
	10.0% pet (B-040) added.
F-1000	No 37 Evernia furfuracea 1.0% pet (E-026) added.
F-1000	No 38 α-Isomethyl ionone 10.0% pet (I-017) added.
F-1000	No 39 d-Limonene 10.0% pet (L-006C) added.
F-1000	No 40 Linalool, synthetic 10.0% pet (L-005B) added.
F-1000	No 41 Methyl-2-octynoate 0.2% pet (M-034) added.
C-1000	No 30 Benzyl salicylate changed to 10.0% pet.
C-1000	No 34 Benzyl alcohol changed to 10.0% pet.
MET-1000	No 35 Indium(III)chloride changed to 10.0% aq.
MET-1000	No 37 Indium sulfate changed to 10.0% aq.
MET-1000	No 39 Stannous chloride changed to 1.0% pet.
P-1000	No 12 Benzyl alcohol changed to 10.0% pet.

Catalogue amendments March 2010

Test Series	Amendment
C-1000	No 47 IODOPROPYNYL BUTYLCARBAMATE 0.1%
	pet changed to 0.2% pet (I-008C).
MP-1000	No 12 2,2-bis(4-(2-Methacryl-oxyethoxy)phenyl)propane
	(BIS-EMA) 1.0% pet changed to 2.0% pet (M-006B).
O-1000	No 35 IODOPROPYNYL BUTYLCARBAMATE 0.1%
	pet changed to 0.2% pet (I-008C).
PL-1000	No 14 Chamomilla Recutita (German Chamomille) 1.0%
	pet (C-051) added.
V-1000	No 60 Dimethyl fumarate 0.1% pet (D-066A) added.
V-1000	No 61 Dimethyl fumarate 0.01% pet (D-066B) added.
V-1000	No 62 Softisan 649 100% (S-016) added.
V-1000	No 63 METHYLISOTHIAZOLINONE 0.02% aq
	(M-035) added.

Catalogue amendments January 2011

Test Series	Amendment
ICB-1000	International comprehensive baseline series- New series.
C-1000	No 43 changed from Euxyl K 400 (Mx 17D) to
	TOCOPHEROL 100% (T-036).
C-1000	No 50 Peppermint oil 2.0% (P-036) added.
C-1000	No 51 SHELLAC 20.0% alc (S-015) added.
C-1000	No 52 TOCOPHERYL ACETATE 10.0% pet (T-037B)
	added.
C-1000	No 53 Turpentine peroxides 0.3% pet (T-024B) added.
C-1000	No 54 METHYLISOTHIAZOLINONE 0.02% aq
	(M-035) added.
C-1000	No 55 Musk mix 3.0% pet (Mx-10B) added.
C-1000	No 56 OLEAMIDOPROPYL DIMETHYLAMINE
	0.1% aq (O-005) added.
F-1000	No 42 Majanthole 5.0% pet (M-033) added.
H-1000	No 28 OLEAMIDOPROPYL DIMETHYLAMINE
	0.1% aq (O-005) added.



R-1000	No 26 Thiourea 0.1% pet (T-026) added.
O-1000	No 32 changed from Euxyl K 400 (Mx 17D) to
	PHENOXYETHANOL 1.0% (P-025).
V-1000	No 8 Musk mix 3.0% pet (Mx-10B) deleted, see C-55.
V-1000	No 10 Ethoxyquin 0.5% pet (E-003) deleted.
V-1000	No 12 OLEAMIDOPROPYL DIMETHYLAMINE
	0.1% aq (O-005) deleted, see C-56 and H-28.
V-1000	No 33 Turpentine peroxides 0.3% o.o (T-024) deleted.
V-1000	No 48 Thiourea 0.1% pet (T-026) deleted, see R-26.
V-1000	No 52 Carba mix 3.0% pet (Mx-06) deleted, see ICB-8.
V-1000	No 58 Compositae mix 1 5.0% (MX22A) deleted.
V-1000	No 59 Mixed dialkyl thiourea 1.0% pet deleted, see
	ICB-24.
V-1000	No 63 METHYLISOTHIAZOLINONE 0.02% aq
	(M-035) deleted, see C-54.

Catalogue amendments January 2012

Test Series	Amendment
C-1000	No 54 METHYLISOTHIAZOLINONE change in concentration from 0.02% aq (M-035) to 0.2% aq (M-035B).
I-1000	No 2 Diphenylmethane-4,4'-diisocyanate (MDI) change in concentration from 2.0% pet (D-023) to 0.5% pet (D-023B).
V-1000	No 63 METHYLISOTHIAZOLINONE 0.02% aq (M-035A) added.
V-1000	No 64 Hydroperoxides of Linalool 1.0% pet (H-031) added.
V-1000	No 65 Hydroperoxides of Limonene 0.3% pet (H-032) added.
Other Products	New product: Reading Plate for IQ Ultra TM & IQ Ultimate TM (Plus). Art. No. RP-P

Catalogue amendments March 2013

Test Series	Amendment
EP-1000	European photopatch baseline series- New Series.
EPE-1000	European photopatch extended baseline series-
	New Series.
ICB-1000	No. 73 resp. ETHYLHEXYL SALICYLATE 5.0% pet
	O-007 changed to O-007A.
C-1000	No. 53 Turpentine oil oxidized changed to 0.4% pet.
CAD-1000	No. 19 Diclofenac sodium salt 1.0% pet D-061 changed
	to D-061A.
CAD-1000	No. 29 Ibuprofen 10.0% pet I-010 changed to I-010A.
DMP-1000	No 24 Sodium tetrachloropalladate(II) hydrate 3.0% pet
	(S-017) added
DS-1000	No 31 Sodium tetrachloropalladate(II) hydrate 3.0% pet
	(S-017) added
I-1000	No 7 Polymeric diphenylmethane diisocyanate (PMDI)
	2.0% pet (P-038) added.
MET-1000	No 43 Sodium tetrachloropalladate(II) hydrate 3.0% pet
	(S-017) added
SP-1000	No 2 Promethazine hydrochloride 1.0% pet P-017
	changed to P-017A.
SU-1000	No 3 HOMOSALATE 5.0% pet H-024 changed to
	H-024A.
SU-1000	No 13 ETHYLHEXYL SALICYLATE 5.0% pet O-007
	changed to O-007A.
V-1000	No 56 Olaquindox 1.0% pet (O-008) deleted, see EPE-33.

New Haptens In Series		
B-041	Benzydamine hydrochloride 2.0% pet	EP-7& EPE-7
B-042	Betamethasone 17,21-dipropionate	National series
	1.0% pet	
B-043	Bufexamac 5.0% pet	National series
D-067	Dexketoprofen 1.0% pet	EPE-27
E-025	Etofenamate 2.0% pet	EP-15 & EPE-15
F-006	Fenofibrate 10.0% pet	EPE-31
M-036	Methylprednisolone aceponate 1.0% pet	Australian national series



P-017B	Promethazine hydrochloride 0.1% pet	EP-19, EPE-19
P-035	Polysilicone-15 10.0% pet	EPE-25
P-038	Polymeric diphenylmethane diisocyana (PMDI) 2.0% pet	ite I-7
S-017	Sodium tetrachloropalladate(II) hydrate 3.0% pet	DMP-24, DS-31, MET-43

Other New Products

AP-P Application Device for IQ UltraTM
CoT Chemo Cobalt TestTM

Catalogue amendments January 2014

Test series	Amendment	
S-1000	No 18 FORMALDEHYDE changes in concentration	
	from 1.0% aq (F-002A) to 2.0% aq (F-002B).	
S-1000	No 29 METHYLISOTHIAZOLINONE 0.2% aq (M-	
	035B) added.	
ICB-1000	No 53 changed from LAURYL POLYGLUCOSE 3.0%	
	pet (L-004) to DECYL GLUCOSIDE 5.0% pet (D-065).	
ICB-1000	No 54 changed from Triamcinolone acetonide 1.0% pet	
	(T-030) to METHYLISOTHIAZOLINONE 0.2% aq	
	(M-035B).	
ICB-1000	No 77 FORMALDEHYDE changes in concentration	
	from 1.0% aq (F-002A) to 2.0% aq (F-002B).	
ICB-1000	No 81 Hydroperoxides of Linalool 1.0% pet (H-031)	
	added.	
ICB-1000	No 82 Hydroperoxides of Limonene 0.3% pet (H-032)	
_	added.	
B-1000	No 15 changed from DIPENTENE (oxidized) 1.0% pet	
	(D-020) to Hydroperoxides of Limonene 0.3% pet (H-	
	032).	
C-1000	No 57 DECYL GLUCOSIDE 5.0% pet (D-065) added.	
DS-1000	No 19 FORMALDEHYDE changes in concentration	
	from 1.0% aq (F-002A) to 2.0% aq (F-002B).	
EP-1000	No 14 changed from Methylene bis-benzotriazolyl tetra	
	methylbutylphenol 10.0% pet containing DECYL	
	GLUCOSIDE (M-032) to Methylene bis-benzotriazolyl-	

...world leader in patch testing

	<u> </u>
	tetramethylbutylphenol 10.0% pet without DECYL
	GLUCOSIDE (M-037).
EP-1000	No 20 DECYL GLUCOSIDE 5.0% pet (D-065) added.
EPE-1000	No 14 changed from Methylene bis-benzotriazolyl tetra
	methylbutylphenol 10.0% pet containing DECYL
	GLUCOSIDE (M-032) to Methylene bis-benzotriazolyl
	tetramethylbutylphenol 10.0% pet without DECYL
EDE 1000	GLUCOSIDE (M-037).
EPE-1000	No 34 DECYL GLUCOSIDE 5.0% pet (D-065) added.
F-1000	No 43 Hydroperoxides of Linalool 1.0% pet (H-031) added.
F-1000	
F-1000	No 44 Hydroperoxides of Limonene 0.3% pet (H-032) added.
F-1000	No 45 Perfume mix 6.0% pet (Mx-08) added.
H-1000	No 6 FORMALDEHYDE changes in concentration
	from 1.0% aq (F-002A) to 2.0% aq (F-002B).
H-1000	No 29 DECYL GLUCOSIDE 5.0% pet (D-065) added.
IS-1000	No 5 FORMALDEHYDE changes in concentration
	from 1.0% aq (F-002A) to 2.0% aq (F-002B).
IS-1000	No 9 Mercapto mix changes in concentration from 1.0%
	pet (Mx-05B) to 2.0% pet (Mx-05A).
IS-1000	No 14 2-Mercaptobenzothiazole (MBT) changes in
	concentration from 1.0% pet (M-003B) to 2.0% pet
_	(M-003A).
IS-1000	No 17 METHYLISOTHIAZOLINONE+
	METHYLCHLOROISOTHIAZOLINONE changes in
	concentration from 0.01% aq (C-009A) to 0.02% aq
TO 4000	(C-009B).
IS-1000	No 20 METHYLDIBROMO GLUTARONITRILE
	changes in concentration from 0.1% pet (D-049C) to
IS-1000	0.3% pet (D-049A).
IS-1000 IS-1000	No 21 Carba mix 3.0% pet (Mx-06) added. No 22 Cobalt(II)chloride hexahydrate 1.0% pet (C-017A)
13-1000	added.
IS-1000	No 23 Compositae mix II 5.0% pet (Mx-29A) added.
IS-1000	No 24 DIAZOLIDINYL UREA 2.0% pet (D-044A)
	added.
IS-1000	No 25 Fragrance mix II 14.0% pet (Mx-25) added.



IS-1000	No 26 Hydrocortisone-17-butyrate 1.0% pet (H-021B)	
	added.	
IS-1000	No 27 Lyral 5.0% pet (L-003) added.	
IS-1000	No 28 N-Isopropyl-N-phenyl-4-phenylenediamine	
	(IPPD) 0.1% pet (I-004) added.	
IS-1000	No 29 Paraben mix 16.0% pet (Mx-03C) added.	
IS-1000	No 30 Sesquiterpene lactone mix 0.1% pet (Mx-18) added.	
IS-1000	No 31 Toluenesulfonamide formaldehyde resin 10.0% pet	
	(T-010) added.	
IS-1000	No 32 METHYLISOTHIAZOLINONE 0.2% aq	
	(M-035B) added.	
O-1000	No 25 FORMALDEHYDE changes in concentration	
	from 1.0% aq (F-002A) to 2.0% aq (F-002B).	
O-1000	No 27 changed from DIPENTENE (oxidized) 1.0% pet	
	(D-020) to Hydroperoxides of Limonene 0.3% pet	
	(H-032).	
PL-1000	No 15 (+)-Usnic acid 0.1% pet (U-005) added.	
PL-1000	No 16 Atranorin 0.1% pet (A-016) added.	
PL-1000	No 17 Evernic acid 0.1% pet (E-017) added.	
SH-1000	No 12 FORMALDEHYDE changes in concentration	
	from 1.0% aq (F-002A) to 2.0% aq (F-002B).	
SP-1000	Scandinavian Photo Patch Series - Deleted series.	
SP-1000	No 1 TRICLOCARBAN 1.0% pet (T-013) deleted, see	
	EPE-20 and O-24.	
SP-1000	No 2 Promethazine hydrochloride (P-017A) 1.0%	
	pet deleted, present in national series. Please visit	
	www.chemotechnique.se for further information.	
SP-1000	No 3 PABA 10.0% pet (A-006C) deleted, see EP-7,	
	EPE-7, SU-2.	
SP-1000	No 4 3,4,5-Tribromosalicylanilide (TBS) 1.0% pet (T-012)	
	deleted, present in national series. Please visit	
	www.chemotechnique.se for further information.	
SP-1000	No 5 Chlorpromazine hydrochloridedeleted 0.1% pet	
	(C-011) deleted, see EPE-32.	
SP-1000	No 6 BENZOPHENONE-3 10.0% pet (H-014C)	
	deleted, see ICB-34, C-25, DS-7, EP-1, EPE-1, SU-6.	
SP-1000	No 7 6-METHYL COUMARIN 1.0% pet (M-010A)	
	deleted, see V-66	

...the trusted name in patch testing

SP-1000	No 8 Bithionol 1.0% pet (B-014) deleted, present in
51-1000	national series. Please visit www.chemotechnique.se
	for further information.
SP-1000	No 9 2,2'-THIOBIS(4-CHLOROPHENOL) 1.0% pet
	(F-001) deleted, see present in national series. Please visit
	www.chemotechnique.se for further information.
SP-1000	No 10 (+)-Usnic acid 0.1% pet (U-005) deleted, see PL-15.
SP-1000	No 11 Atranorin 0.1% pet (A-016) deleted, see PL-16.
SP-1000	No 12 Wood mix 20.0% pet (Mx-09) deleted.
SP-1000	No 13 Evernic acid 0.1% pet (E-017) deleted, see PL-17.
SP-1000	No 14 MYROXYLON PEREIRAE RESIN 25.0% pet
	(B-001) deleted, see S-15, ICB-19, DMP-22, H-14, SP-14,
	BS-10.
SP-1000	No 15 3,3',4',5-Tetrachlorosalicylanilide (TCS) 0.1% pet
	(T-001) deleted, see V-67.
SP-1000	No 16 Hexachlorophene 1.0% pet (H-001) deleted, see
	present in national series. Please visit
	www.chemotechnique.se for further information.
SP-1000	No 17 CHLORHEXIDINE DIGLUCONATE 0.5% aq
	(C-005) deleted, see C-16, LU-3.
SP-1000	No 18 TRICLOSAN 2.0% pet (T-014) deleted, see
OD 4000	ICB-60, C-9, EPE-28, O-18.
SP-1000	No 19 Diphenhydramine hydrochloride 1.0% pet (D-021) deleted, see V-68.
SP-1000	No 20 Perfume mix 6.0% pet (Mx-08) deleted, see F-45.
SU-1000	No 17 changed from Methylene bis-benzotriazolyl
	tetramethylbutylphenol 10.0% pet containing
	DECYL GLUCOSIDE (M-032) to Methylene bis-
	benzotriazolyl tetramethylbutylphenol 10.0% pet without
	DECYL GLUCOSIDE (M-037).
SU-1000	No 21 DECYL GLUCOSIDE 5.0% pet (D-065) added.
V-1000	No 5 3,3´,5,5´-Tetramethylbenzidine 0.1 pet (T-004) deleted.
V-1000	No 55 Phosphorus sesquisulfide 0.5% pet (P-030) deleted.
V-1000	No 64 Hydroperoxides of Linalool 1.0% pet (H-031)
	deleted, see ICB-81, F-43.
V-1000	No 65 Hydroperoxides of Limonene 0.3% pet (H-032)
	deleted, see ICB-82, F-44.
	, ,



V-1000	No 66 6-METHYL COUMARIN 1.0% pet (M-010A) added.		
V-1000	No 67 3,3',4',5-Tetrachlorosalicylanilide (TCS) 0.1% pet (T-001) added.		
V-1000	No 68 Diphenhydramine hydrochloride 1.0% pet (D-021) added.		
V-1000	No 69 Methylene bis-benzotriazolyl tetramethylbutyl- phenol 10.0% pet containing DECYL GLUCOSIDE (M-032) added.		
V-1000	No 70 SODIUM LAURYL SULFA' added.	ΓΕ 0.25% aq (S-018)	
New haptens		In Series	
D-065	DECYL GLUCOSIDE 5.0% pet	ICB-53, C-57, EP-20, EPE-34, H-29, SU-21	
M-037	Methylene bis-benzotriazolyl tetramethylbutylphenol 10.0% pet without DECYL GLUCOSIDE	EP-14, EPE-14, SU-17	
S-018	SODIUM LAURYL SULFATE 0.25% aq	V-70	

Deleted	l haptens	In Series
D-020	DIPENTENE (oxidized) 1.0% pet	B-15, O-27
D-049C	METHYLDIBROMO GLUTARO-	IS-20
	NITRILE 0.1% pet	
Mx-09	Wood mix 20.0% pet	SP-12
P-030	Phosphorus sesquisulfide 0.5% pet	V-55
T-004	3,3',5,5'-Tetramethylbenzidine 0.1% pet	V-5

...world leader in patch testing

Catalogue amendments January 2015

Test series	Amendment
V-1000	No 24 BENZYLPARABEN 3.0% pet (B-009) deleted.
V-1000	No 7 SOLVENT BLACK 5 1.0% pet (N-003) deleted.
ICB-1000	No 78 METHYLISOTHIAZOLINONE+
	METHYLCHLOROISOTHIAZOLINONE changes in
	concentration from 0.01% aq (C-009A) to 0.02% aq
	(C-009B).
ICB-1000	No 83 Textile dye mix 6.6% pet (Mx-30) added.
TF-1000	No 34 Textile dye mix 6.6% pet (Mx-30) added.
S-1000	No 30 Textile dye mix 6.6% pet (Mx-30) added.
S-1000	No 23 METHYLISOTHIAZOLINONE+
	METHYLCHLOROISOTHIAZOLINONE changes in
	concentration from 0.01% aq (C-009A) to 0.02% aq
	(C-009B).

New haptens		In Series
Mx-30	Textile dye mix 6.6% pet	S-30, ICB-83, TF-34
C-009C	METHYLISOTHIAZOLINONE+ METHYLCHLOROISOTHIAZOLINON 0.01% pet	National series IE
F-002C	FORMALDEHYDE 1.0% pet	National series

New Series

LA-1000	Latin American Baseline Series
CB-1000	Chinese Baseline Series
SB-1000	Spanish Baseline Series

Deleted haptens		In Series
B-009	BENZYLPARABEN 3.0% pet	V-24
N-003	SOLVENT BLACK 5 1.0% pet	V-7

References for IQ Chambers™ & IQ Ultra™ from page 13

- Hall A F. Occupational contact dermatitis among aircraft workers. JAMA 1944:125:179-185.
- Clemmensen O, Knudsen H E. Contact sensitivity to aluminum in a patient hyposensitized with aluminum precipitated grass pollen. Contact Dermatitis 1980:6:303-308.
- 3. Fisher T, Rystedt I. A case of contact sensitivity to aluminum. Contact Dermatitis 1982:8:343.
- Kotovirta M-L, Salo O P, Visa-Tolvanen K. Contact sensitivity to aluminum. Contact Dermatitis 1984:11:135.
- Meding B, Augustsson A, Hansson C. Patch test reactions to aluminum. Contact Dermatitis 1984:10:107.
- Fawcett H A, McGibbon D, Cronin E. Persistent vaccination granuloma due to aluminum sensitivity. Br J Dermatol 1985:113 (suppl. 29):101-102.
- 7. Veien N K, Hattel T, Justesen O, Nörbolm A. Aluminum allergy. Contact Dermatitis 1986:15:295-297.
- Böhler-Sommeregger K, Lindemayr H. Contact sensitivity to aluminum. Contact Dermatitis 1986:15:278-281.
- 9. Cox N H, Moss C, Forsyth A. Allergy to non-toxoid constituents of vaccines and implications for patch testing. Contact Dermatitis 1988:18:143-146.
- Castelain P Y, Castelain M, Vervloet D, Garbe L, Mallet B. Sensitization to aluminum by aluminum-precipitated dust and pollen extracts. Contact Dermatitis 1988:19:58-60.
- 11. Tosti A, Vincenzi C, Peluso A M. Accidental diagnosis of aluminum sensitivity with Finn Chambers. Contact Dermatitis 1990:23:48-49.
- 12. Cosnes A, Flechet M-L, Revuz J. Inflammatory nodular reactions after hepatitis B vaccination due to aluminum sensitization. Contact Dermatitis 1990:23:65-67.
- 13. Kaaber K, Nielsen A O, Veien N K. Vaccination granulomas and aluminum allergy: course and prognostic factors. Contact Dermatitis 1992:26:304-306.
- Nielsen AO, Kaaber K, Veien NK. Aluminum allergy caused by DTP vaccine. Ugeskr Laeger. 1992 Jun 29;154(27):1900-1. Danish.
- Veien N K, Hattel T, Laurberg G. Systemically aggravated contact dermatitis caused by aluminum in toothpaste. Contact Dermatitis 1993:28:199-200.
- Dnyer C M, Kerr R E. Contact allergy to aluminum in 2 brothers. Contact Dermatitis 1993:29:36-38.
- Lopez S, Pelaez A, Navarro LA, Montesinos E, Morales C, Carda C. Aluminium allergy in patients hyposensitized with aluminium-precipitated antigen extracts. Contact Dermatitis. 1994 [ul;31(1):37-40.
- 18. Barbaud A, Schmutz JL, Mougeolle JM. Cutaneous immunoallergic reactions caused

...world leader in patch testing

- by vaccines. Ann Dermatol Venereol. 1995;122(3):129-38. Review. French.
- Veien NK. Routine patch testing with AlCl3. Contact Dermatitis. 1996 Aug;35(2):126.
- 20. Helgesen AL, Austad J. Contact urticaria from aluminium and nickel in the same patient. Contact Dermatitis. 1997 Dec;37(6):303-4.
- 21. Bajaj AK, Gupta SC, Pandey RK, Misra K, Rastogi S, Chatterji AK. Aluminium contact sensitivity. Contact Dermatitis. 1997 Dec;37(6):307-8.
- 22. Skowron F, Grezard P, Berard F, Balme B, Perrot. Persistent nodules at sites of hepatitis B vaccination due to aluminium sensitization. Contact Dermatitis. 1998 Sep;39(3):135-6.
- Peters T, Hani N, Kirchberg K, Gold H, Hunzelmann N, Scharffetter-Kochanek K. Occupational contact sensitivity to aluminium in a machine construction plant worker. Contact Dermatitis. 1998 Dec;39(6):322-3.
- Purello-D'Ambrosio F, Gangemi S, Minciullo PL, Lombardo G, Ricciardi L, Isola S, Merendino R.A. Aluminium allergy in a patient with occupational contact dermatitis. Allergol Immunopathol (Madr). 2000 Mar-Apr;28(2):74-5.
- 25. Frosch P, Kligman A. The Duhring Chamber. Contact Dermatitis 1979:5:73-81.
- Kalveram K-J, Rapp-Frisk C, Sorck G. Misleading patch test results with Aluminum Finn Chambers and mercury salts. Contact Dermatitis 1980:6:507-508.
- 27. Fischer T, Maibach H. Aluminum in Finn chambers reacts with cobalt and nickel salts in patch test materials. Contact dermatitis 1985:12:200-202.
- 28. Lachapelle J M, Douka M A. An evaluation of the compatibility between Aluminum Finn chambers and various mercurials dissolved in water or dispersed in petrolatum. Dermatosen 1985:33:12-14.
- Lindeemayr H, Becerano S. Interaction of mercury compounds and aluminum. Contact Dermatitis 1985:13:274.
- 30. Kubo Y, Nonaka S, Yoshida H. False positive reaction to patch testing with aqueous mercuric chloride in an aluminum Finn Chamber. Contact Dermatitis 1992:26:136-137.
- 31. Kubo Y, Anan S, Nonaka S, Yoshida H. Does patch testing with ammoniated mercury in a Finn Chamber give a false positive reaction? Contact Dermatitis 1992:27:118-119.
- Björkner B, Niklasson B. Influence of the vehicle on elicitation of contact allergic reactions to acrylic compounds in the guinea pig. Contact Dematitis 1984:11:268-278.
- Bruze M, Björkner B, Lepoittevin J-P. Occupational allergic contact dermatitis from ethylcyanoacrylate. Contact Dermatitis 1995:32:156-159.
- 34. Fischer T. Design Considerations for patch testing. American Journal of Contact Dermatitis 1994:5:70-75.
- Budavari S. Aluminum & Aliminium Oxide. The Merck Index, 11th edition, Rahway, NJ., USA, Merck & Co., Inc. 1989, page 54, 58.
- 36. Guin J. (ed). Practical Contact Dermatitis. Niklasson B. Chapter 51, Appendix A.



- McGraw-Hill Inc. 1995.
- Kanerva L, Elsner P, Wahlberg J.E, Maibach H.I. (ed). Handbook of Occupational Dermatology. Niklasson B. Chapter 184 Springer Verlag 2000.
- 38. Netterlid E, Hindsén M, Björk J, Ekqvist S, Güner N, Henricson KA, Bruze M. There is an association between contact allergy to aluminium and persistent subcutaneous nodules in children undergoing hyposensitization therapy. Contact Dermatitis. 2009 Jan;60(1):41-9.
- Brodbaker E, Pratt M. Contact sensitivity to aluminum. J Cutan Med Surg. 2009 Jul-Aug;13(4):226-9.
- Garg S, Loghdey S, Gawkrodger DJ. Allergic contact dermatitis from aluminium in deodorants. Contact Dermatitis. 2010 Jan;62(1):57-8.
- 41. Garg S, Loghdey S, Gawkrodger DJ. Allergic contact dermatitis from aluminium in deodorants. Contact Dermatitis. 2010 Jan;62(1):57-8.
- 42. Beveridge MG, Polcari IC, Burns JL, Adler A, Hendrickson B, Stein SL. Local Vaccine Site Reactions and Contact Allergy to Aluminum. Pediatr Dermatol. 2011 Aug 19. doi: 10.1111/j.1525-1470.2011.01541.x.

...the trusted name in patch testing

Ordering procedure

Ordering from Chemotechnique Diagnostics is very easy. You can write, phone, e-mail, send a fax or use our e-commerce.

MAILING ADDRESS: Chemotechnique Diagnostics, Modemgatan 9,

SE-235 39 Vellinge, Sweden.

PHONE: +46 (0)40-46 60 77 **E-MAIL:** info@chemotechnique.se

order@chemotechnique.se

FAX: +46 (0)40-46 67 00 **INTERNET:** www.chemotechnique.se

PLACING YOUR ORDERS

In order to speed up your orders and prevent mistakes, please be sure to give us the following information:

a) Art. No. for each item. b) Full product name. c) Quantity

PRICES & TERMS

The prices quoted are in Swedish Kronor (SEK) unless otherwise stated and subject to change without notice.

Terms are ex works Vellinge, unless a different agreement has been made in writing. Freight or postal charges are prepaid and added to the invoice.

NO MINIMUM REQUIREMENT

All orders are accepted, the same care and attention being given to both large and small orders alike. No extra charges are levied on small orders.

Conditions of Sale

- **1. VALIDITY.** The conditions of sale apply to this catalogue and to all special price lists and offers.
- **2. APPLICATIONS.** Our products are sold for laboratory use, and are not intended for drug or food purposes nor sold for such use.
- **3. CONFIRMATION OF ORDERS.** Orders placed are subject to our acceptance. We confirm all orders which cannot be supplied from the range described in our catalouge. This written confirmation states an anticipated delivery date which may be subject to alteration.

- **4. PRICES.** Prices are quoted in Swedish Kronor (SEK), unless otherwise stated, and subject to change without notice. However, if a price increase occurs, we will notify you and obtain your acceptance before shipment. Thus you may safely order without quotation.
- **5. DELIVERY.** Delivery terms are ex works Vellinge and, unless otherwise stated, we apply the General Conditions of Sale IML-82, adopted by the Swedish Association of Suppliers of Instrumentation, Measuring Equipment and Components (IM), the Swedish Association of Suppliers of Hospital Equipment, and the Swedish Dental Trade Association.

With regard to the duration of the guarantee, a period of 90 days is counted from the date of shipment of the goods.

- **6. TERMS OF PAYMENT.** Terms of payment are 20 days net from the date of the invoice, unless otherwise stated on the invoice. Freight or postal charges are prepaid and added to the invoice.
- **7. COMPLAINTS & RETURNED GOODS.** All claims must be made within 10 days of the invoice date. A new shipment will be made or the appropriate credit issued if we acknowledge that the complaint is justified. All claims must be in writing, quoting the relevant batch no. and our invoice no.
- **8. DELAYS.** We cannot accept claims for compensation due to delay or non-delivery. We reserve the right to relinquish orders due to a shortage of raw materials, production breakdowns, or other circumstances beyond our control.
- THE PLACING OF AN ORDER IMPLIES ACCEPTANCE OF THESE CONDITIONS OF SALE.

QUALITY GUARANTEE

We continually strive to meet our customers needs and requirements. If you are not completely satisfied with an item for any reason, please let us know, and we will deal with the matter to the best of our ability.

OTHER SERVICES

Please contact us if you have any questions concerning patch testing and haptens or if you have a problem with which you think we might be of use to you. We are happy to be of service in such matters.



World Leader in Patch Testing



MODEMGATAN 9 | SE-235 39 VELLINGE |SWEDEN
PHONE +46 40 466 077 | FAX +46 40 466 700
WWW.CHEMOTECHNIQUE.SE
INFO@CHEMOTECHNIQUE.SE | ORDER@CHEMOTECHNIQUE.SE