

# **Safety Data Sheet**

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	Miconazole 1.0% alc
Article Number	M-027
Applications	Diagnosis of contact allergy.
Manufacturer	Chemotechnique MB Diagnostics AB Modemgatan 9 SE-235 39 Vellinge Iab@chemotechnique.se
Telephone Fax	+46 (0) 40 466 077 (Monday-Friday 8.00-16.00 GMT+1) +46 (0) 40 466 700

# 2. HAZARD IDENTIFICATION

#### Health hazards

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

#### Signs and symptom of exposure

Dermal irritation.

Medical conditions aggravated by exposure Dermatitis.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]			
Component	CAS-No.	Content	Classification
Ethanol Absolute 99.5%	64-17-5	99.0%	Flamm. liquids 2; H225
Miconazole	22916-47-8	1.0%	Acute tox. Oral 4, Resp. sensit. 1;
			H302, H334

Classification according to EU Directive 67/548/EEC and 1999/45/EC			
Component	CAS-No.	Content	Classification
Ethanol Absolute 99.5%	64-17-5	99.0%	F; R11
Miconazole	22916-47-8	1.0%	Xn; R22, R42

#### 4. FIRST AID MEASURES

**Emergency and first aid procedures** Obtain medical attention.

#### 5. FIRE-FIGHTING MEASURES\*

#### Suitable extinguish media

Water spray, foam, dry powder or CO2 powder

#### Fire- and explosion risks

Very flammable. Vapors can form explosive mixtures with air. The vapors are heavier than air and can spread along the ground.

#### Fire extinguishing methods

Containers in the vicinity of the fire should be moved or cooled down with water. Wear selfcontained respiratory protected device and fully protected suit at fire-fighting.

\*Data is shown for Ethanol Absolute only

#### 6. ACCIDENTAL RELEASES MEASURES

Steps to be taken if material is released or spilled Contain and place in a closed container.

# 7. HANDLING AND STORAGE

**Precautions to be taken in handling and storage** Store dark at 5-8°C. Avoid extended exposure to light. Store in a well-sealed container. FOR EXTERNAL USE ONLY.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection Not required.

Ventilation Local exhaust.

Protective gloves Disposal gloves.

**Eye protection** Not required with normal use.

#### Work/Hygienic practices

Wash hands after each use.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Odour Transparent, Colorless Liquid Odourless

Relative density*	0.79 g/cm <sup>3</sup>
Boiling point*	78.5°C
Flash point*	>12°C
Explosion limit*	3.5-15 (vol-%)
Vapour pressure*	5.9 kPa

\*Data is shown for Ethanol Absolute only

# **10. STABILITY AND REACTIVITY**

#### Incompability

May react with strong oxidizing agents.

# Stability

Stable at recommended storage conditions.

#### Hazardous byproducts

Combustion may generate CO, CO2 and other oxides.

Hazardous polymerization

Will not occur.

# 11. TOXICOLOGICAL INFORMATION

No data available.

# 12. ECOLOGICAL INFORMATION

No data available.

# 13. DISPOSAL CONSIDERATIONS

#### Waste disposal method

Comply with federal, state/provincial and local regulation.

#### 14. TRANSPORT INFORMATION

Not dangerous goods.

# 15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

# 16. OTHER INFORMATION

#### Text of H-statements and R-phrases mentioned in Section 3

Acute tox. Oral 4		Acute toxicity, Oral	(Category 4)
Flamm. liquids 2		Flammable liquids (	Category 2)
Resp. sensit. 1		Respiratory sensitiz	ation (Category 1)
H225		Highly flammable lic	quid and vapour
M-027 Version 4	Revision Date: 2018-05-04	Print Date: 2025-06-21	Page 3/4

H302	Harmful if swallowed
H334	May cause allergy or asthma symptoms or
	breathing difficulties if inhaled
F	Flammable
Xn	Harmful
R11	Highly flammable
R22	Harmful if swallowed
R42	May cause sensitisation by inhalation

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.