

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Potassium dicyanoaurate(I) 0.1% aq

Article Number P-015

Applications Diagnosis of contact allergy.

Manufacturer Chemotechnique MB Diagnostics AB

Modemgatan 9 SE-235 39 Vellinge

lab@chemotechnique.se

Telephone +46 (0) 40 466 077 (Monday-Friday 8.00-16.00 GMT+1)

Fax +46 (0) 40 466 700

2. HAZARD IDENTIFICATION

Health hazards

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

Signs and symptom of exposure

Dermal irritation.

Medical conditions aggravated by exposure

Dermatitis.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 99.9% -

Potassium 13967-50-5 0.1% Acute tox. Inhal. 2, Acute tox. Derm. dicyanoaurate(I) 1, Acute tox. Oral 2, Acute aq. tox.

1, Acute tox. Oral 2, Acute aq. tox. 1, Chron. aq. tox. 1; H300, H310,

H330, H410

Classification according to EU Directive 67/548/EEC and 1999/45/EC

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 99.9%

Potassium 13967-50-5 0.1% T, N; R26/27/28, R32, R50/53

dicyanoaurate(I)

P-015 Version 3 Revision Date: 2014-09-09 Print Date: 2025-06-21 Page 1/4

4. FIRST AID MEASURES

Emergency and first aid procedures

Obtain medical attention.

5. FIRE-FIGHTING MEASURES*

No data available.

6. ACCIDENTAL RELEASES MEASURES

Steps to be taken if material is released or spilled

Contain and place in a closed container.

7. HANDLING AND STORAGE

Precautions to be taken in handling and storage

Store dark at 5-8°C. Avoid extended exposure to light. Store in a well-sealed container. FOR EXTERNAL USE ONLY.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection

Not required.

Ventilation

Local exhaust.

Protective gloves

Disposal gloves.

Eye protection

Not required with normal use.

Work/Hygienic practices

Wash hands after each use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Transparent, Colorless Liquid

Odour Odourless

Boiling point* 100°C

Flash point* >No data available.

Self ignition* Product does not self ignite.

Danger of explosion* Product does not present as an explosion hazard.

Density* 1.0 g/cm³

10. STABILITY AND REACTIVITY

P-015 Version 3 Revision Date: 2014-09-09 Print Date: 2025-06-21 Page 2/4

^{*}Data is shown for AQUA Purificata only

Incompability

May react with strong oxidizing agents.

Stability

Stable at recommended storage conditions.

Hazardous polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Waste disposal method

Comply with federal, state/provincial and local regulation.

14. TRANSPORT INFORMATION

Not dangerous goods.

15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

16. OTHER INFORMATION

Text of H-statements and R-phrases mentioned in Section 3

Acute tox. Inhal. 2
Acute tox. Derm. 1
Acute tox. Oral 2
Acute tox. Oral 2
Acute tox. Oral 2
Acute toxicity, Dermal (Category 1)
Acute toxicity, Oral (Category 2)
Acute aq. tox. 1
Acute aquatic toxicity (Category 1)
Chron. aq. tox. 1
Chronic aquatic toxicity (Category 1)

H300 Fatal if swallowed

H310 Fatal in contact with skin

H330 Fatal if inhaled

H410 Very toxic to aquatic life with long lasting

effects

T Toxic

N Dangerous for the environment

R26/27/28 Very toxic by inhalation, in contact with skin

and if swallowed

R32 Contact with acids liberates very toxic gas
R50/53 Very toxic to aquatic organisms, may cause

long-term adverse effects in the aquatic

P-015 Version 3 Revision Date: 2014-09-09 Print Date: 2025-06-21 Page 3/4

environment

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.

P-015 Version 3 Revision Date: 2014-09-09 Print Date: 2025-06-21 Page 4/4