



SAFETY DATA SHEET

Mx-05A

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	Mercapto mix 2.0% pet
Article Number	Mx-05A
Applications	Diagnosis of contact allergy.
Manufacturer	Chemotechnique Diagnostics AB Modemgatan 9 SE-235 39 Vellinge
Telephone	+46 (0) 40 466 077 (Monday-Friday 8.00-16.00)
Fax	+46 (0) 40 466 700

2. HAZARD IDENTIFICATION

Health hazards

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

Signs and symptom of exposure

Dermal irritation.

Medical conditions aggravated by exposure

Dermatitis.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]

Component	CAS-No.	Content	Classification
Petrolatum	8009-03-8	99.0%	-
N-Cyclohexyl-2-benzothiazyl sulphenamide	95-33-0	0.50%	Resp. sensit. 1, Acute aq. Tox. 1, Chron. aq. tox. 1; H334, H410
Dibenzothiazyl disulfide	120-78-5	0.50%	Skin sensit. 1, Acute aq. tox. 1, Chron. aq. tox. 1; H317, H410, EUH031
2-Mercaptobenzothiazole (MBT)	149-30-4	0.50%	Skin Sens. 1, Ac. Aq. Tox. 1, Chron. Aq. Tox. 1; H317, H410
2-(4-Morpholinylmercapto)benzothiazol	102-77-2	0.50%	Eye Irrit. 2, Skin irrit. 2, Skin sensit. 1, Chron. aq. tox. 1; H315, H317, H319, H411

Classification according to EU Directive 67/548/EEC and 1999/45/EC

Component	CAS-No.	Content	Classification
Petrolatum	8009-03-8	99.0%	-
N-Cyclohexyl-2-benzothiazyl sulphenamide	95-33-0	0.50%	Xi, N; R43, R50/53
Dibenzothiazyl disulfide	120-78-5	0.50%	Xi, N; R31, R43, R50/53



2-Mercaptobenzothiazole (MBT)	149-30-4	0.50%	Xi, N; R43, R50/53
2-(4-Morpholinylmercapto)benzothiazol	102-77-2	0.50%	Xi, N; R36/38, R43, R51/53

For the full text of the H-statements and R-phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Emergency and first aid procedures

Obtain medical attention.

5. FIRE-FIGHTING MEASURES*

Suitable extinguish media

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents

Water with full jet.

Special protective equipment for fire-fighters

Wear self-contained respiratory protective device. Wear fully protective suit.

*Data is shown for petrolatum only

6. ACCIDENTAL RELEASES MEASURES

Steps to be taken if material is released or spilled

Contain and place in a closed container.

7. HANDLING AND STORAGE

Precautions to be taken in handling and storage

Store dark at 5-8°C. Avoid extended exposure to sunlight. FOR EXTERNAL USE ONLY.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection

Not required.

Ventilation

Local exhaust.

Protective gloves

Disposal gloves.

Eye protection

Not required with normal use.

Work/Hygienic practices

Wash hands after each use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance	Pale Yellow/Ivory White Semi-solid
Odour	Odourless
Melting point*	50-55°C



Boiling point*	No data available
Flash point*	>100°C
Self ignition*	Product does not self ignite.
Danger of explosion*	Product does not present an explosion hazard.
Density*	No data available.
Solubility in/Miscibility with Water*	Insoluble

*Data is shown for petrolatum only

10. STABILITY AND REACTIVITY

Incompability

May react with strong oxidizing agents.

Stability

Stable at recommended storage conditions.

Hazardous byproducts

Combustion may generate CO, CO₂ and other oxides.

Hazardous polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Waste disposal method

Comply with federal, state/provincial and local regulation.

14. TRANSPORT INFORMATION

Not dangerous goods.

15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

16. OTHER INFORMATION

Text of H-statements and R-phrases mentioned in Section 3

Acute aq. Tox. 1	Acute aquatic toxicity (Category 1)
Chron. aq. tox. 1	Chronic aquatic toxicity (Category 1)
Eye Irrit. 2	Eye irritation (Category 2)
Resp. sensit. 1	Respiratory sensitization (Category 1)
Skin irrit. 2	Skin irritation (Category 2)
Skin sensit. 1	Skin sensitization (Category 1)
H315	Causes skin irritation



H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H410	Very toxic to aquatic life with long lasting effects
EUH031	Contact with acids liberates toxic gas
N	Dangerous for the environment
Xi	Irritant
R31	Contact with acids liberates toxic gas
R36/38	Irritating to eyes and skin
R43	May cause sensitization by skin contact
R51	Toxic to aquatic organisms
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.