

Safety Data Sheet

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name METHYLISOTHIAZOLINONE+

METHYLCHLOROISOTHIAZOLINONE 0.01% aq

Article Number C-009A

Applications Diagnosis of contact allergy.

Manufacturer Chemotechnique MB Diagnostics AB

Modemgatan 9 SE-235 39 Vellinge lab@chemotechnique.se

Telephone +46 (0) 40 466 077 (Monday-Friday 8.00-16.00 GMT+1)

Fax +46 (0) 40 466 700

2. HAZARD IDENTIFICATION

Health hazards

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

Signs and symptom of exposure

Dermal irritation.

Medical conditions aggravated by exposure

Dermatitis.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 99.99% -

METHYLISOTHIAZOLINO 55965-84-9 0.01% Oxidiz. Liq. 3, Skin corr. 1B, Skin

NE+ METHYLCHLOROIS sensit. 1, Spec. targ.org. tox. - single

OTHIAZOLINONE exp. 3,Chron. aq. tox. 2; H314,H317,

H335, H411

Classification according to EU Directive 67/548/EEC and 1999/45/EC

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 99.99% -

METHYLISOTHIAZOLINO 55965-84-9 0.01% C; R34, R37, R43, R52/53

C-009A Version 4 Revision Date: 2017-12-05 Print Date: 2024-05-20 Page 1/5

4. FIRST AID MEASURES

Emergency and first aid procedures

Obtain medical attention.

5. FIRE-FIGHTING MEASURES*

No data available.

6. ACCIDENTAL RELEASES MEASURES

Steps to be taken if material is released or spilled

Contain and place in a closed container.

7. HANDLING AND STORAGE

Precautions to be taken in handling and storage

Store dark at 5-8°C. Avoid extended exposure to light. Store in a well-sealed container. FOR EXTERNAL USE ONLY.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection

Not required.

Ventilation

Local exhaust.

Protective gloves

Disposal gloves.

Eye protection

Not required with normal use.

Work/Hygienic practices

Wash hands after each use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Transparent, Colorless Liquid

Odour Odourless

Boiling point* 100°C

Flash point* >No data available.

Self ignition* Product does not self ignite.

Danger of explosion* Product does not present as an explosion hazard.

Density* 1.0 g/cm³

C-009A Version 4 Revision Date: 2017-12-05 Print Date: 2024-05-20 Page 2/5

*Data is shown for AQUA Purificata only

C-009A Version 4 Revision Date: 2017-12-05 Print Date: 2024-05-20 Page 3/5

10. STABILITY AND REACTIVITY

Incompability

May react with strong oxidizing agents.

Stability

Stable at recommended storage conditions.

Hazardous polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Waste disposal method

Comply with federal, state/provincial and local regulation.

14. TRANSPORT INFORMATION

Not dangerous goods.

15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

16. OTHER INFORMATION

Text of H-statements and R-phrases mentioned in Section 3

Oxidiz. Liq. 3

Skin corr. 1B

Skin corrosion (Category 1B)

Skin sensit. 1

Spectage orgotoxy single exp. 3

Specific target organ toxicity single exp. 3

Spec. targ. org. tox. - single exp. 3 Specific target organ toxicity - single

exposure (Category 3)

Chron. aq. tox. 2 Chronic aquatic toxicity (Category 2)

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.
H335 May cause respiratory irritation.

H411 Toxic to aquatic life with long lasting effects.

C Corrosive Causes burns.

R35 Causes severe burns.

R37 Irritating to respiratory system.

C-009A Version 4 Revision Date: 2017-12-05 Print Date: 2024-05-20 Page 4/5

R43 R52/53 May cause sensitization by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.

C-009A Version 4 Revision Date: 2017-12-05 Print Date: 2024-05-20 Page 5/5