

## **Safety Data Sheet**

# 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name FORMALDEHYDE 2.0% aq

Article Number F-002B

Applications Diagnosis of contact allergy.

Manufacturer Chemotechnique MB Diagnostics AB

Modemgatan 9 SE-235 39 Vellinge

lab@chemotechnique.se

Telephone +46 (0) 40 466 077 (Monday-Friday 8.00-16.00 GMT+1)

Fax +46 (0) 40 466 700

#### 2. HAZARD IDENTIFICATION

#### **Health hazards**

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

## Signs and symptom of exposure

Dermal irritation.

## Medical conditions aggravated by exposure

Dermatitis.

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

## Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 98.0% -

FORMALDEHYDE 50-00-0 2.0% Carc. 2, Acute tox. Inhal. 3, Acute

tox. Derm. 3, Acute tox. Oral 3, Skin corr. 1B, Skin sensit. 1; H331, H311,

H301, H314, H317

## Classification according to EU Directive 67/548/EEC and 1999/45/EC

Component CAS-No. Content Classification

AQUA Purificata 7732-18-5 98.0%

FORMALDEHYDE 50-00-0 2.0% T; R23/24/25, R34, R40, R43

F-002B Version 3 Revision Date: 2014-09-09 Print Date: 2024-05-20 Page 1/4

## 4. FIRST AID MEASURES

## **Emergency and first aid procedures**

Obtain medical attention.

#### 5. FIRE-FIGHTING MEASURES\*

No data available.

#### 6. ACCIDENTAL RELEASES MEASURES

## Steps to be taken if material is released or spilled

Contain and place in a closed container.

#### 7. HANDLING AND STORAGE

## Precautions to be taken in handling and storage

Store dark at 5-8 C. Avoid extended exposure to light. Store in a well-sealed container. FOR EXTERNAL USE ONLY.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

## **Respiratory protection**

Not required.

#### Ventilation

Local exhaust.

## **Protective gloves**

Disposal gloves.

## Eye protection

Not required with normal use.

## Work/Hygienic practices

Wash hands after each use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Transparent, Colorless Liquid

Odour Odourless

Boiling point\* 100°C

Flash point\* >No data available.

Self ignition\* Product does not self ignite.

Danger of explosion\* Product does not present as an explosion hazard.

Density\* 1.0 g/cm<sup>3</sup>

## 10. STABILITY AND REACTIVITY

F-002B Version 3 Revision Date: 2014-09-09 Print Date: 2024-05-20 Page 2/4

<sup>\*</sup>Data is shown for AQUA Purificata only

## Incompability

May react with strong oxidizing agents.

## **Stability**

Stable at recommended storage conditions.

## **Hazardous polymerization**

Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

No data available.

#### 12. ECOLOGICAL INFORMATION

No data available.

## 13. DISPOSAL CONSIDERATIONS

## Waste disposal method

Comply with federal, state/provincial and local regulation.

#### 14. TRANSPORT INFORMATION

Not dangerous goods.

## 15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

#### 16. OTHER INFORMATION

## Text of H-statements and R-phrases mentioned in Section 3

Carc. 2 Carcinogenicity (Category 2) Acute tox. Inhal. 3 Acute toxicity, Inhalation (Category 3) Acute toxicity, Dermal (Category 3) Acute tox. Derm. 3 Acute toxicity, Oral (Category 3) Acute tox. Oral 3 Skin corrosion (Category 1B) Skin corr. 1B Skin sensit. 1 Skin sensitization (Category 1) Toxic if inhaled H331 Toxic in contact with skin H311 H301 Toxic if swallowed Causes severe skin burns and eye damage H314 H317 May cause an allergic skin reaction Toxic Т

R23/24/25 Toxic by inhalation, in contact with skin and if swallowed

R34 Causes burns

R40 Limited evidence of a carcinogenic effect R43 May cause sensitisation by skin contact

F-002B Version 3 Revision Date: 2014-09-09 Print Date: 2024-05-20 Page 3/4

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.

F-002B Version 3 Revision Date: 2014-09-09 Print Date: 2024-05-20 Page 4/4