

SAFETY DATA SHEET

Mx-08

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Perfume mix 6.0% pet

Article Number Mx-08

Applications Diagnosis of contact allergy.

Manufacturer Chemotechnique Diagnostics AB

Modemgatan 9 SE-235 39 Vellinge

Telephone +46 (0) 40 466 077 (Monday-Friday 8.00-16.00)

Fax +46 (0) 40 466 700

2. HAZARD IDENTIFICATION

Health hazards

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

Signs and symptom of exposure

Dermal irritation.

Medical conditions aggravated by exposure

Dermatitis.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]						
Component	CAS-No.	Content	Classification			
Petrolatum	8009-03-8	94.0%	-			
CINNAMYL ALCOHOL	104-54-1	1.0%	Acute tox. Oral 4, Skin irrit. 2, Eye irrit. 2, Resp. sensit. 1; H302, H315, H319, H334			
CINNAMAL	104-55-2	1.0%	Skin irrit. 2, Eye irrit. 2, Skin sensit. 1, Spec. targ. org. tox single exp. 3; H315, H317, H319, H335			
EUGENOL	97-53-0	1.0%	Acute tox. Oral 4, Skin irrit. 2, Eye irrit. 2, Resp. sensit. 1, Skin sensit. 1, Spec. targ. org. tox single exp. 3; H302, H315, H317, H319, H334, H335			
GERANIOL	106-24-1	1.0%	Skin irrit. 2, Eye irrit. 2, Spec. targ. org. tox single exp. 3; H315, H319, H335			
Hydroxycitronellal	107-75-5	1.0%	Skin irrit. 2, Serious eye dam. 1; H315, H3118			
ISOEUGENOL	97-54-1	1.0%	Acute tox. Oral 4, Skin irrit. 2, Eye irrit. 2, Skin sensit. 1, Spec. targ. org.			

Mx-08 Version 2 Revision Date: 2014-09-22 Print Date: 2014-09-22 Page 1 of 4



tox. - single exp. 3; H302, H315,

H317, H319, H335

Oakmoss absolute 90028-68-5 2.0% Flamm. liquids 2; H225

SORBITAN 8007-43-0 1.0%

SESQUIOLEATE

Classification according to EU Directive 67/548/EEC and 1999/45/EC

	-		
Component	CAS-No.	Content	Classification
Petrolatum	8009-03-8	92.0%	-
CINNAMYL	104-54-1	1.0%	Xn; R22, R43, R36/38
ALCOHOL			
CINNAMAL	104-55-2	1.0%	Xi; R36/37/38, R43
EUGENOL	97-53-0	1.0%	Xn; R22, R36/37/38, R42/43
GERANIOL	106-24-1	1.0%	Xi; R36/37/38
Hydroxycitronellal	107-75-5	1.0%	Xi; R38, R41
ISOEUGENOL	97-54-1	1.0%	Xn; R22, R36/37/38, R43
Oakmoss absolute	90028-68-5	1.0%	F+; R11
SORBITAN	8007-43-0	1.0%	
SESQUIOLEATE			-

For the full text of the H-statements and R-phrases mentioned in this Section, see Section 16.

4. FIRST AID MEASURES

Emergency and first aid procedures

Obtain medical attention.

5. FIRE-FIGHTING MEASURES*

Suitable extinguish media

CO₂, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

For safety reasons unsuitable extinguishing agents

Water with full jet.

Special protective equipment for fire-fighters

Wear self-contained respiratory protective device. Wear fully protective suit.

6. ACCIDENTAL RELEASES MEASURES

Steps to be taken if material is released or spilled

Contain and place in a closed container.

7. HANDLING AND STORAGE

Precautions to be taken in handling and storage

Store dark at 5-8°C. Avoid extended exposure to sunlight. FOR EXTERNAL USE ONLY.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Respiratory protection

Not required.

Mx-08 Version 2 Revision Date: 2014-09-22 Print Date: 2014-09-22 Page 2 of 4

^{*}Data is shown for petrolatum only



Ventilation

Local exhaust.

Protective gloves

Disposal gloves.

Eye protection

Not required with normal use.

Work/Hygienic practices

Wash hands after each use.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Pale yellow Semi-solid

Odour Fragrance

Melting point* 50-55°C

Boiling point* No data available

Flash point* >100°C

Self ignition* Product does not self ignite.

Danger of explosion* Product does not present an explosion hazard.

Density* No data available.

Solubility in/Miscibility with Water* Insoluble

10. STABILITY AND REACTIVITY

Incompability

May react with strong oxidizing agents.

Stability

Stable at recommended storage conditions.

Hazardous byproducts

Combustion may generate CO, CO₂ and other oxides.

Hazardous polymerization

Will not occur.

11. TOXICOLOGICAL INFORMATION

No data available.

12. ECOLOGICAL INFORMATION

No data available.

13. DISPOSAL CONSIDERATIONS

Waste disposal method

Comply with federal, state/provincial and local regulation.

Mx-08 Version 2 Revision Date: 2014-09-22 Print Date: 2014-09-22 Page 3 of 4

^{*}Data is shown for petrolatum only



14. TRANSPORT INFORMATION

Not dangerous goods.

15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

16. OTHER INFORMATION

Text of H-statements and R-phrases mentioned in Section 3

Acute tox. Oral 4 Acute toxicity, Oral (Category 4) Eye irrit. 2 Eye irritation (Category 2)

Resp. sensit. 1

Serious eye dam. 1

Skin irrit. 2

Skin sensit. 1

Respiratory sensitization (Category 1)

Serious eye damage (Category 1)

Skin irritation (Category 2)

Skin sensit. 1

Skin sensitization (Category 1)

Spec. targ. org. tox. - single Specific target organ toxicity - single exposure (Category 3)

exp. 3

H302 Harmful if swallowed H315 Causes skin irritation

H317 May cause an allergic skin reaction
H318 Causes serious eye damage.
H319 Causes serious eye irritation
H225 Highly flammable liquid and vapour

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled

H335 May cause respiratory irritation

Xi Irritant Xn Harmful

R22 Harmful if swallowed

R36/37/38 Irritating to eyes, respiratory system and skin

R41 Risk of serious damage to eyes.

R42/43 May cause sensitization by inhalation and skin contact

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.

Mx-08 Version 2 Revision Date: 2014-09-22 Print Date: 2014-09-22 Page 4 of 4