

# **SAFETY DATA SHEET**

Mx-30

### 1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Textile dye mix 6.6% pet

Article Number Mx-30

Applications Diagnosis of contact allergy.

Manufacturer Chemotechnique Diagnostics AB

Modemgatan 9 SE-235 39 Vellinge

Telephone +46 (0) 40 466 077 (Monday-Friday 8.00-16.00)

Fax +46 (0) 40 466 700

#### 2. HAZARD IDENTIFICATION

### **Health hazards**

The objective of applying a hapten on the patient's skin is the diagnosis of contact allergy. Localized dermal allergic reaction may occur at test site.

# Signs and symptom of exposure

Dermal irritation.

### Medical conditions aggravated by exposure

Dermatitis.

#### 3. COMPOSITION/INFORMATION ON INGREDIENTS

Classification according to (EC) No. 1272/2008 [EU-GHS/CLP]						
Component	CAS-No.	Content	Classification			
Petrolatum	8009-03-8	93.4%	-			
Disperse Blue 35	12222-75-2	1.0%	Skin sensit. 1; H317			
Disperse Orange 1	2581-69-3	1.0%	-			
DISPERSE ORANGE 3	730-40-5	1.0%	Skin irrit. 2, Skin sensit. 1, Eye irrit. 2, Spec. targ. org. tox single exp. 3; H315, H317, H319, H335			
Disperse Red 1	2872-52-8	1.0%	Skin sensit. 1; H317			
DISPERSE RED 17	3179-89-3	1.0%	Acute tox. Oral 4; H302			
Disperse Yellow 3	2832-40-8	1.0%	Carc. 2, Skin sensit. 1; H317, H351			
Disperse Blue 106	68516-81-4	0.3%	Acute tox. Oral 4, Resp. sensit. 1; H302, H334			
Disperse Blue 124	61951-51-7	0.3%	Acute tox. Oral 3, Skin sensit. 1; H301, H317			

# Classification according to EU Directive 67/548/EEC and 1999/45/EC

Component CAS-No. Content Classification

Petrolatum 8009-03-8 93.4% -

Mx-30 Version 1 Revision Date: 2015-01-15 Print Date: 2015-01-15 Page 1 of 4



12222-75-2	1.0%	Xi; R43
2581-69-3	1.0%	-
730-40-5	1.0%	Xi; R36/37/38, R43
2872-52-8	1.0%	Xi; R43
3179-89-3	1.0%	Xn; R22
2832-40-8	1.0%	Xn; R40, R43
68516-81-4	0.3%	Xn; R22, R43
61951-51-7	0.3%	Xn; R22, R43
	2581-69-3 730-40-5 2872-52-8 3179-89-3 2832-40-8 68516-81-4	2581-69-3 1.0% 730-40-5 1.0% 2872-52-8 1.0% 3179-89-3 1.0% 2832-40-8 1.0% 68516-81-4 0.3%

For the full text of the H-statements and R-phrases mentioned in this Section, see Section 16.

### 4. FIRST AID MEASURES

# **Emergency and first aid procedures**

Obtain medical attention.

# 5. FIRE-FIGHTING MEASURES\*

#### Suitable extinguish media

CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

# For safety reasons unsuitable extinguishing agents

Water with full jet.

#### Special protective equipment for fire-fighters

Wear self-contained respiratory protective device. Wear fully protective suit.

## 6. ACCIDENTAL RELEASES MEASURES

### Steps to be taken if material is released or spilled

Contain and place in a closed container.

#### 7. HANDLING AND STORAGE

### Precautions to be taken in handling and storage

Store dark at 5-8°C. Avoid extended exposure to sunlight. FOR EXTERNAL USE ONLY.

#### 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

# **Respiratory protection**

Not required.

#### Ventilation

Local exhaust.

# **Protective gloves**

Disposal gloves.

### Eye protection

Not required with normal use.

Mx-30 Version 1 Revision Date: 2015-01-15 Print Date: 2015-01-15 Page 2 of 4

<sup>\*</sup>Data is shown for petrolatum only



### Work/Hygienic practices

Wash hands after each use.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Dark purple/blue Semi-solid

Odour Odourless

Melting point\* 50-55°C

Boiling point\* No data available

Flash point\* >100°C

Self ignition\* Product does not self ignite.

Danger of explosion\* Product does not present an explosion hazard.

Density\* No data available.

Solubility in/Miscibility with Water\* Insoluble

# 10. STABILITY AND REACTIVITY

#### Incompability

May react with strong oxidizing agents.

### **Stability**

Stable at recommended storage conditions.

# **Hazardous byproducts**

Combustion may generate CO, CO2 and other oxides.

#### Hazardous polymerization

Will not occur.

#### 11. TOXICOLOGICAL INFORMATION

No data available.

# 12. ECOLOGICAL INFORMATION

No data available.

# 13. DISPOSAL CONSIDERATIONS

# Waste disposal method

Comply with federal, state/provincial and local regulation.

# 14. TRANSPORT INFORMATION

Not dangerous goods.

#### 15. REGULATORY INFORMATION

The classification is according to the latest editions of the EU lists, and extended by company and literature data.

Mx-30 Version 1 Revision Date: 2015-01-15 Print Date: 2015-01-15 Page 3 of 4

<sup>\*</sup>Data is shown for petrolatum only



### 16. OTHER INFORMATION

### Text of H-statements and R-phrases mentioned in Section 3

Acute tox. Oral 3&4 Acute toxicity, Oral (Category 3&4)
Carc. 2 Carcinogenicity (Category 2)
Eye irrit. 2 Eye irritation (Category 2)

Resp. sensit. 1

Skin irrit. 2 Skin irritation (Category 2)
Skin sensit. 1 Skin sensitization (Category 1)

Spec. targ. org. tox. - single Specific target organ toxicity - single exposure (Category 3)

exp. 3

H301 Toxic if swallowed H302 Harmful if swallowed H315 Causes skin irritation

H317 May cause an allergic skin reaction H319 Causes serious eye irritation

H334 May cause allergy or asthma symptoms or breathing

difficulties if inhaled

H335 May cause respiratory irritation H351 Suspected of causing cancer

Xn Harmful Xi Irritant

R22 Harmful if swallowed

R36/37/38 Irritating to eyes, respiratory system and skin
R40 Limited evidence of a carcinogenic effect
R43 May cause sensitization by skin contact

Pharmaceutical quality of tested hapten is confirmed by Chemotechnique Diagnostics according to validated analytical methods. Hapten passed test according to GMP standards.

Chemotechnique Diagnostics makes no representation as to the comprehensiveness or correctness of the information provided. It is intended only as a guide to a properly trained individual in the appropriate handling of the material.

Mx-30 Version 1 Revision Date: 2015-01-15 Print Date: 2015-01-15 Page 4 of 4